



Joint Implementation Supervisory Committee

Thirteenth meeting Proposed agenda - Annotations Annex 2

#### Annex 2

#### DRAFT GUIDELINES FOR USERS OF THE JOINT IMPLEMENTATION PROJECT DESIGN DOCUMENT FORM FOR SMALL-SCALE PROJECTS AND THE FORM FOR SUBMISSION OF BUNDLED JOINT IMPLEMENTATION SMALL-SCALE PROJECTS (VERSION 03)

#### Note by the secretariat

1. At its eleventh meeting, the Joint Implementation Supervisory Committee (JISC) had discussed the need to revise the JI project design document (PDD) forms (including guidelines for users), and had decided to further consider the issue during the UNFCCC technical workshop on JI on 9–10 September 2008 and its subsequent twelfth meeting.

2. To ensure the highest degree of transparency and to identify practical needs for a revision, the JISC, at its eleventh meeting, had also requested the secretariat to launch a call for public input on possible revisions of the JI PDD forms (including guidelines for users), asking to propose possible changes to these documents including reasons for the suggestion. The JISC also requested the secretariat to address the issue on its behalf to the DOE/AIE coordination forum for its inputs.

3. At its twelfth meeting, the JISC discussed the inputs received, including relevant inputs by the DOE/AIE coordination forum to its eleventh meeting, and requested Mr. Geletukha, Mr. Hubenthal and Mr. Leguet, supported by the secretariat, to prepare on this basis draft revised guidelines for users of the JI PDD forms, for consideration at its thirteenth meeting.

4. Draft revised guidelines for users of the JI PDD forms were prepared in accordance with paragraph 3 above (during the course of this work, inter alia, the glossaries of JI terms originally contained in the single guidelines for users<sup>1</sup> were consolidated in a separate draft document for reasons of transparency and comprehensiveness).

5. The draft revised guidelines for users of the JI PDD form for SSC projects and the form for submission of bundled JI SSC projects (version indicating the proposed changes in track changes mode) are attached below, for consideration by the JISC at its thirteenth meeting.

<sup>&</sup>lt;sup>1</sup> The glossary of JI terms in the guidelines for users of the JI PDD form, the glossary of JI small-scale (SSC) terms in the guidelines for users of the JI PDD form for SSC projects and the form for submission of bundled JI SSC projects, and the glossary of JI land use, land-use change and forestry (LULUCF) terms in the guidelines for users of the JI LULUCF PDD form

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Joint Implementation Supervisory Committee

page 1

## GUIDELINES FOR USERS OF THE JOINT IMPLEMENTATION PROJECT DESIGN DOCUMENT FORM FOR SMALL-SCALE PROJECTS AND THE FORM FOR SUBMISSION OF BUNDLED JOINT IMPLEMENTATION SMALL-SCALE PROJECTS

#### Version 032

Revision history of the document			
<b>Document version</b>	Adoption	Revision	
Version 01	JISC 05 <sup>1</sup>	Initial adoption of the document developed on the basis of paragraphs 2 (d), (e) and (f) of decision 10/CMP.1	
Version 02	JISC 06	<ul> <li>Revision to reflect the amendment of the thresholds for type II and type III joint implementation (JI) small-scale (SSC) projects in paragraph 14 of decision 3/CMP.2 in line with the revised thresholds for SSC project activities under the clean development mechanism as defined in paragraph 28 of decision 1/CMP.2</li> <li>Amendment of the "glossary of joint implementation small-scale terms" (regarding the terms "Party involved" and "project approval by the Parties involved")</li> </ul>	
Version 03	JISC 13	Revision to increase the transparency of requirements as well as the consistency of JI project design documents (PDDs) prepared (during the course of this work, inter alia, the glossaries of JI terms originally contained in the single guidelines for users <sup>2</sup> were consolidated in a separate document for reasons of transparency and comprehensiveness)	

<sup>&</sup>lt;sup>1</sup> Fifth meeting of the Joint Implementation Supervisory Committee

<sup>&</sup>lt;sup>2</sup> The glossary of JI terms in the guidelines for users of the JI PDD form, the glossary of JI SSC terms in the guidelines for users of the JI PDD form for SSC projects and the form for submission of bundled JI SSC projects, and the glossary of JI land use, land-use change and forestry (LULUCF) terms in the guidelines for users of the JI LULUCF PDD form

Joint Implementation Supervisory Committee

## CONTENTS

page 2

PART I (General guidance)	Page
A. General information on the joint implementation project design document form for small-scale projects and the form for submission of bundled joint implementation small-scale projects.	. 3
B. Glossary of joint implementation small-scale terms	. 6 <del>5</del>
PART II (Joint implementation project design document form for small-scale projects)	
A. Information note for the joint implementation project design document form for small-scale projects	1 <b>6</b> 4
B. Specific guidelines for users of the joint implementation project design document form for small-scale projects	. 19 <del>16</del>
PART III (Form for submission of bundled joint implementation small-scale projects)	
A. Information note for project bundling, including the form for submission of bundled joint implementation small-scale projects	. 37 <del>29</del>
B. Specific guidelines for users of the form for submission of bundled joint implementation small-scale projects	<b>40</b> 31

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

**Joint Implementation Supervisory Committee** 

page 3

## PART I

#### A. General information on the joint implementation project design document form for small-scale projects and the form for submission of bundled joint implementation small-scale projects

1. These guidelines are to assist users of the joint implementation project design document form for small-scale projects (JI SSC PDD form) and the form for submission of bundled joint implementation small-scale projects (F-JI-SSC-BUNDLE).

2 The JI SSC PDD form and the F-JI-SSC-BUNDLE were elaborated by the Joint Implementation Supervisory Committee (JISC) in accordance with decisions 16/CP.7 and 10/CMP.1 and the guidelines for the implementation of Article 6 of the Kyoto Protocol as contained in decision 9/CMP.1 and the annex thereto (hereinafter referred to as JI guidelines).

3. Project participants that wish to submit a project design document (PDD) for a JI small-scale (JI SSC) project to an accredited independent entity (AIE) under the verification procedure under the JISC, as defined in the JI guidelines, paragraphs 30-45, shall submit a completed JI SSC PDD form. If proposed

JI SSC projects are to be bundled a completed F-JI-SSC-BUNDLE shall be submitted to the AIE.

4. The JI SSC PDD form and the F-JI-SSC-BUNDLE can be obtained electronically from the JI section of the UNFCCC website (<http://ji.unfccc.int/>) or by e-mail (ji-info@unfccc.int) or in printed format from the UNFCCC secretariat (fax: +49 228 815 1999).

5. Terms, which are underlined with a broken line in the JI SSC PDD form or the F-JI-SSC-BUNDLE, are explained in the "Gelossary of joint implementation small-scale terms" which is included in these guidelines. Users of the JI SSC PDD form and the F-JI-SSC-BUNDLE are strongly recommended to consult the most recent version of the glossary, available under <http://ji.unfccc.int/Ref/Docs.html>.

Project participants should also consult the section "Guidance / Clarifications" of the JI section 6. of the UNFCCC website (<a href="http://ji.unfccc.int/">http://ji.unfccc.int/</a>). Its contents may also be obtained from the UNFCCC secretariat (e-mail: ji-info@unfccc.int, fax: +49 228 815 1999).

The JISC may revise the JI SSC PDD form or the F-JI-SSC-BUNDLE, if necessary. Revisions 7. come into effect once adopted by the JISC, bearing in mind the provisions below.

Revisions of the JI SSC PDD form or the F-JI-SSC-BUNDLE do not affect projects the PDD of 8. which:

- (a) Has already been used as the basis for a determination by an AIE; or
- Has already been submitted to an AIE for determination prior to the adoption of the (b) revised JI SSC PDD form or F-JI-SSC-BUNDLE; or
- (c) Is submitted to an AIE within a month following the adoption of the revised JI SSC PDD form or F-JI-SSC-BUNDLE.

	DRAFT	
	FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE Version 032	UNFCCC
Joint Implementation	n Supervisory Committee	page 4

Joint Implementation Supervisory Committee

9. The JISC will not accept documentation using the previous version of the JI SSC PDD form or the F-JI-SSC-BUNDLE six months after the adoption of a new version.

page 5

DRAFT

## Joint Implementation Supervisory Committee

10. In accordance with the JI guidelines, the working language of the JISC is English. The JI SSC PDD form and the F-JI-SSC-BUNDLE shall therefore be completed and submitted in English.

11. The JI SSC PDD form and the F-JI-SSC-BUNDLE shall not be altered. They shall be completed without modifying/adding headings, logo, format or font. Tables shall not be modified or deleted **(unless otherwise indicated)**. However, rows may be added as needed.

12. The completed JI SSC PDD form and F-JI-SSC-BUNDLE shall include in section A.1. the version number and the date of the document.

13. If a section of the JI SSC PDD form or the F-JI-SSC-BUNDLE is not applicable, it shall be explicitly stated that the section is left blank on purpose.

14. The JI SSC PDD form and the F-JI-SSC-BUNDLE are applicable to JI SSC projects only.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

**Joint Implementation Supervisory Committee** 

page 6

B. Glossary of joint implementation small-scale terms

1. Joint implementation (JI) means the mechanism referred to in Article 6 of the Kyoto Protocol. "For the purpose of meeting its commitments under Article<sup>3</sup> 3, any Party<sup>4</sup> included in Annex I may transfer to, or acquire from, any other such Party emission reduction units resulting from projects aimed at reducing anthropogenic emissions by sources or enhancing anthropogenic removals by sinks of greenhouse gases in any sector of the economy, provided that:

- Any such project has the approval of the Parties involved; **(a)**
- Any such project provides a reduction in emissions by sources, or an enhancement **(b)** of removals by sinks, that is additional to any that would otherwise occur;
- It does not acquire any emission reduction units if it is not in compliance with its **(c)** obligations under Articles 5 and 7; and
- The acquisition of emission reduction units shall be supplemental to domestic **(d)** actions for the purposes of meeting commitments under Article 3."<sup>5</sup>

The Conference of the Parties (COP), by its decision 16/CP.7, recommended the 2. Conference of the Parties serving as the meeting of the Parties to the Kyoto Protocol (CMP) to adopt, at its first session, a decision on guidelines for the implementation of Article 6 of the Kyoto Protocol. Accordingly, the CMP adopted decision 9/CMP.1.<sup>6</sup>

3. The JISC has developed a glossary of JI terms which is meant, inter alia, to facilitate the completion of the:

- **(a)** JI PDD form;
- JI PDD form for SSC projects (JI SSC PDD form) and the form for submission of **(b)** bundled JI SSC projects (F-JI-SSC-BUNDLE); and
- JI LULUCF PDD form. (c)

In this glossary, the term "Article" refers to an Article of the Kyoto Protocol to the United Nations Framework Convention on Climate Change (UNFCCC), unless the context otherwise indicates.

In this glossary, the term "Party" means, unless the context otherwise indicates, a Party to the Kyoto Protocol. "Party included in Annex I" (also "Annex I Party") means a Party which is included in Annex I to the UNFCCC, as may be amended, or a Party which has made a notification under Article 4, paragraph 2 (g), of the UNFCCC, and which has ratified the Kyoto Protocol.

<sup>5</sup> Article 6, paragraph 1, of the Kyoto Protocol

<sup>6</sup> Paragraph 4 of decision 9/CMP.1 stipulates that projects under Article 6 aimed at enhancing anthropogenic removals by sinks shall conform to definitions, accounting rules, modalities and guidelines under Article 3, paragraphs 3 and 4, of the Kyoto Protocol.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

## Joint Implementation Supervisory Committee

4. On the whole, the glossary aims at defining JI related terms on a general basis, but also elaborates on them in the specific context of e.g. JI SSC or JI LULUCF projects in more detail, as appropriate. Partly, terms are specifically applicable to JI SSC or JI LULUCF projects, which is explicitly indicated.

5. The most recent version of the glossary is available under

<http://ji.unfccc.int/Ref/Docs.html> and shall be used taking into account the guidance on criteria for baseline setting and monitoring and, as appropriate, the provisions for JI SSC projects<sup>7</sup> developed by the JISC in accordance with paragraph 2 (f) of decision 10/CMP.1.

Joint implementation (JI) means the mechanism referred to in Article 6 of the Kyoto Protocol. "For the purpose of meeting its commitments under Article<sup>8</sup>-3, any Party<sup>9</sup>-included in Annex I may transfer to, or acquire from, any other such Party emission reduction units resulting from projects aimed at reducing anthropogenic emissions by sources or enhancing anthropogenic removals by sinks of greenhouse gases in any sector of the economy, provided that:

(a) Any such project has the approval of the Parties involved;

(b) Any such project provides a reduction in emissions by sources, or an enhancement of removals by sinks, that is additional to any that would otherwise occur;

(c) It does not acquire any emission reduction units if it is not in compliance with its obligations under Articles 5 and 7; and

(d) The acquisition of emission reduction units shall be supplemental to domestic actions for the purposes of meeting commitments under Article 3.<sup>240</sup>

The Conference of the Parties (COP), by its decision 16/CP.7, recommended the Conference of the Parties serving as the meeting of the Parties to the Kyoto Protocol (COP/MOP) to adopt, at its first session, a decision on guidelines for the implementation of Article 6 of the Kyoto Protocol. Accordingly, the COP/MOP adopted decision 9/CMP.1.

The following glossary of JI SSC terms is meant to facilitate the completion of the JI SSC PDD form and the F-JI-SSC-BUNDLE. It takes up general JI terms with specific relevance for JI SSC projects, elaborates on them in a JI SSC context, as appropriate, and defines additional terms applicable to JI SSC projects only. This glossary shall be used taking into account the guidance on criteria for baseline setting and monitoring and the provisions for JI SSC projects developed by the JISC in accordance with paragraph 2 (f) of decision 10/CMP.1.<sup>44</sup>

<sup>&</sup>lt;sup>7</sup> The thresholds for JI SSC projects were amended in paragraph 14 of decision 3/CMP.2.

<sup>&</sup>lt;sup>8</sup> In this glossary, the term "Article" refers to an Article of the Kyoto Protocol to the United Nations Framework Convention on Climate Change (UNFCCC), unless the context otherwise indicates.

<sup>&</sup>lt;sup>9</sup> In this glossary, the term "Party" means, unless the context otherwise indicates, a Party to the Kyoto Protocol. "Party included in Annex I" (also "Annex I Party") means a Party which is included in Annex I to the UNFCCC, as may be amended, or a Party which has made a notification under Article 4, paragraph 2 (g), of the UNFCCC, and which has ratified the Kyoto Protocol.

<sup>&</sup>lt;sup>10</sup> Article 6, paragraph 1, of the Kyoto Protocol.

<sup>&</sup>lt;sup>11</sup> The thresholds for JI SSC projects were amended in paragraph 14 of decision 3/CMP.2.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

Joint Implementation Supervisory Committee

page 8

#### Terms in alphabetical order

#### Accredited independent entity (AIE)

An entity accredited by the JISC in accordance with standards and procedures contained in appendix A of the JI guidelines. Under the verification procedure under the JISC, defined in paragraphs 30–45 of the JI guidelines, an AIE is responsible for the determination of whether a project and the ensuing reductions of anthropogenic emissions by sources or enhancements of anthropogenic removals by sinks meet the relevant requirements of Article 6 of the Kyoto Protocol and the JI guidelines.

Decision 10/CMP.1, paragraph 3, stipulates:

- Designated operational entities (DOEs) under the clean development mechanism (CDM) may act provisionally as AIEs under Article 6 until the JISC has approved its procedures for accreditation;
- Those DOEs that apply for accreditation under the approved procedures for accreditation may continue to act provisionally as AIEs until a final accreditation decision is taken;
- The determinations and relevant activities undertaken under these provisions shall be valid only after the accreditation of the independent entity is finalized.

#### **Attributable**

See "Measurable and attributable".

## Authorization of a legal entity to participate in a JI project

See "Project approval by the Parties involved".

#### **Baseline**

The scenario that reasonably represents the anthropogenic emissions by sources or anthropogenic removals by sinks of greenhouse gases (GHGs) that would occur in the absence of the proposed JI project.

Criteria for baseline setting are listed in appendix B of the JI guidelines:

- A baseline shall cover emissions from all gases, sectors and source categories listed in Annex A of the Kyoto Protocol, and anthropogenic removals by sinks, within the project boundary;

- A baseline shall be established:

(a) On a project-specific basis and/or using a multi-project emission factor;

(b) In a transparent manner with regard to the choice of approaches, assumptions, methodologies, parameters, data sources and key factors;

(c) Taking into account relevant national and/or sectoral policies and circumstances, such as sectoral reform initiatives, local fuel availability, power sector expansion plans, and the economic situation in the project sector;

(d) In such a way that emission reduction units (ERUs) cannot be earned for decreases in activity levels outside the project activity or due to force majeure;

(e) Taking account of uncertainties and using conservative assumptions;

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Joint Implementation Supervisory Committee

page 9

Project participants shall justify their choice of baseline.

According to paragraph 3 (d) of the JI guidelines, the JISC is responsible for the review and revision of reporting guidelines and criteria for baselines and monitoring in appendix B of the JI guidelines, for consideration by the COP/MOP, giving consideration to relevant work of the Executive Board of the CDM, as appropriate. Moreover, decision 10/CMP.1, paragraph 2 (f), stipulates that the JISC shall develop, as soon as possible, guidance with regard to appendix B of the JI guidelines, including provisions for SSC projects as defined in paragraph 6 (c) of decision 17/CP.7<sup>12</sup>, as appropriate.

A baseline has to be set in accordance with appendix B of the JI guidelines and further guidance on criteria for baseline setting and monitoring developed by the JISC.

According to decision 10/CMP.1, paragraph 4 (a), project participants may, but are not obliged to, apply methodologies for baselines and monitoring, including methodologies for small-scale project activities, approved by the Executive Board of the CDM, under JI, as appropriate. Baseline and monitoring methodologies approved by the Executive Board are publicly available, together with relevant guidance, on the UNFCCC CDM website (http://cdm.unfccc.int) or through a written request sent to the secretariat by e-mail (cdm-info@unfccc.int) or fax (+49 228 815 1999).

In the case of a JI SSC project, which is a JI project aimed at reducing anthropogenic emissions by sources, the baseline relates to emissions by sources within the project boundary.

Bundle See "Bundling".

Bundled See "Bundling".

#### **Bundling**

The bringing together of projects meeting the relevant JI SSC threshold(s) and not being a debundled component of a large project at various stages in the project cycle under the verification procedure under the JISC, i.e. PDD, determination referred to in paragraph 33 of the JI guidelines, monitoring and determination referred to in paragraph 37 of the JI guidelines. Bundled JI SSC projects may, but do not necessarily, pertain to the same SSC project category. All projects in the bundle shall:

(a) Have the same crediting period; and

(b) Comply with the provisions for JI SSC projects developed by the JISC, in particular the relevant JI SSC threshold(s); and

(c) Retain their distinctive characteristics (i.e. location, technology/measure etc.).

The composition of a bundle shall not change over time.

<sup>&</sup>lt;sup>12</sup> The thresholds for JI SSC projects were amended in paragraph 14 of decision 3/CMP.2.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

page 10

#### Joint Implementation Supervisory Committee

**Confidential/proprietary information** 

In accordance with paragraph 40 of the JI guidelines, information obtained from project participants marked as proprietary or confidential shall not be disclosed without the written consent of the provider of the information, except as required by applicable national law of the host Party. Information used to determine whether reductions in anthropogenic emissions by sources or enhancements of anthropogenic removals by sinks are additional, to describe the baseline methodology and its application, and to support an environmental impact assessment referred to in paragraph 33 (d) of the JI guidelines, shall not be considered as proprietary or confidential.

#### **Crediting period**

The period for which reductions in anthropogenic emissions by sources or enhancements of anthropogenic removals by sinks may be determined by an AIE.

Projects starting as of 2000 may be eligible as JI SSC projects if they meet the requirements of the JI guidelines. ERUs shall only be issued for a crediting period starting after the beginning of 2008. The project participants shall choose the starting date of the crediting period to be on or after the date the first emission reductions are generated by the JI SSC project. The crediting period shall not extend beyond the operational lifetime of the project. The end of the crediting period can be after 2012 subject to the approval by the host Party. The status of emission reductions generated by JI SSC projects after the end of the first commitment period may be determined by any relevant agreement under the UNFCCC.

#### **Debundled**

See "Debundling".

#### **Debundling**

The fragmentation of a large project into smaller parts. As a general rule, a debundled component of a large project is not eligible to benefit from the specific provisions for JI SSC projects.

A proposed JI SSC project shall be deemed to be a debundled component of a large project if there already exists a JI (SSC) project with a publicly available determination in accordance with paragraph 34 of the JI guidelines:

- -Which has the same project participants; and
- -Which applies the same technology/measure and pertains to the same project category<sup>43</sup>; and
- Whose determination has been made publicly available in accordance with paragraph 34 of the JI guidelines within the previous 2 years; and
- Whose project boundary is within 1 km of the project boundary of the proposed JI SSC project at the closest point.

If a proposed JI SSC project is deemed to be a debundled component of a large project, but both together, the component and the other JI (SSC) project(s), do not exceed the thresholds for JI SSC projects, the component can be regarded as a JI SSC project and benefit from the relevant provisions.

<sup>&</sup>lt;sup>13</sup> The second part of this sentence applies if the already existing project is a JI SSC project.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

#### Joint Implementation Supervisory Committee

page 11

#### **Determination**

Under the verification procedure under the JISC, defined in paragraphs 30–45 of the JI guidelines, an AIE is responsible for the determination of whether a project and the ensuing reductions of anthropogenic emissions by sources or enhancements of anthropogenic removals by sinks meet the relevant requirements of Article 6 of the Kyoto Protocol and the JI guidelines.

Determinations of reductions in anthropogenic emissions by sources or enhancements of anthropogenic removals by sinks pursuant to paragraph 37 of the JI guidelines are also referred to as verifications, whereas determinations pursuant to paragraph 33 of the JI guidelines regarding PDDs are also simply referred to as determinations (in the narrower sense of the term).

#### **Emission reduction unit (ERU)**

A unit issued pursuant to the relevant provisions in the annex to decision 13/CMP.1 and equal to one metric tonne of carbon dioxide ( $CO_2$ ) equivalent, calculated using global warming potentials defined by decision 2/CP.3 or as subsequently revised in accordance with Article 5 of the Kyoto Protocol.

#### **Host Party**

A Party on the territory of which the JI project is physically located. A project located in several countries has several host Parties.

#### Leakage

The net change of anthropogenic emissions by sources and/or removals by sinks of GHGs which occurs outside the project boundary, and that is measurable and attributable to the JI project.

In the case of JI SSC projects, leakage only has to be considered within the boundaries of non-Annex I Parties, if applicable.

#### **Measurable and attributable**

In an operational context, the term "that is measurable and attributable" in paragraph 4 (f) of appendix B of the JI guidelines should be read as "that can be measured and is directly attributable".

#### **Monitoring**

The collection and archiving of all relevant data necessary for:

 estimating or measuring anthropogenic emissions by sources and/or anthropogenic removals by sinks of GHGs occurring within the project boundary during the crediting period and

 determining the baseline of anthropogenic emissions by sources and/or anthropogenic removals by sinks of GHGs within the project boundary during the crediting period, as well as

the identification of all potential sources of, and the collection and archiving of data on, increased anthropogenic emissions by sources and/or reduced anthropogenic removals by sinks of GHGs outside the project boundary that are significant and reasonably attributable to the project during the crediting period.

Appendix B of the JI guidelines defines criteria for baseline setting and monitoring.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

### Joint Implementation Supervisory Committee

According to paragraph 3 (d) of the JI guidelines, the JISC is responsible for the review and revision of reporting guidelines and criteria for baselines and monitoring in appendix B of the JI guidelines, for consideration by the COP/MOP, giving consideration to relevant work of the Executive Board of the CDM, as appropriate. Moreover, decision 10/CMP.1, paragraph 2 (f), stipulates that the JISC shall develop, as soon as possible, guidance with regard to appendix B of the JI guidelines, including provisions for SSC projects as defined in paragraph 6 (c) of decision 17/CP.7<sup>14</sup>, as appropriate.

A JI SSC PDD shall include a monitoring plan which has to be established in accordance with appendix B of the JI guidelines and further guidance on criteria for baseline setting and monitoring as well as the provisions for JI SSC projects developed by the JISC.

According to decision 10/CMP.1, paragraph 4 (a), project participants may, but are not obliged to, apply methodologies for baselines and monitoring, including methodologies for small-scale project activities, approved by the Executive Board of the CDM, under JI, as appropriate. Baseline and monitoring methodologies approved by the Executive Board are publicly available, together with relevant guidance, on the UNFCCC CDM website (http://cdm.unfccc.int) or through a written request sent to the secretariat by e-mail (cdm-info@unfccc.int) or fax (+49 228 815 1999).

#### **Monitoring plan**

See "Monitoring".

#### **Operational lifetime of a project**

The period during which the project is in operation. The crediting period shall not extend beyond the operational lifetime of the project.

#### Party involved

A Party that provides a written project approval.

#### Project

A measure, operation or action aimed at reducing anthropogenic emissions by sources and/or enhancing anthropogenic removals by sinks of GHGs.

A JI SSC project is a project aimed at reducing anthropogenic emissions by sources of GHGs that meets the thresholds referred to below. Three types of JI SSC projects are defined:

(a) Type I JI SSC projects: renewable energy projects with a maximum output capacity of up to 15 megawatts (MW) (or an appropriate equivalent):

- "Maximum output capacity" is defined as installed/rated capacity, as indicated by the manufacturer of the equipment or plant, disregarding the actual load factor of the plant;

- "15 megawatts" is defined as 15 MW(e)<sup>15</sup>. "Appropriate equivalent" is defined as appropriate equivalent of 15 MW(e). Project proposals may also refer to MW(p) or MW(th). In these cases an appropriate conversion factor to MW(e) has to be applied;<sup>16</sup>



<sup>&</sup>lt;sup>14</sup> The thresholds for JI SSC projects were amended in paragraph 14 of decision 3/CMP.2.

<sup>&</sup>lt;sup>15</sup> (e) denominates electric, (p) peak and (th) thermal.

<sup>&</sup>lt;sup>16</sup> E.g. 45 MW(th) may be regarded as equal to 15 MW(e).

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

#### Joint Implementation Supervisory Committee

page 13

(b) Type II JI SSC projects: energy efficiency improvement projects which reduce energy consumption, on the supply and/or demand side, by up to 60 gigawatt hours (GWh) per year (or an appropriate equivalent):

- "Energy efficiency improvement" is the improvement in the service provided per unit power, i.e. projects which increase unit output of traction, work, electricity, heat and/or light per MW input are energy efficiency improvement projects;
- The reduction of energy consumption is measured in watt-hours with reference to a baseline. Lower consumption as a result of lower activity shall not be taken into consideration;
- Demand side, as well as supply side, projects shall be taken into consideration, provided that a project results in a reduction of maximum 60 GWh per year;
- "60 gigawatt hours" is defined as 60 GWh(e). "Appropriate equivalent" is defined as appropriate equivalent of 60 GWh(e) and is calculated applying an appropriate conversion factor;

(c) Type III JI SSC projects: other projects that result in emission reductions of less than or equal to 60 kilotonnes (kt) of  $CO_2$  equivalent annually:

- Type III JI SSC projects are limited to projects that result in emission reductions of less than or equal to 60 kt CO<sub>2</sub> equivalent annually;
- They could include, inter alia, agricultural projects, fuel switching, industrial processes and waste management.

The three types of JI SSC projects referred to above are mutually exclusive. If a JI project includes more than one JI SSC project type component, it can benefit from the specific provisions for JI SSC projects, if each component meets the relevant threshold criterion, i.e. for a project with both a renewable energy and an energy efficiency component the thresholds for type I and type II JI SSC projects have to be met.

In the JI SSC PDD it has to be shown that the proposed JI SSC project meets the relevant JI SSC threshold(s) during the whole crediting period. The same applies to all proposed JI SSC projects which are to be bundled. If during any monitoring period relevant thresholds are exceeded on an annual average basis, this shall be determined by the AIE and ERUs shall only be issued up to the maximum emission reduction level estimated for the JI SSC project for that period in the JI SSC PDD, or, in the case of a bundle, estimated for the bundle for that period in the F-JI-SSC-BUNDLE.

In addition to meeting the thresholds mentioned above JI SSC projects have to conform to an eligible SSC project category, i.e. means a project category approved by the Executive Board of the CDM or an additional project category approved by the JISC. Changes in the list of eligible project categories do not affect JI SCC projects whose determination has already been published in accordance with paragraph 34 of the JI guidelines.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE Version 032

#### Joint Implementation Supervisory Committee

**Project approval by the Parties involved** 

According to paragraph 20 of the JI guidelines, a "Party involved in an Article 6 project shall inform the secretariat of:

(a) Its designated focal point for approving projects pursuant to Article 6, paragraph 1 (a);

(b) Its national guidelines and procedures for approving Article 6 projects, including the consideration of stakeholders' comments, as well as monitoring and verification".

Paragraph 31 of the JI guidelines stipulates that project participants shall submit to an AIE a PDD that contains all information needed for the determination of whether the project has been approved by the Parties involved.

Approvals by Parties involved shall be unconditional and in writing.

Such written approval constitutes the authorization by a designated focal point of a specific legal entity to participate in the specific JI project.

The approval covers the requirements of paragraphs 29 and 31 (a) of the JI guidelines.

A written approval by a Party may cover more than one project provided that all projects are clearly listed in the approval.

In the case of multilateral funds, written approval from each participant's designated focal point is not necessarily required. However, if written approval is not provided, rights and privileges in terms of being a Party involved may be given up.

The JISC clarified that:

(a) At least the written project approval(s) by the host Party(ies) should be provided to the AIE and made available to the secretariat by the AIE when submitting the determination report regarding the PDD for publication in accordance with paragraph 34 of the JI guidelines;

(b) At least one written project approval by a Party involved in the JI project, other than the host Party(ies), should be provided to the AIE and made available to the secretariat by the AIE when submitting the first verification report for publication in accordance with paragraph 38 of the JI guidelines, at the latest.

#### **Project boundary**

The project boundary shall encompass all anthropogenic emissions by sources and/or removals by sinks of GHGs under the control of the project participants that are significant and reasonably attributable to the JI project.

In the case of a JI SSC project, which is a JI project aimed at reducing anthropogenic emissions by sources, the project boundary is defined considering anthropogenic emissions by sources.

#### **Project participant**

In accordance with the use of the term "project participant" in the JI guidelines, a project participant is (a) a Party involved or (b) a legal entity authorized by a Party involved to participate in the JI project.

page 14

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

## Joint Implementation Supervisory Committee

page 15

Small-scale (SSC) project See "Project".

Small-scale (SSC) project category See "Project".

Small-scale (SSC) project type See "Project".

#### **Stakeholders**

The public, including individuals, groups or communities affected, or likely to be affected, by the project.

#### **Starting date of a JI project**

The date on which the implementation or construction or real action of the project begins. Projects starting as of 2000 may be eligible as JI projects if they meet the requirements of the JI guidelines. ERUs shall only be issued for a crediting period starting after the beginning of 2008.

#### **Track 1 procedure**

See "Track 2 procedure".

#### **Track 2 procedure**

The verification procedure under the JISC, defined in paragraphs 30-45 of the JI guidelines.

A Party included in Annex I of the UNFCCC with a commitment inscribed in Annex B of the Kyoto Protocol is eligible to transfer and/or acquire ERUs issued in accordance with the relevant provisions, if it is in compliance with eligibility requirements listed in paragraph 21 of the JI guidelines. A Party acquiring ERUs has to fulfill all the eligibility requirements. A host Party wishing to issue and transfer ERUs has to fulfill the minimum criteria defined in paragraph 24 of the JI guidelines. If the host Party does not meet all the eligibility requirements, the project has to be implemented under the verification procedure under the JISC, i.e. the Track 2 procedure. If the host Party meets all the eligibility requirements and thropogenic removals by sinks from a JI project as being additional to any that would otherwise occur according to its own rules, i.e. under the Track 1 procedure. A host Party that fulfills all the eligibility requirements may at any time elect to use the Track 2 procedure.

#### **Verification**

See "Determination".

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

**Joint Implementation Supervisory Committee** 

page 16

## PART II

## A. Information note for the joint implementation project design document form for small-scale projects

1. The completed JI SSC PDD form presents information on the essential technical and organizational aspects of a SSC project and is a key input for determinations regarding the SSC project under the verification procedure under the JISC as defined in paragraphs 30–45 of the JI guidelines.

2. The completed JI SSC PDD form contains information on the SSC project, the baseline, and the monitoring plan chosen.

3. The three types of JI SSC projects are mutually exclusive. If a JI project includes more than one JI SSC project type component, it can benefit from the specific provisions for JI SSC projects, if each component meets the relevant threshold criterion, i.e. for a project with both a renewable energy and an energy efficiency component the thresholds for type I and type II JI SSC projects have to be met. Such SSC projects may submit one JI SSC PDD, provided that information regarding the following (sub)sections is provided separately for each of the components of the project:

- A.4.2. Small-scale project type(s) and category(ies); •
- A.4.3. Technology(ies) to be employed, or measures, operations or actions to be implemented by the small-scale project;
- A.4.4. Brief explanation of how the anthropogenic emissions of greenhouse gases by sources are to be reduced by the proposed small-scale project, including why the emission reductions would not occur in the absence of the proposed small-scale project, taking into account national and/or sectoral policies and circumstances;
- B. Baseline;
- D. Monitoring plan;
- E. Estimation of greenhouse gas emission reductions.

4. The project participants shall submit the completed JI SSC PDD form, together with attachments, if necessary, to an AIE for determination. The AIE then examines the adequacy of the information provided in the JI SSC PDD, especially whether it satisfies the relevant provisions of the JI guidelines and the provisions for JI <u>SSC projects</u> developed by the JISC. Based on this examination, the AIE makes a determination regarding the SSC project.

DRAFT

#### Joint Implementation Supervisory Committee

page 17

5. Bearing in mind paragraph 40 of the JI guidelines, <u>project participants</u> shall submit documentation that contains <u>confidential/proprietary information</u> in two versions:

- A marked-up version where all confidential/proprietary parts have been made illegible by the <u>project participants</u> (e.g. by covering those parts with black ink) so that it can be made public;
- A version containing all information, i.e. including parts which shall be treated as strictly confidential by all persons handling this documentation (<u>AIEs</u>, JISC members and alternate members, and panel, subcommittee and working group members, external experts requested to consider such documents in support of the work of the JISC, and the secretariat, as applicable).



Joint Implementation Supervisory Committee

page 18

6. Specific information on the usage of the JI SSC PDD form with regard to <u>bundled SSC projects</u> is given in part III of this document.



GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

Joint Implementation Supervisory Committee

page 19

## B. Specific guidelines for users of the joint implementation project design document form for small-scale projects

#### CONTENTS OF THE JOINT IMPLEMENTATION PROJECT DESIGN DOCUMENT FORM FOR SMALL-SCALE PROJECTS

- A. General description of the <u>small-scale project</u>
- B. <u>Baseline</u>
- C. Duration of the small-scale project / crediting period
- D. <u>Monitoring plan</u>
- E. Estimation of greenhouse gas emission reductions
- F. Environmental impacts
- G. <u>Stakeholders</u>' comments

## Annexes

Annex 1: Contact information on project participants

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

**Joint Implementation Supervisory Committee** 

page 20

#### SECTION A. General description of the small-scale project

## A.1. Title of the small-scale project:

Please indicate: - The title of the SSC project; - The sectoral scope(s)<sup>17</sup> to which the SSC project pertains; - The version number of the document; - The date of the document.

## A.2. Description of the small-scale project:

Please include in the description the purpose of the <u>SSC project</u>- with a concise explanation of the: a) Situation existing prior to the starting date of the SSC project; b) **Baseline** scenario; and c) Project scenario. Please also briefly summarize the history of the SSC project (incl. its JI component).

#### A.3. Project participants:

Please list <u>project participants</u> and <u>Parties involved</u> in this section and provide contact information in annex 1. Information shall be provided in the following tabular format.				
Party involved *	Legal entity <u>project participant</u> (as applicable)	Please indicate if the <u>Party involved</u> wishes to be considered as a <u>project participant</u> (Yes/No)		
Party A	<ul> <li>Legal entity A1</li> <li>Legal entity A2</li> <li></li> </ul>	Yes/No		
Party B	<ul> <li>Legal entity B1</li> <li>Legal entity B2</li> <li></li> </ul>	Yes/No		
* Please indicate if the Party involv	•			

#### A.4. Technical description of the small-scale project:

## A.4.1. Location of the small-scale project:

- A.4.1.1. Host Party(ies):
- A.4.1.2. Region/State/Province etc.:
- A.4.1.3. City/Town/Community etc.:

<sup>&</sup>lt;sup>17</sup> The list of sectoral scopes adopted by the JISC is available on the UNFCCC JI website (<http://ji.unfccc.int/>) in section "Reference" ("Procedures").





Version 032

Joint Implementation Supervisory Committee

page 21

# A.4.1.4. Detail of physical location, including information allowing the unique identification of the <u>small-scale project</u>:

Please do not exceed one page.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

## Joint Implementation Supervisory Committee

page 22

## A.4.2. <u>Small-scale project type(s)</u> and <u>category(ies)</u>:

Please specify and justify the <u>SSC project type(s)</u> and <u>category(ies)</u> of the proposed JI <u>SSC project</u>. JI <u>SSC projects</u> have to conform to one of the <u>SSC project categories</u> approved by the Executive Board of the **clean development mechanism** (CDM)<sup>18</sup> or an additional <u>SSC project</u> <u>category</u> approved by the JISC. Additional <u>SSC project categories</u> under JI may be approved by the JISC either on its own initiative or based on submissions by <u>project participants</u>. <u>Project participants</u> may make a substantiated request in writing to the JISC providing information about the <u>project/technology</u> and a definition of the new <u>SSC project category</u> proposed. In approving additional <u>SSC project categories</u> the JISC may draw on expertise, as appropriate. The JISC shall expeditiously, if possible at its next meeting, make a decision. Changes in the list of eligible <u>SSC</u> <u>project categories</u> do not affect JI <u>SCC projects</u> whose <u>determination</u> has already been published in accordance with paragraph 34 of the JI guidelines.

Please also demonstrate that the proposed <u>project</u> is eligible as a <u>SSC project</u> and show that it meets the relevant JI SSC threshold(s) during the whole <u>crediting period</u>. If during any <u>monitoring</u> period relevant JI SSC thresholds are exceeded on an annual average basis, this shall be determined by the <u>AIE</u> and <u>ERUs</u> shall only be issued up to the maximum emission reduction level estimated for the JI <u>SSC project</u> for that period in the SSC PDD.

# A.4.3. Technology(ies) to be employed, or measures, operations or actions to be implemented by the <u>small-scale project</u>:

Please describe the technology(ies) to be employed, or measures, operations or actions to be implemented by the <u>SSC project</u>, including all relevant technical data and the implementation schedule.

A.4.4. Brief explanation of how the anthropogenic emissions of greenhouse gases by sources are to be reduced by the proposed <u>small-scale project</u>, including why the emission reductions would not occur in the absence of the proposed <u>small-scale project</u>, taking into account national and/or sectoral policies and circumstances:

Please explain briefly how anthropogenic GHG emission reductions are to be achieved (details to be provided in section B.) and provide the estimate(s) of anticipated total reductions in tonnes of CO<sub>2</sub> equivalent as determined in section E. Max. length: one page.

<sup>&</sup>lt;sup>18</sup> The most recent list of <u>SSC project categories</u> approved by the Executive Board of the CDM is available under <<u>http://cdm.unfccc.int/methodologies/SSCmethodologies/approved.html</u>>.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

Joint Implementation Supervisory Committee

page 23

## A.4.4.1. Estimated amount of emission reductions over the <u>crediting period</u>:

Please indicate the length of the <u>crediting period</u> and provide estimates of total as well as annual emission reductions. Information shall be provided using the following tabular format.		
	Years	
Length of the crediting period		
Year	Estimate of annual emission reductions in tonnes of CO <sub>2</sub> equivalent	
Year A		
Year B		
Year		
Total estimated emission reductions over the		
crediting period		
(tonnes of CO <sub>2</sub> equivalent)		
Annual average of estimated emission reductions		
over the <u>crediting period</u>		
(tonnes of CO <sub>2</sub> equivalent)		

# A.4.5. Confirmation that the proposed <u>small-scale project</u> is not a <u>debundled</u> component of a larger <u>project</u>:

Please confirm and show that the proposed JI <u>SSC project</u> is not a <u>debundled</u> component of a larger <u>project</u>.

## A.5. Project approval by the Parties involved:

Written project approvals by the Parties involved should be attached.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Joint Implementation Supervisory Committee

page 24

## SECTION B. <u>Baseline</u>

A <u>baseline</u> has to be set in accordance with appendix B of the JI guidelines and further guidance on <u>criteria for baseline</u> setting and <u>monitoring</u> developed by the JISC.

In general, a <u>baseline</u> shall be established:

- On a project-specific basis and/or using a multi-project emission factor;

- In a transparent manner with regard to the choice of approaches, assumptions,

methodologies, parameters, data sources and key factors;

- Taking into account relevant national and/or sectoral policies and circumstances, such as sectoral reform initiatives, local fuel availability, power sector expansion plans, and the economic situation in the <u>project</u> sector;

- In such a way that <u>emission reduction units (ERUs)</u> cannot be earned for decreases in activity levels outside the <u>project</u> activity or due to force majeure;

- Taking account of uncertainties and using conservative assumptions.

Project participants shall justify their choice of baseline.

As appropriate, <u>project participants</u> may, but are not obliged to, apply the most recent versions of the simplified <u>baseline</u> and <u>monitoring</u> methodologies for SSC project activities approved by the Executive Board of the CDM. In this case, all explanations, descriptions and analyses shall be made in accordance with the selected methodology.

## **B.1.** Description and justification of the <u>baseline</u> chosen:

Please describe and justify the <u>baseline</u> chosen in accordance with appendix B of the JI guidelines, using the following step-wise approach and further guidance on criteria for <u>baseline</u> setting and <u>monitoring</u> developed by the JISC.:

Step 1. Indication and description of the approach chosen regarding <u>baseline</u> setting

Please explicitly indicate which of the approaches regarding <u>baseline</u> setting, defined in the JISC's guidance on criteria for baseline setting and monitoring and provisions for JI SSC projects<sup>19</sup>, is chosen.

**a)** If an approved simplified CDM <u>baseline</u> and <u>monitoring</u> methodology is used, please provide a reference (including version) and justify its applicability. <u>All explanations, descriptions and analyses shall refer to the selected methodology</u>.

In case of deviations from the applied approved simplified CDM <u>baseline</u> and <u>monitoring</u> methodology, please provide a complete, clear and transparent description and justification of the deviations. In doing so, please also provide an analysis of how the proposed deviations affect the assumptions, formulae, parameters, data sources and key factors used in the methodology, and state how uncertainties are taken into account and conservativeness is safeguarded.

<sup>&</sup>lt;sup>19</sup> The current versions of the guidance on criteria for baseline setting and monitoring and the provisions for JI SSC projects adopted by the JISC are available on the UNFCCC JI website (<http://ji.unfccc.int/>) in section "Reference" ("Guidance / Clarifications").



#### **Joint Implementation Supervisory Committee**

page 25

b) If a JI specific approach regarding baseline setting is used, please provide a detailed theoretical description in a complete and transparent manner, as well as a justification referring to the JISC's guidance on criteria for baseline setting and monitoring and provisions for JI SSC projects. Please include in the description all assumptions, formulae, parameters, data sources and key factors, and state how uncertainties are taken into account and conservativeness is safeguarded.

#### Application of the approach chosen Step 2.

Please apply the approach outlined in step 1 above in the context of the <u>SSC project</u>.

Please provide the key information and data used to establish the baseline (variables, parameters, data sources etc.) in tabular form:

- <del>T</del>	
Data/Parameter	
Data unit	
Description	
Time of	
determination/monitoring	
Source of data (to be) used	
Value of data applied	
(for ex ante calculations/determinations)	
Justification of the choice	
of data or description of	
measurement methods and	
procedures (to be) applied	
QA/QC procedures (to be)	
applied	
Any comment	

B.2. Description of how the anthropogenic emissions of greenhouse gases by sources are reduced below those that would have occurred in the absence of the small-scale project:

Please demonstrate that the <u>SSC project</u> provides reductions in emissions by sources that are additional to any that would otherwise occur, using the following step-wise approach:

Step 1. Indication and description of the approach applied

Please explicitly indicate which of the approaches to demonstrate additionality, defined in the JISC's guidance on criteria for baseline setting and monitoring<sup>20</sup>, is chosen:

a) If an approach approved by the CDM Executive Board is used, please indicate clear references (e.g. title of the <u>baseline</u> and <u>monitoring</u> methodology or tool, relevant version of the methodology or tool etc.) and describe why and how it is applicable.

The current version of the guidance on criteria for baseline setting and monitoring adopted by the JISC is available on the UNFCCC JI website (<http://ji.unfccc.int/>) in section "Reference" ("Guidance / Clarifications").



Joint Implementation Supervisory Committee

page 26

b) If a JI specific approach is chosen, please provide a reference and justify, with a clear and transparent description, its applicability, as appropriate.

Step 2. Application of the approach chosen

Please apply the approach outlined in step 1 above in the context of the <u>SSC project</u>.

Step 3. Provision of additionality proofs

In any case, please include or attach relevant additionality proofs. Please explain how and why the <u>SSC project</u> is additional. Include (a) a description of the <u>baseline</u> scenario, (b) a description of the <u>project</u> scenario, and (c) an analysis showing why the emissions in the <u>baseline</u> scenario would likely exceed the emissions in the <u>project</u> scenario.

If an approved simplified CDM <u>baseline</u> and <u>monitoring</u> methodology is used, all explanations, descriptions and analyses, inter alia with regard to additionality, shall be made in accordance with the selected methodology.

Effects of national and/or sectoral policies and circumstances on the <u>baseline</u> of the proposed JI <u>SSC project</u> shall be summarised in this section as well.

As appropriate, the draft table provided under section B.1. above shall be completed for all relevant data/parameters.

# **B.3.** Description of how the definition of the <u>project boundary</u> is applied to the <u>small-scale project</u>:

Please define the project boundary of the proposed JI SSC project.

If an approved simplified CDM <u>baseline</u> and <u>monitoring</u> methodology is used, all explanations, descriptions and analyses, inter alia with regard to the <u>project boundary</u>, shall be made in accordance with the selected methodology.For details please refer to the JISC's guidance on criteria for baseline setting and monitoring and provisions for JI SSC projects<sup>21</sup>.

<sup>&</sup>lt;sup>21</sup> The current versions of the guidance on criteria for baseline setting and monitoring and the provisions for JI SSC projects adopted by the JISC are available on the UNFCCC JI website (<<u>http://ji.unfccc.int/></u>) in section "Reference" ("Guidance / Clarifications").



Joint Implementation Supervisory Committee

page 27

# **B.4.** Further <u>baseline</u> information, including the date of <u>baseline</u> setting and the name(s) of the person(s)/entity(ies) setting the <u>baseline</u>:

Please provide date of <u>baseline</u> setting (DD/MM/YYYY).

Please also provide contact information and indicate if the person/entity is also a <u>project participant</u> listed in annex 1.



Version 032

#### Joint Implementation Supervisory Committee

page 28

## SECTION C. Duration of the small-scale project / crediting period

## C.1. Starting date of the <u>small-scale project</u>:

The <u>starting date of a JI project</u> is the date on which the implementation or construction or real action of the <u>project</u> begins.

<u>Projects</u> starting as of 2000 may be eligible as JI <u>projects</u> if they meet the requirements of the JI guidelines. <u>ERUs</u> shall only be issued for a <u>crediting period</u> starting after the beginning of 2008.

#### C.2. Expected operational lifetime of the <u>small-scale project</u>:

Please state the expected <u>operational lifetime of the project</u> in years and months.

#### C.3. Length of the crediting period:

Please state the length of the <u>crediting period</u> in years and months as well as its starting date.

Please note that <u>ERUs</u> shall only be issued for a <u>crediting period</u> starting after the beginning of 2008 and that the <u>crediting period</u> shall not extend beyond the <u>operational lifetime of the project</u>. The <u>crediting period</u> can extend beyond 2012 subject to the approval by the <u>host Party</u>.<sup>22</sup>

<sup>&</sup>lt;sup>22</sup> The status of emission reductions or enhancements of net removals generated by JI <u>projects</u> after the end of the first commitment period may be determined by any relevant agreement under the UNFCCC.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Joint Implementation Supervisory Committee

page 29

## SECTION D. Monitoring plan

A <u>monitoring plan</u> has to be established in accordance with appendix B of the JI guidelines and further guidance on <u>eriteria for baseline</u> setting and <u>monitoring</u> developed by the JISC.

As appropriate, <u>project participants</u> may, but are not obliged to, apply the most recent versions of the simplified <u>baseline</u> and <u>monitoring</u> methodologies for SSC project activities approved by the Executive Board of the CDM. In this case, all explanations, descriptions and analyses shall refer to the selected methodology.

The <u>monitoring plan</u> needs to provide information relating to the collection and archiving of all relevant data necessary for

- estimating or measuring project emissions,

- determining baseline emissions and
- assessing leakage effects, as applicable.

The monitoring plan should reflect good monitoring practice appropriate to the project type.

<u>Project participants</u> shall implement the determined <u>monitoring plan</u> and provide data in accordance with the plan through their <u>monitoring</u> reports.

Please note that data monitored and required for <u>determination</u> are to be kept for two years after the last transfer of <u>ERUs</u> for the <u>project</u>.

## D.1. Description of monitoring plan chosen:

Please provide an outline of the <u>monitoring plan</u>, using the following step-wise approach — A(a detailed description shall be provided in section D.2.):

Step 1. Indication and description of the approach chosen regarding <u>monitoring</u>

Please explicitly indicate which of the approaches regarding <u>monitoring</u>, defined in the JISC's guidance on criteria for baseline setting and monitoring and provisions for JI SSC projects<sup>23</sup>, is chosen:

a) If an approved simplified CDM <u>baseline</u> and <u>monitoring</u> methodology is used, please provide a reference (incl. version) and justify its applicability.

In case of deviations from the applied approved simplified CDM <u>baseline</u> and <u>monitoring</u> methodology, please provide a complete, clear and transparent description and justification of the deviations. In doing so, please also provide an analysis of how the proposed deviations affect the assumptions, formulae, parameters, data sources and key factors used in the methodology, and state how uncertainties are taken into account and conservativeness is safeguarded.

<sup>&</sup>lt;sup>23</sup> The current versions of the guidance on criteria for baseline setting and monitoring and the provisions for JI SSC projects adopted by the JISC are available on the UNFCCC JI website (<http://ji.unfccc.int/>) in section "Reference" ("Guidance / Clarifications").

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE Version 032

#### Joint Implementation Supervisory Committee

page 30

b) If a JI specific approach regarding <u>monitoring</u> is used, please provide a detailed theoretical description in a complete and transparent manner, as well as a justification referring to the JISC's guidance on criteria for baseline setting and monitoring and provisions for JI SSC projects. Please include in the description all assumptions, formulae, parameters, data sources and key factors, and state how uncertainties are taken into account and conservativeness is safeguarded.

## Step 2. Application of the approach chosen

Please apply the approach outlined in step 1 above in the context of the <u>SSC project</u>.

If a national or international <u>monitoring</u> standard has to be applied to monitor certain aspects of the <u>project</u>, please identify this standard and provide a reference as to where a detailed description of the standard can be found.

Please also indicate how data will be archived. If an approved simplified CDM <u>baseline</u> and <u>monitoring</u> methodology is used, please provide a reference and explain its applicability. All explanations, descriptions and analyses shall be made in accordance with the selected methodology.

## **D.2.** Data to be monitored:

Please provide **single** tables **for all data/parameters** and complete them in line with the methodological approach **regarding** monitoring chosen.-

In doing so, please explicitly and clearly distinguish:

a) Data and parameters that are not monitored throughout the <u>crediting period</u>, but are determined only once (and thus remain fixed throughout the <u>crediting period</u>), and that are available already at the stage of <u>determination</u> regarding the PDD;

b) Data and parameters that are not monitored throughout the <u>crediting period</u>, but are determined only once (and thus remain fixed throughout the <u>crediting period</u>), but that are not already available at the stage of <u>determination</u> regarding the PDD; and

c) Data and parameters that are monitored throughout the crediting period.

Please use the draft table below and copy it for each data and parameter:

Data/Parameter	
Data unit	
Description	
Time of	
determination/monitoring	
Source of data (to be) used	
Value of data applied	
(for ex ante	
calculations/determinations)	
Justification of the choice	
of data or description of	
measurement methods and	



Version 032

#### Joint Implementation Supervisory Committee

page 31

procedures (to be) applied	
QA/QC procedures (to be)	
applied	
Any comment	

This section shall also provide for the collection and archiving of information on environmental impacts, in accordance with procedures as required by the <u>host Party</u>, where applicable. Please provide information on the collection and archiving of information on the environmental impacts of the <u>SSC project</u>. Please provide reference to the relevant <u>host Party</u> regulation(s). If not applicable, please state so.

Joint Implementation Supervisory Committee

page 32

## D.3. Quality control (QC) and quality assurance (QA) procedures undertaken for data monitored:

Please explain qualitatively how quality control and quality assurance procedures are undertaken.

If an approved simplified CDM <u>baseline</u> and <u>monitoring</u> methodology is used, all explanations, descriptions and analyses shall be made in accordance with the selected methodology.

# **D.4.** Brief description of the operational and management structure that will be applied in implementing the <u>monitoring plan</u>:

## D.5. Name of person(s)/entity(ies) establishing the monitoring plan:

Please provide contact information and indicate if the person/entity is also a <u>project participant</u> listed in annex 1.

Version 032

Joint Implementation Supervisory Committee

page 33

#### SECTION E. Estimation of greenhouse gas emission reductions

Estimates and formulae used should be consistent throughout the document.

If an approved simplified CDM baseline and monitoring methodology is used, all explanations, descriptions and analyses shall be made in accordance with the selected methodology.

#### E.1. Estimated project emissions and formulae used in the estimation:

Please provide estimates of anthropogenic emissions of GHGs by sources of the project within the project boundary (for each gas, source etc.; emissions in units of CO<sub>2</sub> equivalent). Alternatively, please provide directly estimated emission reductions due to the project. Please also provide the formulae used.

#### E.2. Estimated leakage and formulae used in the estimation, if applicable:

Please provide estimates of any leakage. Estimates should be given for each gas, source etc. (in units of CO<sub>2</sub> equivalent). Please also provide the formulae used. If not applicable, please state so.

#### E.3. Sum of E.1. and E.2.:

## E.4. Estimated <u>baseline</u> emissions and formulae used in the estimation:

Estimates should be given for each gas, source etc. (emissions in units of CO<sub>2</sub> equivalent). Please also provide the formulae used.

#### E.5. Difference between E.4. and E.3. representing the emission reductions of the project:

#### E.6. Table providing values obtained when applying formulae above:

The result of the application of the formulae mentioned above shall be indicated using the				
following tabular	r format.			
Year	Estimated <u>project</u> emissions (tonnes of CO <sub>2</sub> equivalent)	Estimated <u>leakage</u> (tonnes of CO <sub>2</sub> equivalent)	Estimated <u>baseline</u> emissions (tonnes of CO <sub>2</sub> equivalent)	Estimated emission reductions (tonnes of CO <sub>2</sub> equivalent)
Year A				
Year B				
Year				
Total (tonnes of $CO_2$ equivalent)				



Joint Implementation Supervisory Committee

page 34

**SECTION F. Environmental impacts** 

F.1. Documentation on the analysis of the environmental impacts of the <u>project</u>, including transboundary impacts, in accordance with procedures as determined by the <u>host Party</u>:

If applicable, please provide a short summary and attach the documentation to the JI SSC PDD.

F.2. If environmental impacts are considered significant by the <u>project participants</u> or the <u>host Party</u>, provision of conclusions and all references to supporting documentation of an environmental impact assessment undertaken in accordance with the procedures as required by the <u>host Party</u>:



Version 032

#### Joint Implementation Supervisory Committee

page 35

## SECTION G. Stakeholders' comments

#### G.1. Information on stakeholders' comments on the project, as appropriate:

Please provide:

- A list of stakeholders from whom comments on the project have been received;
- Nature of the comments; and
- Whether and how the comments have been addressed.

If not applicable, please state so.



Joint Implementation Supervisory Committee

## Annex 1

## CONTACT INFORMATION ON PROJECT PARTICIPANTS

Please copy and paste table as needed. Please fill in the following mandatory fields for each organisation listed in section A.3.: organisation, name of contact person, street, city, postal code, country, phone and fax or e-mail.

- - - -



page 36

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

**Joint Implementation Supervisory Committee** 

page 37

## PART III

## A. Information note for project bundling, including the form for submission of bundled joint implementation small-scale projects

Projects meeting the relevant JI SSC threshold(s) and not being a debundled component of a 1. large project may be bundled at the following stages in the project cycle under the verification procedure under the JISC:

- PDD: (a)
- Determination referred to in paragraph 33 of the JI guidelines; (b)
- (c) Monitoring;
- (d) Determination referred to in paragraph 37 of the JI guidelines.
- 2. Bundled JI SSC projects may, but do not necessarily, pertain to the same SSC project category.
- 3. All projects in the bundle shall:
  - Have the same crediting period; and (a)
  - (b) Comply with the provisions for JI SSC projects developed by the JISC, in particular the relevant JI SSC threshold(s); and
  - (c) Retain their distinctive characteristics (i.e. location, technology/measure etc.).
- 4. The composition of a bundle shall not change over time.

5. If proposed JI SSC projects are to be bundled, a completed F-JI-SSC-BUNDLE and a written statement signed by all project participants indicating that they agree that their individual projects are part of the bundle and nominating one project participant to represent all project participants in communicating with the JISC shall be sent to the AIE.

6. The Parties involved in the projects of the bundle shall indicate in their project approval in accordance with paragraph 31 (a) of the JI guidelines that they are aware of the bundle.

7. The <u>AIE</u> shall forward the documents referred to in paragraphs 5 and 6 above to the secretariat when making the determination referred to in paragraph 33 of the JI guidelines with regard to the projects in the bundle publicly available in accordance with paragraph 34 of the JI guidelines. All documents referring to a bundle shall be submitted to the secretariat at the same time.

8. In the case of project bundling, taking into account paragraphs 9 and 10 below, a single SSC PDD may be used for the whole bundle provided that all the projects pertain to the same JI SSC project category, apply the same technology or measure and are located in the territory of the same host Party. Otherwise, separate SSC PPDs have to be submitted for each project in the bundle. All SSC PDDs pertaining to a particular bundle shall be published at the same time, whenever the publication of PDDs is required under the verification procedure under the JISC.

## Joint Implementation Supervisory Committee

page 38

9. If <u>projects</u> in a <u>bundle</u> use the same <u>baseline</u>, this has to be justified by considering the particular situation of each <u>project</u> in the <u>bundle</u>.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

page 39

## Joint Implementation Supervisory Committee

10. If <u>projects</u> are <u>bundled</u>, a separate <u>monitoring plan</u> shall apply for each of the constituent <u>projects</u> or an overall <u>monitoring plan</u>, which, inter alia, may also propose to monitor performance of the constituent <u>projects</u> on a sample basis, shall apply for the <u>bundled projects</u>. In the latter case the <u>projects</u> have to be located in the territory of the same <u>host Party</u>, have to pertain to the same <u>SSC project category</u> and have to apply the same technology or measure, and the <u>AIE</u> shall determine, in accordance with paragraph 11 below, that the overall <u>monitoring plan</u> reflects good <u>monitoring</u> practice appropriate to the <u>bundled projects</u> and provides for collection and archiving of the data needed to calculate the emission reductions achieved by the <u>bundled projects</u>.

11. In the case of <u>project bundling</u> the <u>AIE</u> shall also determine that the conditions for <u>bundling</u> are satisfied, including that the overall <u>monitoring plan</u> for the <u>bundled SSC projects</u> is appropriate, if applicable. The <u>determination</u> by the <u>AIE</u> pursuant to paragraph 33 of the JI guidelines takes into account and concerns all the <u>projects</u> in the <u>bundle</u>. If the <u>determination</u> is conducted on the basis of an overall <u>monitoring plan</u>, a common <u>monitoring</u> report shall be provided in accordance with paragraph 36 of the JI guidelines and the <u>determination</u> referred to in paragraph 37 of the JI guidelines shall cover all of the <u>bundled</u> projects.

12. If a review is requested in accordance with paragraph 35 of the JI guidelines with regard to a <u>bundled project</u>, the <u>determination</u> of all <u>projects</u> in the <u>bundle</u> is concerned.

13. If during any <u>monitoring</u> period relevant JI SSC thresholds are exceeded on an annual average basis, this shall be determined by the <u>AIE</u> and <u>ERUs</u> shall only be issued up to the maximum emission reduction level estimated for the <u>bundle</u> for that period in the F-JI-SSC-BUNDLE.

14. If JI <u>SSC projects</u> are <u>bundled</u>, a single report by the <u>AIE</u> on the <u>determination</u> referred to in paragraph 37 of the JI guidelines:

- (a) Shall be provided in the case of usage of a single SSC PDD as referred to in paragraph 8 above and an overall <u>monitoring plan</u> as referred to in paragraph 10 above;
- (b) May be provided in all other cases if it appraises each <u>bundled project</u> separately and covers the same <u>monitoring</u> period.

GUIDELINES FOR USERS OF THE JI SSC PDD FORM AND THE F-JI-SSC-BUNDLE

Version 032

Joint Implementation Supervisory Committee

page 40

## **B.** Specific guidelines for users of the form for submission of bundled joint implementation small-scale projects

## SECTION A. General description of the <u>bundle</u>

## A.1. Title of the <u>bundle</u>:

Please indicate:

- Title of the <u>bundle;</u>
- Cross-reference(s) to the PDD(s) of the <u>SSC projects bundled;</u>
- Version number and date of the document;
- Version number(s) and date(s) of the cross-referenced PDD(s).

## A.2. Description of the <u>bundle</u>:

Please include in the description the purpose of <u>bundling</u>.

#### A.3. Project participants:

Please list <u>project participants</u> and <u>Parties involved</u> in this section and attach contact information to the completed form. Information shall be provided in the following tabular format.				
Party involved *	Legal entity <u>project participant</u> (as applicable)	Please indicate if the <u>Party involved</u> wishes to be considered as a <u>project participant</u> (Yes/No)		
Party A	<ul> <li>Legal entity A1</li> <li>Legal entity A2</li> <li></li> </ul>	Yes/No		
Party B	<ul> <li>Legal entity B1</li> <li>Legal entity B2</li> <li></li> </ul>	Yes/No		
	•			
* Please indicate if the <u>Party involved</u> is a <u>host Party</u> .				





Version 032

Joint Implementation Supervisory Committee

page 41

SECTION B. Technical description of the bundle

B.1. Location of the small-scale projects bundled:

B.1.1. Host Party(ies):

B.1.2. Region(s)/State(s)/Province(s) etc.:

B.1.3. City(ies)/Town(s)/Community(ies) etc.:

**B.1.4.** Details of physical locations, including information allowing the unique identification of the <u>small-scale projects bundled</u>:

Please do not exceed one page.

## B.2. Type(s), category(ies) and technology(ies)/measure(s) of the small-scale projects bundled:

Please complete the following table. Add rows, as needed.				
Title of the <u>SSC project</u>	SSC project type	SSC project category	Technology/measure	
Please demonstrate that the <u>bundled SSC projects</u> will meet the relevant JI SSC threshold(s)				
during the whole crediting period. If during any monitoring period relevant JI SSC thresholds				
are exceeded on an annual average basis, this shall be determined by the AIE and ERUs shall				
only be issued up to the maximum emission reduction level estimated for the bundle for that				
period in the F-JI-SSC-BUNDLE.				

## **B.3.** Fulfilment of the provisions for <u>project bundling</u>:

Please briefly describe how the provisions for project bundling are fulfilled.

Joint Implementation Supervisory Committee

page 42

## B.4. Estimated amount of emission reductions over the crediting period:

Please indicate the length of the <u>crediting period</u> and provide estimates of total as well as annual emission reductions due to the <u>bundle</u> . Information shall be provided using the following tabular format.		
	Years	
Length of the crediting period		
Year	Estimate of annual emission reductions in tonnes of CO <sub>2</sub> equivalent	
Year A		
Year B		
Year		
Total estimated emission reductions over the		
crediting period		
(tonnes of CO <sub>2</sub> equivalent)		
Annual average of estimated emission reductions		
over the <u>crediting period</u>		
(tonnes of CO <sub>2</sub> equivalent)		



Version 032

#### Joint Implementation Supervisory Committee

page 43

#### SECTION C. Duration of the <u>bundle</u> / <u>crediting period</u>

#### C.1. Starting date of the <u>bundle</u>:

The starting date of the <u>bundle</u> is the date on which the implementation or construction or real action of the earliest <u>SSC project</u> begins.

Please also state the starting dates of the proposed JI <u>SSC projects</u> in the <u>bundle</u>. <u>Projects</u> starting as of 2000 may be eligible as JI <u>SSC projects</u> if they meet the requirements of the JI guidelines. <u>ERUs</u> shall only be issued for a <u>crediting period</u> starting after the beginning of 2008. The <u>project participants</u> shall choose the starting date of the <u>crediting period</u> of the single <u>SSC projects</u> to be on or after the date the first emission reductions are generated by the <u>projects</u>.

## C.2. Expected operational lifetime of the <u>small-scale projects bundled</u>:

Please state the expected <u>operational lifetime of the projects</u> in the <u>bundle</u> in years and months as well as its ending date. The <u>crediting period</u> of the single <u>SSC projects</u> shall not extend beyond the <u>operational lifetime of the projects</u>.

#### C.3. Length of the <u>crediting period</u>:

All <u>projects</u> in the <u>bundle</u> shall have the same <u>crediting period</u>. Please state the length of the <u>crediting period</u> in years and months as well as its starting date.



**Joint Implementation Supervisory Committee** 

page 44

## SECTION D. Monitoring plan

#### D.1. Monitoring plan(s) used:

Please state whether an overall monitoring plan shall be applied. If projects are bundled, a separate monitoring plan shall apply for each of the constituent projects or an overall monitoring plan, which, inter alia, may also propose to monitor performance of the constituent projects on a sample basis, shall apply for the <u>bundled projects</u>. In the latter case the <u>projects</u> have to be located in the territory of the same host Party, have to pertain to the same SSC project category and have to apply the same technology or measure, and the AIE shall determine that the overall monitoring plan reflects good monitoring practice appropriate to the <u>bundled projects</u> and provides for collection and archiving of the data needed to calculate the emission reductions achieved by the <u>bundled projects</u>.