



Joint Implementation Supervisory Committee

page 1

JOINT IMPLEMENTATION PROJECT DESIGN DOCUMENT FORM FOR SMALL-SCALE PROJECTS

Version 01.1 - in effect as of: 27 October 2006

CONTENTS

- A. General description of the <u>small-scale project</u>
- B. <u>Baseline</u>
- C. Duration of the small-scale project / crediting period
- D. <u>Monitoring plan</u>
- E. Estimation of greenhouse gas emission reductions
- F. Environmental impacts
- G. <u>Stakeholders</u>' comments

Annexes

- Annex 1: Contact information on project participants
- Annex 2: <u>Baseline</u> information
- Annex 3: Monitoring plan





Joint Implementation Supervisory Committee

page 2

SECTION A. General description of the small-scale project

A.1. Title of the small-scale project:

Implementation of energy-efficient lighting system in the Donetsk Region with the use of Kyoto Protocol mechanism: replacement of incandescent lamps with energy-efficient ones at budget financed and social entities in the Gorlivka town (under Track 2)

Sectoral scope 3: Energy demand

Version 01 15/03/2011

A.2. Description of the <u>small-scale project</u>:

This project, is proposing the replacement of traditional incandescent lamps (ICL) by the modern compact fluorescent lamp (CFL) or light-emitting diode (LED) lamps at public sector institutions in the town of Gorlivka. The CFL is an energy-saving bulb, which in comparison with ICL consumes about four-five times less electricity to provide equivalent illumination. The service life of a CFL ranges from 6,000 to 15,000 hours, which is 6-16 times longer than an average life of an ICL. CFLs are fully compatible with standard fixtures used for the ICLs and are characterized by a soft white/yellowish glow. Normally, CFL capacity ranges from 25 to 150 W.

A.3. Project participants:

Table A.1. Project participants

Party involved	Legal entity <u>project participants</u> (as applicable)	Please indicate if the <u>Party involved</u> wishes to be considered a <u>project participant</u> (Yes/No)
United Kingdom	 Carbon Futures LLP 	Yes
Ukraine (Host party)	Innovation Center "Ecosystem"Gorlivka Town Council	Yes

A.4. Technical description of the <u>small-scale project</u>:

A.4.1. Location of the small-scale project:

Gorlivka Town, Donetska oblast, Ukraine. The Project covers medical, educational and other public facilities in the town.

A.4.1.1. Host Party(ies):

Ukraine



Joint Implementation Supervisory Committee

page 3

A.4.1.2. Region/State/Province etc.:

Donetska oblast

A.4.1.3. City/Town/Community etc.:

Gorlivka Town

${\bf A.4.1.4.} \ \ Detail of physical location, including information allowing the unique identification of the $$\underline{\bf small}$-{\bf scale}$ $\underline{\bf project}$:}$

Gorlivka Town is located in the east of Donetska oblast. It is situated at:

Latitude: 48.322017° Longitude: 38.045654°




Figure A.1. Project area¹

A.4.2. Small-scale project type(s) and category(ies):

According to paragraphs 7 and 8 of Provisions for JI SSC Projects, type of small-scale project activity is II (Energy efficiency improvement projects which reduce energy consumption, on the supply and/or demand

¹ Source: Google map





Joint Implementation Supervisory Committee

page 4

side, by up to the equivalent of 60 GWh per year). According to Condition for Common baseline for bundled SSC Project Activities, category of the project is II.C (demand-side energy efficiency activities for specific technologies).

The proposed project has following features:

- 1. The proposed project is a demand-side energy efficiency activity, which eventually leads to the reduction of electricity consumption.
- 2. The activity includes energy-efficient measures.
- 3. The project activity is to be carried out in Public Buildings.
- 4. The annual energy savings of the project activity is estimated to be about 9.8 GWh/year.

A.4.3. Technology(ies) to be employed, or measures, operations or actions to be implemented by the <u>small-scale project</u>:

Technical aspects of the project to replace ICLs with CFLs are simple and require minimal labour qualifications. Lamps subject to replacement under this project are most energy consuming with a rated power of 100 and 150 W. The buildings and spaces where the replacement will take place are mainly limited to medical, educational and other public facilities with average operational times about 10 hours per day. CFLs are to be installed instead of the 100 and 150 W ICLs and will provide the minimum light flux of 2,180 and 3,090 lumens (lm), respectively. CFL's lifetime indicated by the manufacturer is 8,000 hours.

CFLs (or possibly LEDs) that will be used to replace the ICLs as part of this project will have a special marking (in addition to the standard manufacturer's specifications). Additional marking will ensure the correct use of CFLs in the project and enable proper project execution and verification. The replaced ICLs will be utilized in an environmentally safe manner and properly verified to avoid any carbon leakage.

The Innovation Center "Ecosystem" will coordinate the project implementation in the town of Gorlivka and will provide specific engineering, logistical and organizational support. "Ecosystem" will distribute CFLs (or LEDs) to public organizations and will assume responsibility for replacement for ICL with CFL, collection and disposal of replaced ICLs (in accordance with the requirements of environmental safety), and also replace CFLs that are out of order.

The Project Investor, Carbon Futures, is responsible for purchasing and delivering CFLs to the project site as well as covering all the project costs, including "Ecosystem" services. Carbon Futures is the ultimate owner of the ERUs resulting from the project, which is supported by the respective contracts with "Ecosystems" and the regional administration.

A.4.4. Brief explanation of how the anthropogenic emissions of greenhouse gases by sources are to be reduced by the proposed <u>small-scale project</u>, including why the emission reductions would not occur in the absence of the proposed <u>small-scale project</u>, taking into account national and/or sectoral policies and circumstances:

The Ordinance of the Cabinet of Ministers of Ukraine No. 1337-p "Concerning implementation of activities to reduce electrical power consumption by state-financed institutions" calls for the gradual replacement of common ICLs with up-to-date energy efficient light sources requiring no change of lighting fixtures. This document binds municipal executive body to convert subordinate state-financed institutions to energy efficient devices and lighting systems in compliance with sanitary mandated lighting norms. It was supposed to make energy efficient lighting devices mandatory since November, 1, 2008, while phasing out

_

² http://zakon1.rada.gov.ua/cgi-bin/laws/main.cgi?nreg=1337-2008-%F0





Joint Implementation Supervisory Committee

page 5

ICLs after expiry of their lifetime. Starting from January, 1, 2009 capital and maintenance home repairs should be supplemented with the installation of energy efficient lighting devices. However, the state funding for large-scale replacement of ICLs with CFLs in the public sector is not sufficient. As it was confirmed by executive officers of the municipal authority of Gorlivka state-financed and social institutions have to replace expired ICLs with those of the same type to provide proper illumination of their rooms. If they had aimed to fulfill the Ordinance within prescribed limits of budget costs for lighting, some areas would be left being without proper illumination. Thus the project intervention leads to measurable reduction of GHG emissions additional to the baseline scenario.

A.4.4.1. Estimated amount of emission reductions over the crediting period:

Table A.2. Emission reduction levels for crediting period under the Kyoto Protocol

	Years
Length of the <u>crediting period</u>	2
Year	Estimate of annual emission reductions
	in tonnes of CO2 equivalent
2011	9,598
2012	11,458
Total estimated emission reductions over the crediting period	21,056
(tonnes of CO ₂ equivalent)	21,030
Annual average of estimated emission reductions	
over the <u>crediting period</u>	10,528
(tonnes of CO ₂ equivalent)	

Table A.3. Emission reduction levels for late crediting period after 2012

	Years
Length of the <u>crediting period</u>	8
Year	Estimate of annual emission reductions, tonnes of
	CO ₂ equivalent
2013	11,400
2014	11,409
2015	11,419
2016	11,409
2017	11,234
2018	11,048
2019	11,009
2020	10,129
Total estimated emission reductions over the	
crediting period	89,057
(tonnes of CO ₂ equivalent)	
Annual average of estimated emission reductions	
over the <u>crediting period</u>	11,132
(tonnes of CO ₂ equivalent)	





Joint Implementation Supervisory Committee

page 6

A.4.5. Confirmation that the proposed <u>small-scale project</u> is not a <u>debundled</u> component of a larger <u>project</u>:

The proposed small-scale project activity is not a de-bundled component of a large project because:

- The project participants have not registered any small scale JI activity or applied for registration of another small scale JI project activity within 1 km of the project boundary of this proposed project, in the same project category and technology/measure.

A.5. Project approval by the Parties involved:

The Project Idea Note had been submitted for review of the National Environmental Investment Agency of Ukraine. Subsequently, the National Environmental Investment Agency of Ukraine issued a Letter of Endorsement for this project №183/23/6 on 26/01/2011.

After the project has completed the determination process, the PDD and the Determination Report will be presented to The National Environmental Investment Agency of Ukraine to obtain a Letter of Approval.

The project approval by the UK side will be obtained during the process of project determination.





Joint Implementation Supervisory Committee

page 7

SECTION B. Baseline

B.1. Description and justification of the baseline chosen:

The project is focused on the replacement of ICLs with CFLs in pre-selected public buildings and spaces within the buildings in the town of Gorlivka. Accordingly, the baseline scenario is defined as the "continuation of use of incandescent lamps due to lack of funds for CFLs or LEDs". The baseline scenario can be confirmed due to the following reasons:

- The Ordinance of the Cabinet of Ministers of Ukraine No. 1337-p "Concerning implementation of activities to reduce electrical power consumption by state-financed institutions" came into force in 2008 but it is not well implemented due to lack of budget funding;
- The JI project proposed here targets only functioning ICLs that do not have to be replaced under the repairs or renovations;
- The ICLs that are to be replaced are those that are actually operating and will likely to operate w/out the project.

B.2. Description of how the anthropogenic emissions of greenhouse gases by sources are reduced below those that would have occurred in the absence of the <u>small-scale project</u>:

As per Attachment A to Appendix B of the simplified modalities and procedures for small-scale CDM project activities⁴ a small scale CDM project activity needs to demonstrate at least one of the four barriers faced by the project activity to establish the project additionality. The four types of barriers that could be demonstrated for a small scale project activity are:

- 1. Investment barrier
- 2. Technological barrier
- 3. Barrier due to prevailing practice
- 4. Other barriers

The three of four barriers are described below.

- (a) <u>Investment barrier</u>. The Ordinance of the Cabinet of Ministers of Ukraine No. 1337-p "Concerning implementation of activities to reduce electrical power consumption by state-financed institutions" calls for the gradual replacement of common ICLs with up-to-date energy efficient light sources requiring no change of lighting fixtures. This document binds municipal executive bodies to convert subordinate state-financed institutions to energy efficient devices and lighting systems in compliance with sanitary mandated lighting norms. It was supposed to make energy efficient lighting devices mandatory since November, 1, 2008, while phasing out ICLs after expiry of their lifetime. Also starting from January, 1, 2009 capital and maintenance home repairs should be supplemented with the installation of energy efficient lighting devices. However, the state funding for large-scale replacement of ICLs with CFLs in the public sector is not sufficient. The prevailing practice shows that despite the Ordinance, no funds are allocated for such a replacement.
- (b) <u>Technological barrier</u>. The current practice shows a very low use of CFLs in public buildings due to lack of public funding. Therefore the public building managers are not very familiar with CFL- or LED-based lighting technology (despite its simplicity). Additional technological barrier is related to the need for proper utilization of expired CFLs, which is handled appropriately within the current JI project.

³ http://zakon1.rada.gov.ua/cgi-bin/laws/main.cgi?nreg=1337-2008-%F0

⁴ http://cdm.unfccc.int/Projects/pac/ssclistmeth.pdf





Joint Implementation Supervisory Committee

page 8

(c) Other barriers: Unauthorized CFL Removal. Due to high cost of CFLs they are not widely used in the residential sector of the region. The installation of CFLs in public buildings without proper supervision and monitoring is likely to lead to unauthorised removal (theft) of CFL for the re-sale or personal use purpose. The special CFL supervision and monitoring of installed CFLs under the current JI project effectively removes this barrier.

B.3. Description of how the definition of the <u>project boundary</u> is applied to the <u>small-scale project</u>:

The project activity involves a set of measures to improve energy efficiency in lighting systems of public buildings. Project boundaries are the whole of physical and geographical locations for implementation of every single activity to replace ICLs with CFLs (or LEDs) and safely dispose replaced ICLs.

GHG emission sources taken into account in the project activity are shown in the table B.3.

For both "Baseline Scenario" and "Project Scenario", CO_2 emissions should be included in the baseline and project scenarios. At the same time the project reduces emissions of CH_4 and N_2O from fuel consumption. However these emissions are much smaller in comparison with than emissions of CO_2 and are excluded from the project to ensure that emission reductions are estimated in a conservative manner.

Table B.1. GHG emission sources related to the project activity

		Inside project boundary	Outside project boundary
	Included in the	CO ₂ emissions from electricity	No GHG emissions related to
Baseline	project	consumption of existing facilities	business as usual activities
Scenario	Excluded from	CH ₄ and N ₂ O emissions from electricity	No GHG emissions related to
	the project	consumption of existing facilities	business as usual activities
Project Scenario	Included in the project	CO ₂ emissions from electricity consumption of facilities after applying energy-efficiency improvement measures	No GHG emissions related to the project activities
	Excluded from the project	CH ₄ and N ₂ O emissions from electricity consumption of facilities after applying energy-efficiency improvement measures	No GHG emissions related to the project activities

B.4. Further <u>baseline</u> information, including the date of <u>baseline</u> setting and the name(s) of the person(s)/entity(ies) setting the <u>baseline</u>:

The baseline emissions for the project activity will be calculated from the available information on the replaced number of CFL and its usage during the project lifetime.

Date of completion of the baseline study: 15/03/2011. Name of the person/entity determination of the baseline:

ICF Consulting

Legal address: Sardinia House 52, Lincoln's Inn Fields, London WC2A 3LZ, UK

Mailing address: ICF Consulting Office 454, 3 Tverskaya Zastava sq., Moscow, 125047, Russia

Contact phone: + 7 495 250 4339 Contact fax: + 7 495 250 0615 Contact e-mail: asankovski@icfi.com

ICF Consulting is not a project participant listed in annex 1.





Joint Implementation Supervisory Committee

page 9

SECTION C. Duration of the small-scale project / crediting period

C.1. Starting date of the small-scale project:

Investment phase of the project began on the 02/08/2010. Operation phase of the project started on 28/01/2011.

C.2. Expected operational lifetime of the <u>small-scale project</u>:

Expected project period will last until 31/12/2020.

C.3. Length of the <u>crediting period</u>:

Emission reduction units (ERUs) will be transferred to the Investor during the period from Q1 2011 to 31/12/2012. The transfer of emissions reduction units after the year 2012 will be made in compliance with forthcoming international agreements and Ukrainian legislation.





Joint Implementation Supervisory Committee

page 10

SECTION D. Monitoring plan

D.1. Description of monitoring plan chosen:

The project monitoring will incorporate all the procedures required for CFL delivery, installation and operation and continuous replacement. The initial stage of monitoring will also include confirmation of safe utilization of replaced ICLs. The monitoring will be based on filled and officially endorsed monitoring CFL transfer and utilization protocols and well as daily records of CFL use. Those records will be subsequently digitized and incorporated into an Excel based database for verification and analysis purposes.

D.2. Data to be monitored:

Data / Parameter	Q pj,i
Data unit	Number
Description	Number (quantity) pieces of equipment of type 'i' distributed or installed
	under the project activity (units) instead of ICLs; the power rating of the CFL
	would be 20W or 32W
Time of	It will be determined during the first ex-post monitoring survey which will be
determination/monitoring	done within the first month of installation of all the lamps. Refer Annex 3 for
	further details.
Source of data (to be) used	Actual CFL distribution during the project.
Value of data applied	20W CFL: 33,252
(for ex ante	32W CFL: 156
calculations/determinations)	
Justification of the choice	This number is a constant value once all of the project's CFLs are distributed,
of data or description of	it is independent of the year y.
measurement methods and	
procedures (to be) applied	
QA/QC procedures (to be)	Standardised forms will be used for the data collection during the survey and
applied	the people responsible for conducting the survey on ground will be reasonably
	educated about the project. Additionally, there will be experts and reliable
	personnel from the project participants to oversee the overall process.
Any comment	

Data / Parameter	P i, BL
Data unit	Watts
Description	Rated power of the baseline lighting devices of the group of "i" lighting devices (Watts)
Time of	It will be determined during the first ex-post monitoring survey.
determination/monitoring	
Source of data (to be) used	Weighted Average Power Rating of the baseline ICLs as recorded during lamp
	distribution
Value of data applied	ICL of following two power rating would be replaced as part of the project
(for ex ante	activity. These are 100W (33,252 pieces) and 150W (156 pieces). Average
calculations/determinations)	power rating of ICLs is 100.2W.
Justification of the choice	The power rating recorded on each ICL will be considered as the primary
of data or description of	source of this data. In cases where the wattage label is not visible, a portable
measurement methods and	power meter will be used to determine the rating on the spot.
procedures (to be) applied	





page 11

Joint Implementation Supervisory Committee

QA/QC procedures (to be) applied	Standardised forms will be used for the data collection during the distribution and the people responsible for distribution on ground will be reasonably educated about the project. Additionally, there will be experts and reliable
	personnel from the project participants to oversee the overall process.
Any comment	This data may be verified during the ICL utilization.

Data / Parameter	Р і, РЈ
Data unit	Watts
Description	Rated power of the project lighting devices of the group of "i" lighting devices
	(Watts)
Time of	It will be determined during the first ex-post monitoring survey.
determination/monitoring	
Source of data (to be) used	Weighted Average Power Rating of the project CFLs as recorded during lamp
	distribution
Value of data applied	CFL of the following two power rating would be distributed as part of the
(for ex ante	project activity. These are at least 20W (33,252 pieces) to replace 100W ICLs
calculations/determinations)	and at least 32W (156 pieces) to replace 150W ICLs. Average power rating
	of CFLs is 20.1W.
Justification of the choice	The power rating mentioned on the CFLs will be recorded during the lamp
of data or description of	distribution.
measurement methods and	
procedures (to be) applied	
QA/QC procedures (to be)	Standardised forms will be used for the data collection during the distribution
applied	and the people responsible for distribution on ground will be reasonably
	educated about the project. Additionally, there will be experts and reliable
	personnel from the project participants to oversee the overall process.
Any comment	

Data / Parameter	Oi
Data unit	hours
Description	Average annual operating hours of the devices of the group of "i" baseline
	devices
Time of	Monitoring during credit periods
determination/monitoring	
Source of data (to be) used	Preliminary feasibility study on the CLF replacement has been conducted.
	Measurement of a representative sample are conducted concurrent with the
	first ex-post monitoring survey
Value of data applied	About 10 hours a day
(for ex ante	
calculations/determinations)	
Justification of the choice	The average annual operating hours will be determined through continuous
of data or description of measurement methods and	measurement of usage of baseline or project lamps for a minimum of 90 days at representative sample installations. For this measurement, manually
procedures (to be) applied	completed forms will be used in all the selected buildings. These records will
procedures (to be) applied	be processed and extrapolated to get the annual operating hours for the entire
	project.
	project.
	There are two types of consumers in the project area, medical and educational
	facilities. Therefore, weighted average operating hours for each type of facility
	will be used for calculation of final emission reductions achieved.
QA/QC procedures (to be)	Continuous external inspections initiated by the municipal authorities will be





Joint Implementation Supervisory Committee

page 12

applied	used to ensure correct completion of data records.
Any comment	This value may be determined any time before the first ex-post monitoring
	survey even before the lamp distribution.

Data / Parameter	DATEinstalation and DATEreplacement
Data unit	Date
Description	Date of installation, and replacement of CFLs
Time of	Monitoring during credit periods
determination/monitoring	
Source of data (to be) used	Provided by distribution team and responsible personal
Value of data applied	Format dd.mm.yyyy
(for ex ante	
calculations/determinations)	
Justification of the choice	The date of installation will be recorded at the replacement form when the
of data or description of	replacement of ICL by CFL is physically taking place. Date for CFLs
measurement methods and	replacement will be recorded for each replacement separately. Date of
procedures (to be) applied	replacement of broken lamps will be collected in Log Book for Lamp
	replacement.
QA/QC procedures (to be)	Experts and reliable personal is appointed from the project participants. These
applied	person(s) are engaged in data collection and calculation.
Any comment	

Data / Parameter	$LFR_{i,v}$
Data unit	Fraction
Description	Lamp Failure Rate of the equipment type i in year y
Time of	Monitoring during credit periods
determination/monitoring	
Source of data (to be) used	Ex-post monitoring survey
Value of data applied	
(for ex ante	
calculations/determinations)	
Justification of the choice	The failure rate is determined as per the results of the monitoring survey of the
of data or description of	installed lamps. The ex- ante estimate of the LFR which is based on the
measurement methods and	average rated lifetime and the annual operating hours is corrected as per the
procedures (to be) applied	actual failure observed during the survey of the representative sample.
QA/QC procedures (to be)	The sampling and survey is conducted as per the methodology applied and the
applied	EB guidelines for Sampling and Surveys for small scale CDM project
	activities.
Any comment	The failure rate in a particular year may be less than the theoretical lamp
	failure rate due to the regular replacement of the failed CFLs during the
	crediting period.

Data / Parameter	TDL_v
Data unit	%
Description	Average annual technical grid losses (transmission & distribution) during the
	year y for the grid serving the locations where lamps are installed
Time of	Monitoring during credit periods
determination/monitoring	
Source of data (to be) used	Recent, accurate and reliable data available for the country and should be
	obtained from a verifiable source.
Value of data applied	





Joint Implementation Supervisory Committee

(for ex ante calculations/determinations)	
Justification of the choice	No measurement required
of data or description of	
measurement methods and	
procedures (to be) applied	
QA/QC procedures (to be)	To the extent possible the data will be sourced from information published by
applied	national utility or any other official government body.
Any comment	If no recent, accurate & reliable data is available then default value of 10%
	may be used as per the methodology.

Data / Parameter	CEF _v
Data unit	Kg CO ₂ e/kWt-h
Description	Carbon Emission Factor (CEF) during the year y for the grid serving the
	locations where lamps are installed
Time of	Monitoring during credit periods
determination/monitoring	
Source of data (to be) used	Recent, accurate and reliable data available for the country and should be
	obtained from a verifiable source, endorsed by the National JI Focal Point.
Value of data applied	
(for ex ante	
calculations/determinations)	
Justification of the choice	No measurement required
of data or description of	
measurement methods and	
procedures (to be) applied	
QA/QC procedures (to be)	To the extent possible the data will be sourced from information published by
applied	national utility or any other official government body.
Any comment	The CEF value could be updated annually if available.

D.3. Quality control (QC) and quality assurance (QA) procedures undertaken for data monitored:

Data/Parameter	QA/QC procedures to be applied:	
Q PJ,i	Experts and reliable personal is appointed by the project participants. The	
	person(s) are engaged in data collection and calculation.	
Q B,i	Experts and reliable personal is appointed by the project participants. The	
	person(s) are engaged in data collection and calculation.	
P i, BL	Experts and reliable personal is appointed by the project participants. The	
	person(s) are engaged in data collection and calculation.	
P i, PJ	Experts and reliable personal is appointed by the project participants. The	
	person(s) are engaged in data collection and calculation.	
Oi	Experts and reliable personal is appointed by the project participants. The	
	person(s) are engaged in data collection and calculation.	
DATEinstalation	Experts and reliable personal is appointed by the project participants. The	
	person(s) are engaged in data collection and calculation.	
DATEreplacement	Experts and reliable personal is appointed by the project participants. The	
	person(s) are engaged in data collection and calculation.	

This template shall not be altered. It shall be completed without modifying/adding headings or logo, format or font.

page 13



Joint Implementation Supervisory Committee

page 14

D.4. Brief description of the operational and management structure that will be applied in implementing the <u>monitoring plan</u>:

The project partner "Ecosystem" is in charge of data collection and reporting. The Gorlivka administration has assembled the special working group (SWG) to oversee the project implementation. Each building supervisor/manager will have a separate task of monitoring and safeguarding the project implementation. Random inspections will be conducted by SWG in the buildings to ensure proper project implementation.





Figure D.1. Management structure



A. Monitoring Requirements as per the Methodology

Before and during the project implementation, a database of the facilities covered under the project activity will be prepared and maintained in digital format with data control procedures in place. Monitoring data is transmitted to Ecosystem in Microsoft Excel format. The database is stored in digital format on the hard drive. It is backed up, updated, and stored on DVD disc regularly.

Appropriate record keeping procedures would be implemented to ensure that each monitoring period dataset is transparent enough to ensure smooth validation and verification of data and prevent any possibility of double counting.

As per the methodology AMS IIJ version 04⁵ and choices made in the PDD, following monitoring is to be carried out:

1. O_i Survey: This survey is required to determine the average annual operating hours for the lamps which will be same for the baseline as well as project lamps. Therefore, this survey will be conducted with first ex-post survey. For the determination of the hours of operation of the lamps,

_

⁵ http://cdm.unfccc.int/methodologies/DB/5RMYBVTQ83H9CJA99M2392TSNO9IUJ





Joint Implementation Supervisory Committee

page 15

manual recording of CFL hours of operation will be conducted at the selected sample installations for the 90day (3 months) duration.

2. **Ex-post Survey**: The ex-post surveys are required to determine the actual Lamp Failure Rate which in turn gives the share of the total lamps replaced that still functioning. The first ex-post survey is different from the subsequent ones in terms of the applicability of the results (not the methodology of the survey) because the results of this survey fix the Q_{PJ,i} i.e. number of lamps of type replaced during the project implementation. This number remains fixed throughout the crediting period and is adjusted with LFR in the subsequent years. The present project design assumes immediate replacement of failed CFLs with new CFLs of the same type and rating.

The frequency of these surveys is as often as the emission reductions are claimed. Whereas the minimum frequency required is either once in every 3 years or once for every 30% of the elapsed rated average life of the lamp. The project aims at the daily operations of 10 hrs per day which means annual operations of about 3,650 hrs. For a lamp with average rated life of 8,000 hrs, 30% of the life will elapse in less than a year.

Changes in the Lamp Failure Rate as per Ex-post Monitoring Survey

The Net Electricity Savings shall be modified for changes to the Lamp Failure Rate as may be indicated by *ex post* monitoring survey results and/or on the basis of CFL Average Life values if a CFL Rated Average Life was used initially. The modifications shall be made using the following methods:

a) If Rated Average Life values were used initially for calculating LFR_y, per equation (1), as soon as Average Life values are available they shall be used for calculation of subsequent year LFR_{i,y} values.

$$LFR_{i,y} = \frac{X_i \cdot (100 - 50)}{100 \cdot L_i} \tag{1}$$

Table D.2. Description for lamp failure rate calculation

Symbol	Parameter Definition	Ex-ante value Applied	Rationale for value applied
		Applied	
LFRi	Lamp Failure Rate	Calculated based on	-
		Equation (1)	
Li	Average Life for equipment 'i'	20W: 8,000 hours	-
		32W: 8,000 hours	
Xi	Total operating hours for devices of the	-	-
	group of "i"		

- b) If the $ex\ post$ monitoring surveys indicate that the failure rate is equal to or less than the LFR_{i,y} value indicated using equation (1) with $ex\ ante$ or prior year, $ex\ post$ monitoring values, for subsequent years LFR_{i,y} shall continue to be determined using Equation (1) and the established Average Life values for L_i.
- c) However, for subsequent years, Li values in LFR_{i,y} equation (1) shall be adjusted if the *ex post* monitoring surveys indicate that the failure rate (LFR_{i,y}) is greater than the value indicated using equation (1) with Average Life or prior year, *ex post* monitoring values. In this situation, a new value for Li shall be determined using equation (1) and new values of





Joint Implementation Supervisory Committee

page 16

LFR_{i,y} shall be used beginning from the first calculation year after completion of the ex post survey.

Shall the immediate CFL replacement be used (as planned); the LFR will be set to ZERO in the emission reduction calculation.

3. ICL Destruction: The replaced ICLs would be collected from the premises and will be stored till their destruction. It will be assured that the number of ICLs collected is more than or equal to the CFLs installed. The assurance will be achieved by manual counts of collected ICLs from each building and their comparison with the number of CFLs delivered to that building. These 2 values will be confirmed in a separate transfer acts. Once the certain volumes of ICLs are collected and cross-checked they will be transported to the utilization site (e.g., sanitary landfill) and utilized/destructed witnessed by the Special Working Group representatives. A special destruction protocol will be filled and signed.

The ICLs proper utilization/destruction will be subject to random verification by DOE.

- **4. CFL Destruction:** At the beginning of each monitoring interval, project proponent will compile and update the record of number of failed CFLs collected from the facilities. The utilization of the failed CLFs would be carried out as per the national regulations and proper documentation shall be maintained to facilitate verification by the AIE.
- **B.** Institutional Arrangement for Monitoring

Please see above.

C. Training & Calibrations

A project manual will be developed before the start of the CFL distribution to ensure proper	
implementation of the project and subsequent monitoring.	

The staff involved in project implementation and conducting surveys will be trained as per the manual and evidences of such trainings shall be maintained for records.

D.5. Name of person(s)/entity(ies) establishing the monitoring plan:

Alexei Sankovski, ICF International





Joint Implementation Supervisory Committee

page 17

SECTION E. Estimation of greenhouse gas emission reductions

E.1. Estimated project emissions and formulae used in the estimation:

Step1. The electricity consumption by the project activity in year 'y' is calculated as follows:

$$EC_y = \sum_{i=1}^{n} Q_{PJ,i} \cdot P_{i,PJ} \cdot O_i / 1000$$
 (2)

Table E.1. Description for project electricity consumption calculation

Symbol	Parameter Definition	Ex-ante value	Rationale for value applied
		Applied	
ЕСрј	Project electricity consumption in year y	Calculated based on	-
	(thousand kWh)	Equation (2)	
\sum	Sum over the group of "i" devices	-	-
$\frac{Z}{i}$	(i.e. 20W and 32W CFLs)		
Q PJ,i	Number (quantity) of devices of the	20W: 33,252	-
	group of "i" devices (i.e. 20W and 32W	32W: 156	
	CFLs)		
P pJ, i	Power of the devices of the group of "i"	20W: 33,252	-
	project devices	32W: 156	
Oi	Average annual operating hours of the	2011: 3,060 hours;	-
	devices of the group of "i" baseline	2012-2020: 3,650	
	devices	hours	

Table E.2. Result for project electricity consumption calculation

Year	electricity consumption, thousand kWh
2011	2,050
2012	2,446
2013	2,446
2014	2,446
2015	2,446
2016	2,446
2017	2,446
2018	2,446
2019	2,446
2020	2,446
Total	24,064

Step 2. The emission by the project activity in year 'y' is calculated as follows:

$$PE_{y} = EC_{PJ,y} \cdot CEF_{y}$$
 (3)

Table E.3. Description for project emission calculation

Symbol	Parameter Definition	Ex-ante value Applied	Rationale for value applied
PEy	Emission in year t CO2	Calculated based on Equation (3)	





Joint Implementation Supervisory Committee

page 18

ЕСрј	electricity Consumption in year y	Calculated based	
	(thousand kWh)	on Equation (2)	
CEF	Demand Side Carbon Emission Factor	2011 – 1.171	The study project
(including	for Ukraine, t CO ₂ /MWh	2012 – 1.172	"Development of the
transmission		2013 – 1.166	electricity carbon emission
losses)		2014 – 1.167	factors for Ukraine" that
		2015 – 1.168	was elaborated for the
		2016 – 1.167	European Bank for
		2017 – 1.148	Development and
		2018 – 1.130	Reconstruction by the
		2019 – 1.126	Lahmeyer International in
		2020 - 1.036	2009

Table E.4. Result for project emission

Year	Project Emissions, t CO2
2011	2,401
2012	2,866
2013	2,852
2014	2,854
2015	2,856
2016	2,854
2017	2,810
2018	2,764
2019	2,754
2020	2,534
Total	27,545

E.2. Estimated <u>leakage</u> and formulae used in the estimation, if applicable:

There is no leakage in the project on either installation side or disposal side, due to the following reasons:

Project leakage (indirect effects) may be incurred due to improper storage and partial re-use of ICLs that are replaced with CFLs. Leakage may occur, for example, either when undestroyed 100W lamps are used instead of expired 60W or 75W ICLs in buildings outside of the project boundary or when such lamps are installed in locations with no illumination prior to project initiation. To prevent project leakage, implementing organizations will properly replace ICLs with CFLs, store and dispose those ICLs being replaced. Moreover, necessary evidence and data are to be collected and subject to verification by AIE

Other leakage:

In the course of operation certain lamps will fail which might result in decreased emission reductions. However, the project provides for the immediate replacement of failed CFLs with new CFLs. In the course of monitoring the replacement date will be recorded and the operating hours of the lamp will be corrected as needed (e.g., during the replacement the time when the lamp is not functioning will be subtracted from the daily number of operational hours). Below there is a calculation of the quantity of the lamps to be replaced.

6 http://www.ebrd.com/downloads/sector/eecc/Ukraine_English.pdf



Joint Implementation Supervisory Committee

page 19

The lamp failure rate calculated below will not be used to estimate the project emissions, but will be applied to provide guidance to project participants on the number of CFLs that need to be stored to ensure immediate replacement.

A lamp failure rate was used in order to calculate the number of the failing lamps. Its calculation is based on the lamp failure rate according to Breakage Curve provided below.




Figure E.1. CFL breakage curve

The average number of lamps to fail is shown in table E.5.

Table E.5. Lamp Failure Rate

Year	Lamp Failure Rate, %
2011	0
2012	33
2013	100

The lamp failure rate analysis shows that only 33% of CFLs could fail till the end of 2012 and all lamps that are replaced at the beginning of the project activity will fail till the end of 2013.

E.3. Sum of **E.1.** and **E.2.**:

Since there in no applicable leakage to this project, the sum of E.1. and E.2. is equal to the value estimated in the section E.1.

E.4. Estimated baseline emissions and formulae used in the estimation:

Step1. The electricity consumption in baseline scenario in year 'y' is calculated as follows:

$$EC_{BL,y} = \sum_{i=1}^{n} Q_{BL,i} \cdot P_{i,BL} \cdot O_i / 1000$$
 (4)



Joint Implementation Supervisory Committee

page 20

Table E.6. Description for baseline electricity consumption calculation

Symbol	Parameter Definition	Ex-ante value	Rationale for
		Applied	value applied
ECBL	Baseline electricity consumption in year y	Calculated based on	-
	(thousand kWh)	Equation (4)	
\sum_{i}	Sum over the group of "i" devices (i.e.	-	-
i	100W and 150W incandescent bulb)		
Q BL,i	Number (quantity) of devices of the	100W: 33,252	-
	group of "i" devices (i.e. 100W and	150W: 156	
	150W incandescent bulb)		
P BL,i	Power of the devices of the group of "i"	100W: 33,252	-
	baseline devices	150W: 156	
Oi	Average annual operating hours of the	2011: 3,060 hours;	-
	devices of the group of "i" baseline devices	2012-2020: 3,650 hours	

Table E.7. Result for baseline electricity consumption calculation

Year	baseline electricity consumption, thousand kWh
2011	10,247
2012	12,222
2013	12,222
2014	12,222
2015	12,222
2016	12,222
2017	12,222
2018	12,222
2019	12,222
2020	12,222
Total	120,245

Step 2. The emission in baseline scenario in year 'y' is calculated as follows:

$$BE_{y} = EC_{BL,y} \cdot CEF_{y}$$
 (5)

Table E.8. Description for baseline emission calculation

Symbol	Parameter Definition	Ex-ante value	Rationale for value
		Applied	applied
BE_y	Emission in year t CO2	Calculated based	
		on Equation (5)	
ECBL	electricity Consumption in year	Calculated based	
	y (thousand kWh)	on Equation (4)	
CEF (including	Demand Side Carbon Emission	2011 – 1.171	The study project
transmission/distribution	Factor for Ukraine, t CO ₂ /MWh	2012 - 1.172	"Development of the
losses)		2013 – 1.166	electricity carbon
		2014 - 1.167	emission factors for
		2015 – 1.168	Ukraine" that was
		2016 – 1.167	elaborated for the
		2017 – 1.148	European Bank for

⁷ http://www.ebrd.com/downloads/sector/eecc/Ukraine_English.pdf





Joint Implementation Supervisory Committee

page 21

2018 – 1.130 Development and 2019 – 1.126 Reconstruction by	
2020 – 1.036 Lahmeyer Interna	•
	1 2009

Table E.9. Result for baseline emission calculation

Year	Baseline Emission, t CO2
2011	11,999
2012	14,325
2013	14,251
2014	14,264
2015	14,276
2016	14,264
2017	14,044
2018	13,811
2019	13,762
2020	12,662
Total	137,658

E.5. Difference between E.4. and E.3. representing the emission reductions of the project:

The emission reductions (ERy)

ERy = (BEy - PEy) - LEy (6)

Where:

ERy – Emission reductions in year y (tCO2e)

LEy – Leakage emissions in year y (tCO2e)

E.6. Table providing values obtained when applying formulae above:

Table E.10. Emission reductions

Table E.10. Emission reductions				
Year	Estimated	Estimated	Estimated	Estimated
	<u>project</u>	<u>leakage</u>	<u>baseline</u>	emission
	emissions	(tonnes of	emissions	reductions
	(tonnes of	CO2 equivalent)	(tonnes of	(tonnes of
	CO2 equivalent)		CO2 equivalent)	CO ₂ equivalent)
2011	2,401	0	11,999	9,598
2012	2,866	0	14,325	11,458
2013	2,852	0	14,251	11,400
2014	2,854	0	14,264	11,409
2015	2,856	0	14,276	11,419
2016	2,854	0	14,264	11,409
2017	2,810	0	14,044	11,234
2018	2,764	0	13,811	11,048
2019	2,754	0	13,762	11,009
2020	2,534	0	12,662	10,129
Total				
(tonnes of CO ₂	27,545	0	137,658	110,113
equivalent)				





Joint Implementation Supervisory Committee

page 22

SECTION F. Environmental impacts

F.1. Documentation on the analysis of the environmental impacts of the <u>project</u>, including transboundary impacts, in accordance with procedures as determined by the <u>host Party</u>:

On average every CFL contains about 5 ml of mercury that may have undesirable ecological effect if it is emitted into the environment. The use of CFLs should be in compliance with approved by State Sanitary-and-Epidemiologic Service Feasibility Statement. Meanwhile, the Project participants will provide installation site management with a warning memo concerning environmentally friendly collection and storage of CFLs as per current standards to prevent environmental mercury pollution.

The Project participants will support the efficient collection and disposal of failed CFLs in accordance with the current environmental standards.

F.2. If environmental impacts are considered significant by the <u>project participants</u> or the <u>host Party</u>, provision of conclusions and all references to supporting documentation of an environmental impact assessment undertaken in accordance with the procedures as required by the host Party:

Under Ukrainian laws or regulations, the project participants are not obligatory required to conduct EIA for this type of project. The environmental impacts derived through the project activity are such positive ones as energy savings. Therefore, EIA does not need to be carried out.





Joint Implementation Supervisory Committee

page 23

G.1. Information on stakeholders' comments on the project, as appropriate:

No comments.





Joint Implementation Supervisory Committee

page 24

Annex 1

CONTACT INFORMATION ON PROJECT PARTICIPANTS

Organisation:	Gorlivka Town Council
Street/P.O.Box:	Peremogy ave.
Building:	67
City:	Gorlivka
State/Region:	Donetska oblast
Postal code:	84646
Country:	Ukraine
Phone:	+380 0624 52 06 51
Fax:	+380 0624 52 05 26
E-mail:	support@gorlovka.dn.ua
URL:	
Represented by:	Mr. Evgen Klep
Title:	Mayor
Salutation:	Mr.
Last name:	Klep
Middle name:	Viktorovych
First name:	Evgen
Department:	
Phone (direct):	
Fax (direct):	
Mobile:	
Direct e-mail:	





Joint Implementation Supervisory Committee

page 25

Organisation:	Innovation Center "Ecosystem"
Street/P.O.Box:	Symona Petlyury str.
Building:	b. 28, of. 501
City:	Kiev
State/Region:	
Postal code:	01032
Country:	Ukraine
Phone:	+38 044 498-08-87
Fax:	+38 044 248-70-72
E-mail:	contact@ic-ecosystem.com
URL:	
Represented by:	Mr. Svyatoslav Kurulenko
Title:	General Director
Salutation:	Mr.
Last name:	Kurulenko
Middle name:	Serhiyovych
First name:	Svyatoslav
Department:	
Phone (direct):	
Fax (direct):	
Mobile:	
Direct e-mail:	S_Kurulenko@ukr.net





Joint Implementation Supervisory Committee

page 26

Organisation:	Carbon Futures LLP
Street/P.O.Box:	Ruskin House, Museum Street
Building:	40/41
City:	London
State/Region:	
Postal code:	WC1A 1LT
Country:	United Kingdom
Phone:	+44 (0) 20 7193 3935
Fax:	+44 20 7831 4476
E-mail:	ukrCFL@carbon-futures.org
URL:	www.carbon-futures.org
Represented by:	
Title:	Managing Director
Salutation:	Mr.
Last name:	Arman
Middle name:	
First name:	Anthony
Department:	
Phone (direct):	+44 20 7193 3935
Fax (direct):	
Mobile:	+44 7889 116 009
Direct e-mail:	tony@carbon-futures.org

- - - - -





Joint Implementation Supervisory Committee

page 27

Annex 2

BASELINE INFORMATION

The baseline emissions for the project activity will be calculated from the available information on the replaced number of CFL and its usage during the project lifetime.




Joint Implementation Supervisory Committee

page 28

Annex 3

MONITORING PLAN







Joint Implementation Supervisory Committee

page 29

