JI Verification



8		RT FOR	Μ					
(to be	(version) e completed by an AIE requesting the publication of a det	-	t to paragraph 3	7 of the JI quidelines)				
-	dited independent entity (AIE) submitting form	Bureau Veritas Certification Holding SAS						
	JI activ	vity						
Refere	ence number and title of JI activity	Waste heaps #9, #11, #17, #25 dismantling of mines #4 and #29 with the aim of decreasing greenhouse gases emissions into the atmosphere						
Partie	s involved in the JI activity	Ukraine, Latvia						
Projec	ct participants	"PI RUN COMPANY" Ltd., SIA "Vidzeme Eko"						
Coord	linating entity (applicable to JI PoA only)	Not applicable						
Туре	of JI activity: 🗹 large-scale 🛛 small	-scale 🗆 Ll	JLUCF	🗆 PoA				
Emission reductions/Enhancements of removals								
Monit	oring period(s) (DD/MM/YYYY - DD/MM/YYYY)	14/02/2008-30/09/2012		2				
Verified reductions in anthropogenic emissions by sources/enhancements of anthropogenic removals by sinks (tonnes of CO_2 eq.)		5 198 33	39					
	resent verification is the first with regard to activity	ا کا	es	□ No				
Lo J	Verification period (DD/MM/YYYY-DD/MM/YYYY)	☑ N/A						
olicable to JI PoA only	Reference number of JPAs verified	☑ N/A						
Appl	Sampling approach used to verify the PoA	☑ N/A	□ Yes	□ No				
	Statements regarding requirem	nents and pos	sible chan	ges				
releva parag	e <u>confirm that all requirements</u> of Article 6 of t int requirements defined by the CMP or the JIS raph 37 of the JI guidelines <u>are met</u> : I Yes No							
Verific	cation opinion							
Pleas docur	e provide a verification opinion (or a reference nents attached), including a statement regardi dance with the Standard for applying the conc	ing materiality a	nd level of as	surance, in				
Verific	ation opinion is provided in the verification report	#Ukraine-ver/080	7/2012					
monit	roject design was revised in the current oring period, after the determination has deemed final	_ ·	Yes	☑ No				

monitoring period, please confirm that conditions ☑ N/A □ Yes □ No defined in JI guidelines (paragraph 33) are still met If project design was revised in the current monitoring period, please confirm that the changes ☑ N/A □ Yes □ No defined in JI guidelines (paragraph 33) are still met If project design was revised in the current □ N/A □ Yes □ No defined in JI guidelines (paragraph 33) are still met If N/A □ Yes □ No defined in JI guidelines (paragraph 33) are still met If N/A □ Yes □ No defined in JI guidelines (paragraph 33) are still met If N/A □ Yes □ No do not alter the original determination opinion If N/A □ Yes □ No (b) If emission sources have changed, they are reflected in an updated monitoring plan If N/A □ Yes □ No (c) Baseline scenario has not changed ☑ N/A □ Yes □ No If N/A □ Yes □ No (d) Changes are consistent with JI specific approach or CDM methodology upon which the molecting plan subreased (applicable for the project The monitoring plan was revised in the current monitoring plan improve the accuracy and/or applicablity of information collected, compared to the original monitoring plan without changing conformity with face relevant documents u	and expr reference required f project	ease list all revi					
Minimum period, please confirm that the changes Image: N/A Yes No If project design was revised in the current monitoring period, please confirm that the changes Image: N/A Yes No If project design was revised in the current monitoring period, please confirm that: Image: N/A Yes No (a) Physical location of the project has not changed Image: N/A Yes No (b) If emission sources have changed, they are reflected monitoring plan Image: N/A Yes No (c) Baseline scenario has not changed Image: N/A Yes No (d) Changes are consistent with JI specific approach or CDM methodology upon which the deproject Image: N/A Yes No (d) Changes are consistent with JI specific approach or CDM methodology upon which the deproject Image: N/A Yes No (d) Changes are consistent with JI specific approach or CDM methodologies and measures under each type of JPA the monitoring plan was revised (applicable to JI PoA only) Yes, please specify for which technologies and measures under each type of JPA the monitoring plan was revised (applicable to JI PoA only) Image: No The current revisions to the monitoring plan Improve the accuracy and/or applicablity of information collected, compared to the original monitoring plan without changing conformity with the relevant rules and regulations for establishing monitoring plan		ress a determina e to an attached	ition opinion (or provide a	⊠ N/A			
monitoring period, please confirm that the changes M/A Yes No do not alter the original determination opinion If project design was revised in the current monitoring period, please confirm that: (a) Physical location of the project has not changed M/A Yes No (b) If emission sources have changed, they are reflected in an updated monitoring plan M/A Yes No (c) Baseline scenario has not changed M/A Yes No (d) Changes are consistent with JI specific approach or CDM methodology upon which the determination was prepared for the project N/A Yes No (d) Changes are consistent with JI specific approach or CDM methodology upon which the monitoring plan was revised (applicable to JPAA the monitoring plan was revised (applicable of JPAA the original monitoring plan was revised (applicable of JPAA the original monitoring plan was revised (applicable) No		ing period, pleas	e confirm that conditions	⊠ N/A	□ Yes	🗆 No	
monitoring period, <u>please confirm</u> that: (a) Physical location of the project has not changed ☑ N/A □ Yes No (b) If emission sources have changed, they are reflected in an updated monitoring plan ☑ N/A □ Yes □ No (c) Baseline scenario has not changed ☑ N/A □ Yes □ No (d) Changes are consistent with JI specific approach or CDM methodology upon which the determination was prepared for the project ☑ N/A □ Yes □ No (d) Changes are consistent with JI specific approach or CDM methodology upon which the current monitoring plan was revised in the current monitoring plan was revised in the current or Yes ☑ N/A □ Yes ☑ No If yes, please specify for which technologies and measures under each type of JPA the monitoring plan measures under each type of JPA the monitoring plan improve the accuracy and/or applicability of information collected, compared to the original monitoring plan without changing conformity with the relevant rules and regulations for establishing monitoring plans ☑ N/A □ Yes □ No List of documents attached to the verification report form Please attach relevant documents: □ Nocument listing all revisions to the project design, if applicable ☑ Other relevant documents: □ Document listing all revisions to the project design, if applicable, do not aller the original determination opinion and that the conditions defined by paragraph 33 of the JI guidelir still met Revised monitoring plan, if applicable <td>monitori</td> <td>ing period, pleas</td> <td>e confirm that the changes</td> <td>⊠ N/A</td> <td>🗆 Yes</td> <td>🗆 No</td>	monitori	ing period, pleas	e confirm that the changes	⊠ N/A	🗆 Yes	🗆 No	
 (c) If emission sources have changed, they are reflected in an updated monitoring plan (c) Baseline scenario has not changed (d) Changes are consistent with JI specific approach or CDM methodology upon which the determination was prepared for the project (d) Changes are consistent with JI specific approach or CDM methodology upon which the determination was prepared for the project (e) The monitoring plan was revised in the current monitoring plan was revised in the current revisions to the monitoring plan was revised (applicable to J PA any) (f) The current revisions to the monitoring plan may revised (applicable to J PA any) (f) The current revisions to the monitoring plan may revised (applicable to J PA any) (f) N/A □ Yes □ No (f) Applicable of the verification report form (f) Please attach relevant documents: □ Document listing all revisions to the project design, if applicable (f) Determinati							
reflected in an updated monitoring plan Image: Tess Imagee: Tess Image: Tess <td>(a) Phys</td> <td>sical location of th</td> <td>e project has not changed</td> <td>⊠ N/A</td> <td>□ Yes</td> <td>□ No</td>	(a) Phys	sical location of th	e project has not changed	⊠ N/A	□ Yes	□ No	
 (d) Changes are consistent with JI specific approach or CDM methodology upon which the determination was prepared for the project The monitoring plan was revised in the current monitoring plan was revised in the current project of JP A the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan was revised (applicable to JI PoA only) Please attach relevant documents used in the verification process and mark below accordingly Verification report Written approvals by the Parties involved, if applicable Document listing all revisions to the project design, if applicable Determination opinion and that the conditions defined by paragraph 33 of the JI guidelin still met Revised monitoring plan, if applicable Determination that the revisions to the monitoring plan, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring				⊠ N/A	🗆 Yes	D No	
or CDM methodology upon which the determination was prepared for the project INA Yes No The monitoring plan was prepared for the project IYes No If yes, please specify for which technologies and measures under each type of JPA the monitoring plan was revised (applicable to JI PoA only) IYes No The current revisions to the monitoring plan improve the accuracy and/or applicability of information collected, compared to the original monitoring plan without changing conformity with the relevant rules and regulations for establishing monitoring plans IN/A Yes No List of documents attached to the verification report form Please attach relevant documents used in the verification process and mark below accordingly Image: Verification report Image: Verification report Image: Verification report Image: Verification report Image: Document listing all revisions to the project design, if applicable Determination that the revisions to the project design, if applicable, do not alter the origin determination opinion and that the conditions defined by paragraph 33 of the JI guideling still met Image: Determination that the revisions to the monitoring plan, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan we changing conformity with relevant rules and regulations for establishing monitoring plan we changing conformity with relevant rules and regulations for establishing monitoring plan we changing conformity with relevant rules and regulations for establishing monitoring pl	(c) Base	eline scenario ha	s not changed	⊠ N/A	□ Yes	□ No	
monitoring period □ Yes ☑ No If yes, please specify for which technologies and measures under each type of JPA the monitoring plan was revised (applicable to JI PoA only) □ No The current revisions to the monitoring plan improve the accuracy and/or applicability of information collected, compared to the original monitoring plan without changing conformity with the relevant rules and regulations for establishing monitoring plans ☑ N/A □ Yes □ No List of documents attached to the verification report form Please attach relevant documents used in the verification process and mark below accordingly ☑ ☑ Verification report ☑ Written approvals by the Parties involved, if applicable ☑ Other relevant documents: □ Document listing all revisions to the project design, if applicable, do not alter the orig determination opinion and that the conditions defined by paragraph 33 of the JI guidelir still met □ Revised monitoring plan, if applicable □ Determination that the revisions to the monitoring plan, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan w changing conformity with relevant rules and regulation for establishing monitor	or C	DM methodology	upon which the	⊠ N/A	□ Yes	□ No	
under each type of JPA the monitoring plan was revised (applicable to JI PoA only) The current revisions to the monitoring plan improve the accuracy and/or applicability of information collected, compared to the original monitoring plan without changing conformity with the relevant rules and regulations for establishing monitoring plans List of documents attached to the verification report form Please attach relevant documents used in the verification process and mark below accordingly ✓ Verification report ✓ Written approvals by the Parties involved, if applicable ✓ Other relevant documents: Document listing all revisions to the project design, if applicable Determination that the revisions to the project design, if applicable, do not alter the original determination opinion and that the conditions defined by paragraph 33 of the JI guideling still met Revised monitoring plan, if applicable Determination that the revisions to the monitoring plan, if applicable, improve the accurr and/or applicability of information collected, compared to the original monitoring plan without the applicable (JI PoA only) Sampling plan, if applicable (JI PoA only) Any other documents (please list): ERUs calculation Excel-file "CalculationT30Km.xls"			<u>s revised</u> in the current	□ Ye	s	⊠ No	
 improve the accuracy and/or applicability of information collected, compared to the original monitoring plan without changing conformity with the relevant rules and regulations for establishing monitoring plans List of documents attached to the verification report form Please attach relevant documents used in the verification process and mark below accordingly ✓ Verification report ✓ Written approvals by the Parties involved, if applicable ✓ Other relevant documents: Document listing all revisions to the project design, if applicable Determination that the revisions to the project design, if applicable, do not alter the origin determination opinion and that the conditions defined by paragraph 33 of the JI guidelir still met Revised monitoring plan, if applicable Determination that the revisions to the monitoring plan, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan we changing conformity with relevant rules and regulations for establishing monitoring plan we changing conformity with relevant rules and regulations for establishing monitoring plan we changing conformity with relevant rules and regulations for establishing monitoring plan we changing plan, if applicable (JI POA only) ✓ Any other documents (please list): ERUs calculation Excel-file "CalculationT30KM.xls" 	under ead	ch type of JPA the					
 Please attach relevant documents used in the verification process and mark below accordingly ✓ Verification report ✓ Written approvals by the Parties involved, if applicable ✓ Other relevant documents: Document listing all revisions to the project design, if applicable Determination that the revisions to the project design, if applicable, do not alter the orig determination opinion and that the conditions defined by paragraph 33 of the JI guidelir still met Revised monitoring plan, if applicable Determination that the revisions to the monitoring plan, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan Sampling plan, if applicable (<i>JI PoA only</i>) ✓ Any other documents (please list): ERUs calculation Excel-file "CalculationT30KM.xls" 	information monitor the relevant	tion collected, c ring plan withou vant rules and r	ompared to the original t changing conformity with	⊠ N/A	□ Yes	🗆 No	
 ✓ Verification report ✓ Written approvals by the Parties involved, if applicable ✓ Other relevant documents: Document listing all revisions to the project design, if applicable Determination that the revisions to the project design, if applicable, do not alter the orig determination opinion and that the conditions defined by paragraph 33 of the JI guidelir still met Revised monitoring plan, if applicable Determination that the revisions to the monitoring plan, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plar Sampling plan, if applicable (<i>JI PoA only</i>) ✓ Any other documents (please list): ERUs calculation Excel-file "CalculationT30Km.xls" 	List of c	documents attac	hed to the verification repor	rt form			
 Written approvals by the Parties involved, if applicable Other relevant documents: Document listing all revisions to the project design, if applicable Determination that the revisions to the project design, if applicable, do not alter the orig determination opinion and that the conditions defined by paragraph 33 of the JI guidelins still met Revised monitoring plan, if applicable Determination that the revisions to the <u>monitoring plan</u>, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan Sampling plan, if applicable (<i>JI PoA only</i>) Any other documents (please list): ERUs calculation Excel-file "CalculationT30Km.xls" 	Please a	attach relevant do	cuments used in the verification	on process and m	ark below acc	cordingly	
 ✓ Other relevant documents: Document listing all revisions to the project design, if applicable Determination that the revisions to the project design, if applicable, do not alter the orig determination opinion and that the conditions defined by paragraph 33 of the JI guidelins still met Revised monitoring plan, if applicable Determination that the revisions to the monitoring plan, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan Sampling plan, if applicable (<i>JI PoA only</i>) ✓ Any other documents (please list): ERUs calculation Excel-file "CalculationT30Km.xls" 		Verification repo	ort				
 Document listing all revisions to the project design, if applicable Determination that the revisions to the <u>project design</u>, if applicable, do not alter the orig determination opinion and that the conditions defined by paragraph 33 of the JI guidelins still met Revised monitoring plan, if applicable Determination that the revisions to the <u>monitoring plan</u>, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan Sampling plan, if applicable (<i>JI PoA only</i>) Any other documents (please list): ERUs calculation Excel-file "CalculationT30Km.xls" 	\square						
 Determination that the revisions to the <u>project design</u>, if applicable, do not alter the orig determination opinion and that the conditions defined by paragraph 33 of the JI guidelins still met Revised monitoring plan, if applicable Determination that the revisions to the <u>monitoring plan</u>, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan Sampling plan, if applicable (<i>JI PoA only</i>) Any other documents (please list): ERUs calculation Excel-file "CalculationT30Km.xls" 		Written approva	Is by the Parties involved, it	fapplicable			
 determination opinion and that the conditions defined by paragraph 33 of the JI guidelins still met Revised monitoring plan, if applicable Determination that the revisions to the monitoring plan, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan Sampling plan, if applicable (<i>JI PoA only</i>) Any other documents (please list): ERUs calculation Excel-file "CalculationT30KM.xls" 				f applicable			
 Determination that the revisions to the <u>monitoring plan</u>, if applicable, improve the accur and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan Sampling plan, if applicable (<i>JI PoA only</i>) Any other documents (please list): ERUs calculation Excel-file "CalculationT30KM.xls" 	1	Other relevant of	locuments:		able		
and/or applicability of information collected, compared to the original monitoring plan w changing conformity with relevant rules and regulations for establishing monitoring plan □ Sampling plan, if applicable (<i>JI PoA only</i>) ☑ Any other documents (please list): ERUs calculation Excel-file "CalculationT30Km.xls" The AIE herewith declares that undertaking the verification for the JI activity referred to abov	2	Other relevant of Document I Determination Determination	locuments: isting all revisions to the project on that the revisions to the pro	ct design, if applica <u>oject design,</u> if app	licable, do no		
Any other documents (please list): ERUs calculation Excel-file "CalculationT30Км.xls" The AIE herewith declares that undertaking the verification for the JI activity referred to above	2	Other relevant of Document I Determination Still met	locuments: isting all revisions to the project on that the revisions to the pro- on opinion and that the condition	ct design, if applica <u>oject design,</u> if app	licable, do no		
The AIE herewith declares that undertaking the verification for the JI activity referred to abov	2	Other relevant of Document I Determination Still met Revised mod Determination and/or appli	locuments: isting all revisions to the project on that the revisions to the pro- on opinion and that the condition initoring plan, if applicable on that the revisions to the mo- cability of information collected	ct design, if applica <u>oject design</u> , if app ions defined by par <u>onitoring plan</u> , if ap	olicable, do no ragraph 33 of oplicable, imp e original mor	the JI guidelines a rove the accuracy nitoring plan withou	
	3	Other relevant of Document I Determination determination still met Revised model Determination and/or applion changing codel	locuments: isting all revisions to the project on that the revisions to the pro- on opinion and that the condition initoring plan, if applicable on that the revisions to the mo- cability of information collected onformity with relevant rules ar	ct design, if applica oject design, if app ions defined by par onitoring plan, if ap ed, compared to the nd regulations for o	olicable, do no ragraph 33 of oplicable, imp e original mor	the JI guidelines a rove the accuracy nitoring plan withou	
does not constitute a conflict of interest which is incompatible with the role of An Are	2	Other relevant of Document I Determination Still met Revised mod Determination and/or applion changing coordination Sampling points	locuments: isting all revisions to the project on that the revisions to the project on opinion and that the condition initoring plan, if applicable on that the revisions to the mo- cability of information collected onformity with relevant rules ar an, if applicable (JI PoA only)	ct design, if applica o <u>ject design</u> , if app ions defined by par onitoring plan, if ap onitoring plan, if ap ad, compared to the nd regulations for e	plicable, do no ragraph 33 of oplicable, imp e original mor establishing r	the JI guidelines a rove the accuracy hitoring plan withou nonitoring plans	
Operational manager signing for the AIE Ivan Sokolov	⊠ Ø The AIE	Other relevant of □ Document I □ Determination still met □ Revised mod □ Determination and/or applicht changing cod □ Sampling pod ☑ Any other cod herewith declar	locuments: isting all revisions to the project on that the revisions to the project on opinion and that the condition initoring plan, if applicable on that the revisions to the <u>mo</u> cability of information collecter onformity with relevant rules ar an, if applicable (<i>JI PoA only</i>) locuments (please list): ERUs	ct design, if applica oject design, if app ions defined by par onitoring plan, if ap ed, compared to the nd regulations for e calculation Excel- ification for the J	plicable, do no ragraph 33 of oplicable, imp e original mor establishing r file "Calculati	the JI guidelines a rove the accuracy hitoring plan withou nonitoring plans onT30Km.xls"	
Bureau Veritas Certificati	The AIE does no	Other relevant of □ Document I □ Determination of the termination of termination of the termination of	locuments: isting all revisions to the project on that the revisions to the project on opinion and that the condition initoring plan, if applicable on that the revisions to the <u>mo</u> cability of information collected onformity with relevant rules ar an, if applicable (<i>JI PoA only</i>) locuments (please list): ERUs res that undertaking the veri- onflict of interest which is in	ct design, if applica oject design, if app ions defined by par onitoring plan, if ap ed, compared to the nd regulations for calculation Excel- ification for the J ncompatible with	olicable, do no ragraph 33 of oplicable, imp e original mor establishing r file "Calculati I activity refe the role of a	the JI guidelines a rove the accuracy hitoring plan withou nonitoring plans on T30KM.xIs"	
Date and signature 12/11/2012 Holping SAS	The AIE does no Operatio	Other relevant of □ Document I □ Determination of the termination of termination of the termination of terminatio of termination of termination of terminatio of termin	locuments: isting all revisions to the project on that the revisions to the project on opinion and that the condition initoring plan, if applicable on that the revisions to the <u>mo</u> cability of information collected onformity with relevant rules ar an, if applicable (<i>JI PoA only</i>) locuments (please list): ERUs res that undertaking the veri- onflict of interest which is in	ct design, if applica o <u>ject design</u> , if app ions defined by par onitoring plan, if ap ed, compared to the nd regulations for o calculation Excel- ification for the J ncompatible with	olicable, do no ragraph 33 of oplicable, imp e original mor establishing r file "Calculati I activity refe the role of a	the JI guidelines a nove the accuracy nitoring plan withou nonitoring plans on T30Km.xls" and to above n Are as Certification	