
## **JI Verification**



## AIE REPORT FORM

(version 04)

(to be completed by an AIE requesting the publication of a determination pursuant to paragraph 37 of the JI guidelines)

Accredited independent entity (AIE) submitting form TÜV Rheinland (China) Ltd. (TÜV Rheinland)

		. ,	,					
JI activity								
Reference number and title of JI activity		0289 Implementation of energy-efficient lighting system in the Donetsk Region with the use of Kyoto Protocol mechanism: replacement of incandescent lamps with energy-efficient ones at budget financed and social entities in the Artemivsk town (under Track 2)						
Partie	s involved in the JI activity	<ul><li>Ukraine (host Party);</li><li>The Netherlands</li></ul>						
Projec	ct participants	<ul> <li>Artemivsk Town Council</li> <li>Carbon Futures LLP</li> </ul>						
Coordinating entity (applicable to JI PoA only) N/A								
Туре	of JI activity: 🗆 large-scale 🛛 🗹 small	-scale 🛛 LULUCF	□ PoA					
Emission reductions/Enhancements of removals								
	oring period(s) (DD/MM/YYYY - M/YYYY)	07/02/2011 – 31/08/2012						
sourc	ed reductions in anthropogenic emissions by es/enhancements of anthropogenic removals iks (tonnes of CO <sub>2</sub> eq.)							
	resent verification is the first with regard to activity	☑ Yes	□ No					
Applicable to JI PoA only	Verification period (DD/MM/YYYY- DD/MM/YYYY)	☑ N/A						
	Reference number of JPAs verified	⊠ N/A						
	Sampling approach used to verify the PoA	⊠ N/A □ Ye	es 🗆 No					
Statements regarding requirements and possible changes								

## Statements regarding requirements and possible changes

Please <u>confirm that all requirements</u> of Article 6 of the Kyoto Protocol, the JI guidelines and further relevant requirements defined by the CMP or the JISC with regard to verifications pursuant to paragraph 37 of the JI guidelines <u>are met</u>:

Ø Yes

□ No

## Verification opinion

Please provide a verification opinion (or a reference to the verification opinion in one of the documents attached), including a statement regarding materiality and level of assurance, in accordance with the Standard for applying the concept of materiality in verifications

TÜV Rheinland (China) Ltd. (TÜV Rheinland) has performed the initial and first periodic verification of the emission reductions generated by the JI SSC project "Implementation of energy-efficient lighting system in the Donetsk Region with the use of Kyoto Protocol mechanism: replacement of incandescent lamps with energy-efficient ones at budget financed and social entities in the Artemivsk town (under Track 2)" (ITL Project ID UA2000047) for the period from the 07/02/2011 till the 31/08/2012.

The project participants are responsible for the collection of data in accordance with the monitoring plan and the reporting of GHG emission reductions generated by the project.

It is responsibility of TÜV Rheinland (China) Ltd. (TÜV Rheinland) to express an independent verification opinion - conclusion on the verified amount of emission reductions generated by the project and reported by the project participants through the monitoring report, version 03 dated 07/02/2013.

TÜV Rheinland (China) Ltd. (TÜV Rheinland) has assessed the monitoring report on the basis of the revised monitoring plan, revision 01.1 dated 07/02/2013 contained in Annex 1 to the monitoring report, version 03 dated 07/02/2013.

The verification included the assessment of:

• project implementation in accordance with the Project Design Document (PDD);

compliance with the monitoring plan;

 calculation of emission reductions and expression of a conclusion with a reasonable level of assurance about whether the reported GHG emission reductions data are accurate and free of material errors, omissions, or misstatements;

 quality and management of data and verification that reported GHG emission reductions data is sufficiently supported by evidence.

TÜV Rheinland (China) Ltd. (TÜV Rheinland) verification approach draws on an understanding of the risks associated with reporting of GHG emission data and the controls in place to mitigate these. TÜV Rheinland (China) Ltd. (TÜV Rheinland) planned and performed the verification by obtaining evidence and other information and explanations that TÜV Rheinland (China) Ltd. (TÜV Rheinland) considers necessary to give reasonable assurance that reported GHG emission reductions are fairly stated, accurate and free of material errors, omissions, or misstatements.

In TÜV Rheinland's (China) Ltd. (TÜV Rheinland) opinion the GHG emission reductions generated by the JI SSC project "Implementation of energy-efficient lighting system in the Donetsk Region with the use of Kyoto Protocol mechanism: replacement of incandescent lamps with energy-efficient ones at budget financed and social entities in the Artemivsk town (under Track 2)" (ITL Project ID UA2000047) for the period from the 07/02/2011 till the 31/08/2012 are fairly stated, accurate and free of material errors, omissions, or misstatements in the monitoring report, version 03 dated 07/02/2013.

The GHG emission reductions were calculated correctly on the basis of the revised monitoring plan, revision 01.1 dated 07/02/2013.

TÜV Rheinland (China) Ltd. (TÜV Rheinland) is able to verify that the emission reductions generated by the JI SSC project "Implementation of energy-efficient lighting system in the Donetsk Region with the use of Kyoto Protocol mechanism: replacement of incandescent lamps with energy-efficient ones at budget financed and social entities in the Artemivsk town (under Track 2)" (ITL Project ID UA2000047) for the period from the 07/02/2011 till the 31/08/2012 amount to 4 070 tonnes of CO<sub>2</sub> equivalent.

The <u>project design was revised</u> in the current monitoring period, after the determination has been deemed final	□ Yes		☑ No	
If yes, please <u>list all revisions</u> to the project design and express a determination opinion (or provide a reference to an attached document containing the required information)	⊠ N/A			
If project design was revised in the current monitoring period, <u>please confirm</u> that conditions defined in JI guidelines (paragraph 33) are still met	☑ N/A	□ Yes	□ No	
If project design was revised in the current monitoring period, <u>please confirm</u> that the changes do not alter the original determination opinion	☑ N/A	□ Yes	□ No	

		gn was revised in the current riod, <u>please confirm t</u> hat:						
(a) Phy	vsical lo	cation of the project has not changed	⊠ N/A	□ Yes	□ <b>No</b>			
		n sources have changed, they are n an updated monitoring plan	⊠ N/A	□ Yes	□ No			
(c) Bas	eline s	cenario has not changed	⊠ N/A	□ Yes	□ No			
or C	CDM m	re consistent with JI specific approach ethodology upon which the tion was prepared for the project	⊠ N/A	□ Yes	□ No			
The <u>mo</u> monitor		<u>g plan was revised</u> in the current riod	☑ Yes	i	□ No			
under ea	ch type	ecify for which technologies and measures of JPA the monitoring plan was revised PoA only)						
The current <u>revisions to the monitoring plan</u> improve the accuracy and/or applicability of information collected, compared to the original monitoring plan without changing conformity with the relevant rules and regulations for establishing monitoring plans			□ <b>N/A</b>	⊠ Yes	□ No			
List of o	docum	ents attached to the verification repor	<u>t form</u>					
Please a	attach r	elevant documents used in the verification	on process and ma	rk below ac	cordingly			
⊠ Ve	erificat	ion report						
Written approvals by the Parties involved, if applicable								
⊠ 01	ther re	levant documents:						
		Document listing all revisions to the pro	ect design, if appl	icable				
	Determination that the revisions to the <u>project design</u> , if applicable, do not alter the original determination opinion and that the conditions defined by paragraph 33 of the JI guidelines are still met							
	<ul> <li>Revised monitoring plan, if applicable</li> </ul>							
Determination that the revisions to the <u>monitoring plan</u> , if applicable, improve the accuracy and/or applicability of information collected, compared to the original monitoring plan without changing conformity with relevant rules and regulations for establishing monitoring plans								
	Sampling plan, if applicable (JI PoA only)							
	Any other documents (please list):							
	Emission reduction calculation spreadsheet, document of MS Excel format							
The AIE herewith declares that undertaking the verification for the JI activity referred to above does not constitute a conflict of interest which is incompatible with the role of an AIE								
Operati	onal m	anager signing for the AIE	Mr. Praveen N. Urs - DOE/ AIE Manager					
Date and signature			08/02/2013					