

Choose certainty. Add value.

Determination Report

Yara Ambès Nitric Acid Plant DETERMINATION OF THE JI TRACK 1 PROJECT: YARA AMBÈS N₂O ABATEMENT PROJECT

REPORT NO. 600500300

30 June 2010

TÜV SÜD Industrie Service GmbH

Carbon Management Service Westendstr. 199 - 80686 Munich – GERMANY Page 2 of 21



| Report No. | Date of first issue | Revision No. | Revision Date | Certificate No. |
|------------|---------------------|--------------|---------------|-----------------|
| 600500300 | 31-08-2009 | 03 | 30-06-2010 | - |

| Subject: Determination of the JI track 1 Project | Yara Ambès N₂O Abatement Project | | | | |
|---|---|--|--|--|--|
| Accredited TÜV SÜD Unit: | TÜV SÜD Contract Partner: | | | | |
| TÜV SÜD Industrie Service GmbH Certification Body "climate and energy" Westendstr. 199 80686 Munich Germany | TÜV SÜD Industrie Service GmbH Certification Body "climate and energy" Westendstr. 199 80686 Munich Germany | | | | |
| Project Participant of host country: | Project Site(s): | | | | |
| YARA France SAS 100 Rue Henri Barbusse F-92751 Nanterre | Ambès near Bordeaux, department Gironde, France 45°00'00.33" N, 0°32'52.65" W (Ammonia burner) | | | | |
| Project Title: Yara Ambès № O Abatement Project | | | | | |
| Applied Methodology / Version: Project | specific methodology Scope(s): 5 Technical Area(s): 5.1 | | | | |
| First PDD Version (GSP): | Final PDD version: | | | | |
| Date of issuance: 18-06-2009 | Date of issuance: 14-12-2009 | | | | |
| Version No.: - | Version No.: 04 | | | | |
| Starting Date of GSP 22-06-2009 | | | | | |
| Estimated Average Annual Emission Reduction | on: 110 163 tCO ₂ e | | | | |
| Assessment Team Leader: | Veto Person: | | | | |
| Nikolaus Kröger | Javier Castro | | | | |
| Assessment Team Members: | Responsible Certification Body Members: | | | | |
| Robert Mitterwallner | Thomas Kleiser | | | | |
| Trainees: | Rachel Zhang | | | | |
| Cyprian Fusi | | | | | |
| Summary of the Validation Opinion: | | | | | |

The review of the project design documentation and the subsequent follow-up interviews have provided TÜV SÜD with sufficient evidence for the determination of the project's fulfilment of all stated criteria. In our opinion, the project meets all national guidelines and procedures of the host country France for JI track 1 (<u>http://ji.unfccc.int/JI_Parties/PartiesList.html#France</u>) as well as the specific requirements of the LoE of the DFP of France. Therefore, TÜV SÜD recommends the project for registration by the DFP of France if the letters of approval of all Parties involved will be available.

The review of the project design documentation and the subsequent follow-up interviews have not provided TÜV SÜD with sufficient evidence for the determination of the project's fulfilment of all stated criteria. Therefore, TÜV SÜD will not recommend the project for registration by the DFP of France and will inform the project participants and the DFP of France of this decision.

Page 3 of 21



Abbreviations

| AIE | Accredited Independent Entity |
|----------|--|
| AMS | Automated Measurement System |
| BREF | Best Available Technique Reference |
| CAR | Corrective Action Request |
| CDM | Clean Development Mechanism |
| CER | Certified Emission Reduction |
| CR | Clarification Request |
| DFP | Designated Focal Point |
| EF | Emission Factor |
| EIA / EA | Environmental Impact Assessment / Environmental Assessment |
| ER | Emission Reduction |
| ERU | Emission Reduction Unit |
| FAR | Forward Action Request |
| GHG | GreenHouse Gas(es) |
| GSP | Global Stakeholder Process |
| IPCC | Intergovernmental Panel on Climate Change |
| IRL | Information Reference List |
| IRR | Internal Rate of Return |
| JI | Joint Implementation |
| JISC | JI Supervisory Commitee |
| KP | Kyoto Protocol |
| LoA | Letter of Approval |
| LoE | Letter of Endorsement |
| MP | Monitoring Plan |
| NGO | Non Governmental Organisation |
| PDD | Project Design Document |
| PP | Project Participant |
| TÜV SÜD | TÜV SÜD Industrie Service GmbH |
| UNFCCC | United Nations Framework Convention on Climate Change |
| VVM | Validation and Verification Manual |
| | |

Page 4 of 21



Table of Contents

Page

| 1 | INTRODUCTION | 6 |
|-------|---|----|
| 1.1 | Objective | 6 |
| 1.2 | Scope | 6 |
| 2 | METHODOLOGY | 8 |
| 2.1 | Appointment of the Assessment Team | 9 |
| 2.2 | Review of Documents | 10 |
| 2.3 | Follow-up Interviews | 10 |
| 2.4 | Further cross-check | 11 |
| 2.5 | Resolution of Clarification and Corrective Action Requests | 11 |
| 2.6 | Internal Quality Control | 11 |
| 3 | SUMMARY | 12 |
| 3.1 | Approval | 12 |
| 3.2 | Project design document | |
| 3.3 | Project description | 12 |
| 3.4 | Reference case scenario and monitoring methodology | |
| 3.4.1 | Applicability of the selected methodology | 13 |
| 3.4.2 | Project boundary | 14 |
| 3.4.3 | Reference case scenario identification | 14 |
| 3.4.4 | Algorithm and/or formulae used to determine emission reductions | 15 |
| 3.4.5 | Project emissions | 16 |
| 3.4.6 | Leakage | 16 |
| 3.4.7 | Emission Reductions | 16 |
| 3.5 | Additionality | 17 |
| 3.5.1 | Starting Date of the Project Activity | 17 |
| 3.5.2 | Identifications of alternatives | 17 |
| 3.5.3 | Step-by-step assessment (Barrier analysis) | 17 |
| 3.5.4 | Common practice analysis | 18 |
| 3.6 | Monitoring plan | 19 |
| 3.7 | Local stakeholder consultation | 19 |
| 3.8 | Environmental impacts | 19 |
| 4 | COMMENTS BY PARTIES, STAKEHOLDERS AND NGOS | 20 |
| 5 | VALIDATION OPINION | 21 |

Determination of the JI Project: Yara Ambès N₂O Abatement Project

Page 5 of 21



Annex 1: Validation Protocol Annex 2: Information Reference List Page 6 of 21



1 INTRODUCTION

1.1 Objective

Determination is an independent assessment by a Third Party (Accredited Independent Entity = AIE) of a proposed project activity against the defined set of criteria for registration under the Joint Implementation (JI). Determination is also part of the JI Track 1 project cycle and will finally result in a conclusion by the executing AIE whether a project activity is valid, and should therefore be submitted for registration to the Designated Focal Point (DFP) for JI project implementation in France - *Ministère de l'Écologie, de l'Énergie, du Développement Durable et de la Mer, en charge des Technologies vertes et des Négociations sur le climat.* The ultimate decision on the registration of a proposed project activity rests with the DFP in France and the Parties involved.

The project activity mentioned in this Determination Report has been submitted under the project title: "Yara Ambès N_2O Abatement Project".

The company - YARA Ambès Nitric acid plant - has contracted TÜV SÜD Industrie Service GmbH to conduct a determination of the above mentioned JI project in Ambès, France. The project was designed as a Track 1 project thus in the context of the Global Stakeholder Process (GSP) the project was published on the www.netinform.de website for a period of 30 days up from 22 June 2009 and is still available for public consultation at the following web link:

http://www.netinform.net/KE/Wegweiser/Guide22.aspx?ID=6166&Ebene1_ID=50&Ebene2_ID=1993 1&mode=5

Under JI Track 1, requirements for the final approval are set by the DFP involved, mainly the DFP of the host country and in this case it is the French DFP. The general requirements are published in <u>http://ji.unfccc.int/JI_Parties/PartiesList.html#France</u>, and the project specific French requirements for this project are described in the LoE of the French DFP (IRL-No. 11).

The determination serves as a conformity test of the project design and is a requirement for all JI projects. In particular the project's reference case, the monitoring plan (MP), and the project's compliance with host country criteria and general relevant UNFCCC criteria are validated in order to confirm that the project design, as documented, is sound and reasonable and meets the stated requirements and identified criteria. Determination is considered necessary to provide assurance to stakeholders of the quality of the project and its intended generation of emission reductions known as Emission Reduction Units (ERU - in the first commitment period under the Kyoto Protocol).

UNFCCC JI criteria refer to the Kyoto Protocol Article 6 criteria and the Guidelines for the implementation of Article 6 of the Kyoto Protocol as agreed in the Marrakech Accords.

1.2 Scope

The scope of any assessment is defined by the underlying legislation, regulation and guidance given by relevant entities or authorities. In the case of JI project activities, the scope is set by:

- The Kyoto Protocol, in particular § 6
- Decision 2/CMP1 and Decision 3/CMP.1 (Marrakech Accords)
- > Decisions of the JISC published under http://ji.unfccc.int (for general guidance)
- Specific guidance by the JISC published under http://ji.unfccc.int (for general guidance)

Page 7 of 21



- > The applied approved methodology
- > The technical environment of the project (technical scope)
- Internal and national standards on monitoring and QA/QC
- > Technical guideline and information on best practice
- Additional national requirements as set by the French DFP

The determination process is not meant to provide any form of consulting for the project participant (PP). However, stated requests for clarifications, corrective actions, and/or forward actions may provide input for improvement of the project design.

The first version of the PDD received by TÜV SÜD was made publicly available on the internet at TÜV SÜD's webpage as mentioned above. The applied methodology *Réduction Catalytique du N2O dans des usines d'acide nitrique* (IRL-No. 3) can be found at the webpage of the French DFP at http://www.ecologie.gouv.fr/Methodologies-de-projets.html.

The only purpose of a determination is its use during the registration process as part of the JI Track 1 project cycle. Hence, TÜV SÜD cannot be held liable by any party for decisions made or not made based on the Determination opinion, which will go beyond this purpose.

The determination scope is defined as an independent and objective review of the PDD and other relevant supporting documents. The information in these documents is reviewed against Kyoto Protocol requirements, UNFCCC rules and associated interpretations. The rules for Track 1 have to be finalised by the French DFP.

The determination of this project activity has been carried out according to the VVM. In this particular case a project specific determination protocol corresponding to the specific demands of the project specific methodology "*Réduction Catalytique du N2O dans des usines d'acide nitrique*" had been developed and used.

According to the Corrective Action Requests (CARs) and Clarification Requests (CRs) addressed during the audit process the client decided to revise and update the PDD to version 4 from 14 December 2009. This final version of the PDD serves as the basis for the final conclusions presented herewith.

In order to evaluate the PDD and corresponding documentation, it was obvious that the competence and capability of the validation team had to cover at least the following aspects:

- Knowledge of Kyoto Protocol and the Marrakech Accords
- Environmental and Social Impact Assessment
- Skills in environmental auditing (ISO 14001)
- Quality Assurance
- Technologies, processes and operation of nitric acid plants
- Reference case concepts
- Monitoring concepts
- Political, economical and technical random conditions in host country

Page 8 of 21



2 METHODOLOGY

The project assessment aims at being a risk based approach and is based on the methodology developed in the VVM, an initiative of Designated and Applicant Entities, which aims to harmonize the approach and quality of all such assessments.

In order to ensure transparency, a determination protocol was customised for the project. TÜV SÜD developed a checklist and protocol based on the templates presented by the VVM. The protocol shows, in a transparent manner, criteria (requirements), the discussion of each criterion by the assessment team and the results from validating the identified criteria. The Determination Protocol serves the following purposes:

- It organises, details and clarifies the requirements a JI project is expected to meet;
- It ensures a transparent Determination process where the validator will document how a particular requirement has been validated and the result of the Determination.

The Determination protocol for this project consists of three tables. The different columns in these tables are described in the figure below.

| Checklist Topic / Question | Reference | Comments | PDD in GSP | Final PDD |
|--|--|--|--|--|
| The checklist is organised in sections following the arrangement of the applied PDD version. Each section is then further sub- divided. The lowest level constitutes a checklist question / criterion. | Gives reference to documents where the answer to the checklist question or item is found in case the comment refers to documents other than the PDD. | The section is used to elaborate and discuss the checklist question and/or the conformance to the question. It is further used to explain the conclusions reached. In some cases sub-checklist are applied indicating yes/no decisions on the compliance with the stated criterion. Any Request has to be substantiated within this column | Conclusions are presented based on the assessment of the first PDD version. This is either acceptable based on evidence provided (☑), or a Corrective Action Request (CAR) due to non- compliance with the checklist question (See below). Clarification Request (CR) is used when the Determination team has identified a need for further clarification. | Conclusions are presented in the same manner based on the assessment of the final PDD version |

The completed Determination protocol is enclosed in Annex 1 to this report.

Page 9 of 21



Table 2 presents the summary of project proponent's response to the CARs and CRs as well as the Determination team's conclusions. This table may also include any Open Issues addressed during the Determination process.

| Determination Protocol Table 2: Resolution of Corrective Action and Clarification Requests | | | | | | |
|--|--|---|---|--|--|--|
| Clarifications and corrective action requests | Ref. to table 1 | Summary of project owner response | Determination team conclusion | | | |
| If the conclusions from Table 1 are either a Corrective Action Request or a Clarification Request, these should be listed in this section. | Reference to the checklist question number in Table 1 where the Corrective Action Request or Clarification Request is explained. | The responses given by the client or other project participants during the communications with the Determination team should be summarised in this section. | This section should summarise the Determination team's responses and final conclusions. The conclusions should also be included in Table 1, under "Final PDD". | | | |

In case of any unsatisfactory response from the project proponent to any of the CARs, CRs or Open Issues, the unresolved issues will be presented in table 3.

| Determination Protocol Table 3: Unresolved Corrective Action and Clarification Requests | | | | | | | |
|--|------------------------|--|-----|---|--|--|--|
| Clarifications and Id. of CAR/CR 1 corrective action requests | | Explanation of the Conclusion for Denial | | | | | |
| If the final conclusions from Table 2 results in a denial the referenced request should be listed in this section. | ldentifier Request. | of | the | This section should present a detailed explanation, why the project is finally considered not to be in compliance with a criterion. | | | |

2.1 Appointment of the Assessment Team

According to the technical scopes and experiences in the sectoral or national business environment, TÜV SÜD has composed a project team in accordance with the appointment rules of the TÜV SÜD certification body "climate and energy". The composition of an assessment team has to be approved by the Certification Body (CB) to assure that the required skills are covered by the team. The CB TÜV SÜD operates four qualification levels for team members that are assigned by formal appointment rules:

- Assessment Team Leader (ATL)
- Greenhouse Gas Auditor (GHG-A)
- Greenhouse Gas Auditor Trainee (T)
- Experts (E)

Page 10 of 21



It is required that the sectoral scope/s and the technical area/s linked to the methodology and project have to be covered by the assessment team. The Determination team consisted of the following members (Assessment Team Leader is written in bold letters):

| Name | Qualification | Coverage of scope 5 | Coverage of technical area 5.1 | Host country experience |
|----------------------|---------------|------------------------|--------------------------------|-------------------------|
| Nikolaus Kröger | ATL | M | $\overline{\mathbf{A}}$ | |
| Robert Mitterwallner | GHG-A | V | \square | V |
| Cyprian Fusi | Т | | | V |

Nikolaus Kröger is environmental engineer and expert for emissions monitoring and quality assurance at the department "TÜV SÜD Carbon Management Service". He is located in the TÜV SÜD Hamburg office and is also engaged as personally accredited verifier in the EU-ETS serving the Northern German market. Being auditor for CDM projects he has already been involved in several CDM activities with a special focus on industrial non-CO2 projects. Constitutive on 13 years experience at the department "Environmental Service" he verified many metallurgical plants, refineries, chemical plants, waste treatment and power plants and process engineering in many types of facilities. One of his former focal points had been implementation and calibration of complex automatic Environment-Data-Systems.

Robert Mitterwallner is a GHG-Auditor with a background as auditor for environmental management systems (according to ISO 14001), as expert in environmental permit procedures for industrial plants and as expert for environmental impact studies assessment. He is located at TUV SÜD Industrie Service in Munich since 1990. He has received training in the JI determination as well as CDM validation process and applied successfully as GHG Auditor for the scope chemical industries, among others.

Cyprian Fusi, is a GHG auditor (Trainee) for environmental management systems at the "Carbon Management Service" at the head office of TÜV SÜD Industrie Service GmbH, Germany. He holds a Dipl.-Ing (M.Sc) degree in electrical engineering with a speciality in Radio Frequency / Microwave (RF/MW) engineering. He has received training in the CDM validation and verification processes and has participated in several CDM and JI project audits, workshops, seminars and forums.

2.2 Review of Documents

The first version of the PDD was submitted to the AIE in June 2009. The first PDD version submitted by the PP and additional background documents related to the project design and reference case have been reviewed to verify the correctness, credibility, and interpretation of the presented information. Furthermore, a cross-check between information provided and information from other sources (if available) has been done as an initial step of the validation process. A complete list of all documents and evidence material reviewed is attached as annex 2 to this report.

2.3 Follow-up Interviews

On 19 June 2009, TÜV SÜD performed an initial telephone conference with the project developer N.serve. Physical site inspections and interviews with the project developer and the PP were held 30 June 2009 to confirm relevant information, and to resolve issues identified in the first document review. The table below provides a list of all persons interviewed in this process.

Page 11 of 21



| Name | Organisation |
|---|---|
| Mr. Bruno Dufour (Production manager) | Yara Ambès Nitric Acid Plant, usine d'Ambès |
| Ms. Marie Bégonia Tournaud (HESQ manager) | Yara Ambès Nitric Acid Plant, usine d'Ambès |
| Ms. Stephane Meffray (maintenance manager) | Yara Ambès Nitric Acid Plant, usine d'Ambès |
| Mr. Christopher Brandt (head of project management) | N-serve Environmental Services GmbH, Ger- many |
| Ms. Rebecca Cardani Strange (project manager) | N-serve Environmental Services GmbH, Ger- many |

2.4 Further cross-check

During the determination process the team has made reference to available information related to similar projects or technologies as the JI project activity. Project documentation has also been reviewed against the project specific methodology to confirm the appropriateness of formulae and correctness of calculations.

2.5 Resolution of Clarification and Corrective Action Requests

The objective of this phase of the determination is to resolve the requests for corrective actions, clarifications, and any other outstanding issues which needed to be clarified for TÜV SÜD's conclusion on the project design. The CARs and CRs raised by TÜV SÜD were resolved during communication between the project developer / PP and TÜV SÜD. To guarantee the transparency of the validation process, the concerns raised and responses that have been given are documented in more detail in the validation protocol in annex 1.

2.6 Internal Quality Control

Internal quality control is the final step of the determination process and involves the internal quality control by the CB "climate and energy" of the final documentation, which includes the determination report and annexes. The completion of the quality control indicates that each report submitted has been approved either by the head of the CB or the deputy (a veto person can be used if necessary). In projects where either the Head of the CB or his/her deputy is part of the assessment team, the approval is given by the one not serving on the project.

It is the ultimate decision of TÜV SÜD's Certification Body whether a project will be submitted for requesting registration at the French DFP or not.

Page 12 of 21



3 SUMMARY

The assessment work and the main results are described below in accordance with the VVM reporting requirements. The reference documents indicated in this section and annex 1 are stated in annex 2.

3.1 Approval

The project participant of France is YARA France SAS. The host Party France meets the requirements to participate in the JI track 1 (see chapter 1.1). Other project participants are YARA International ASA, Oslo (Norway) and N.serve Environmental Services GmbH (Germany). The parties involved are not PP. Currently, only France and Germany have officially published its national guidelines and procedures for the approval of JI projects. Meanwhile, for Norway these documents are currently not available on JI- SC website. Therefore there is a risk in receiving the investor party's approval. However, this issue is out of the direct influence of the project participants.

The LoA of the DFP of France is available (IRL-No. 25).

3.2 Project design document

The PDD is compliant with the form published by the French DFP (IRL-No. 20, see Annex 1).

3.3 Project description

The following description of the project as per PDD was verified during the on-site audit:

As described in the current PDD, YARA Ambès Nitric acid plant operates since 1990 one nitric acid production unit on its Ambès site with a total capacity of maximum daily production output of 1,380 metric tonnes of HNO_3 (100% conc.) or a maximum annual production output of 469,200 metric tonnes of HNO_3 (100% conc.), based on 340 days per year of plant operation.

To produce nitric acid, ammonia (NH3) is reacted with air over precious metal – normally a platinumrhodium-palladium (Pt-Rh-Pd) alloy – catalyst gauze pack in the Ammonia Oxidation Reactor (AOR) of the nitric acid plant. The main product of this reaction is NO, which is metastable at the conditions present in the ammonia oxidation reactor:

$$4 \text{ NH}_3 + 5 \text{ O}_2 \rightarrow 4 \text{ NO} + 6 \text{ H}_2\text{O}$$

Simultaneously, undesired side reactions yield nitrous oxide (N₂O), nitrogen and water:

$$4 \text{ NH}_3 + 4 \text{ O}_2 \rightarrow 6 \text{ H}_2\text{O} + 2 \text{ N}_2\text{O}$$

 $4 \text{ NH}_3 + 3 \text{ O}_2 \rightarrow 6 \text{ H}_2\text{O} + 2 \text{ N}$

The NO from the primary reaction is then further oxidised to form NO₂:

$$2 \text{ NO} + \text{O}_2 \rightarrow 2 \text{ NO}_2$$

The NO₂ is later absorbed in water to produce HNO₃ – nitric acid:

$$2 \text{ NO}_2 + \text{H}_2\text{O} \rightarrow \text{HNO}_3 + \text{HNO}_2$$
$$3\text{HNO}_2 \rightarrow \text{HNO}_3 + \text{NO} + \text{H}_2\text{O}$$

Page 13 of 21



From 2002 to March 2009 the utilization of a N_2O abatement catalyst that was developed by Yara Ambès Nitric Acid Plant, has been investigated on an industrial trial basis. In April 2009 the operation of the project N_2O secondary catalyst (type: YARA58 Y 1 ®) with the following characteristics started.

- Net weight of catalyst: 3,700 kg max
- Size of catalyst tablets: 9 mm
- Composition of catalyst: > 80% CeO₂, < 1% CoO
- Bulk density: 1.13 kg/l
- Unit prize: 100 €/kg catalyst
- Basket: 4650 mm diameter, 150 mm depth
- Ammonia oxidation reactor pressure: 4 5 bar

The information presented in the PDD on the technical design is consistent with the actual planning and implementation of the project activity as confirmed by:

- The review and cross check of data and information (see annex 2).
- An on-site visit which has been performed. Relevant stakeholder and personnel with knowledge of the project were interviewed. In case of doubt, further cross checks through additional interviews were conducted.
- Information related to similar projects or technologies which have been used to validate the accuracy and completeness of the project description.

In conclusion, TÜV SÜD confirms that the project description, as included in the PDD, is sufficiently accurate and complete in order to comply with the general and specific JI requirements.

3.4 Reference case scenario and monitoring methodology

3.4.1 Applicability of the selected methodology

The selected methodology has been approved by the host country (see IRL No. 5).

Compliance with each applicability condition as listed in the chosen project specific reference case scenario and monitoring methodology has been demonstrated.

The assessment was carried out for each applicability criteria and included, among other checks, the compliance check of the local project setting with the applicability conditions in regard to reference case scenario setting and eligible project measures. This assessment also included the review of secondary sources, which further demonstrate that applicability conditions have been complied with.

The specific protocol that has been derived from the project specific methodology, included in the annex 1, documents the assessment process. The protocol also includes the steps taken in the assessment process. The results of the compliance check as well as relevant evidence are detailed in annex 1.

TÜV SÜD confirms that the chosen project specific reference case scenario and monitoring methodology is applicable to the project activity.

Emission sources, which are not addressed by the applied methodology, and which are expected to contribute more than 1% of the overall expected average annual emission reductions, have not been identified, as for *Integrated Pollution Prevention and Control Reference Document on Best Available*

Page 14 of 21



Techniques (BREF) for the manufacture of Large Volume Inorganic Chemicals – Ammonia, Acids and Fertilizers (IRL-No. 18).

3.4.2 **Project boundary**

The project boundary was assessed considering information gathered from the physical site inspection, interviews, and secondary evidence received on the design of the project.

• The project boundary includes all parts of the nitric acid plant in so far as they are needed for the nitric acid production process itself, beginning at the inlets to the ammonia burner and ending at the tail gas stack. Any form of NO_X-abatement device shall also be regarded as being within the project boundary.

Relevant documentation assessed to confirm the project boundary are listed below: - arrêté prefectoral (plant operation permit) of 22 January 2009 (IRL-No. 9).

Therefore, TÜV SÜD confirms that the identified boundary, the selected sources, and gases as documented in the PDD are justified for the project activity and are fully in line with the requirements set by the applied methodology.

3.4.3 Reference case scenario identification

The PDD defines the following reference case scenario:

• Business as usual scenario (contiunation of status quo with continuation of operation with the part of secondary catalyst installed that is necessary to comply with the national regulations)

The information presented in the PDD has been determined by an initial document review of all data. Further confirmation has been made based on the on-site visit and researched information from similar projects and/or technologies. The sources referenced in the PDD have been quoted correctly. The information was verified against credible sources, such as:

- IRL-No. 9: arrêté prefectoral (plant operation permit) of 22 January 2009
- IRL-No. 21: meeting of MEEDDAT and French fertilizer association UNIFA with subject: *"Projets Domestiques"*

TÜV SÜD has determined that no reasonable alternative scenario has been excluded.

Based on the validated assumptions used for project activity calculations, TÜV SÜD considers that the identified reference case scenario is reasonable.

Taking the definition of the reference case scenario into account, TÜV SÜD confirms that all relevant JI requirements, including relevant and/or sectoral policies and circumstances, have been identified correctly in the project PDD.

A verifiable description of the reference case scenario has been included in the PDD.

TÜV SÜD confirms that:



- 1. All the assumptions and data used by the project participants are listed in the PDD, including their references and sources;
- 2. All documentation used is relevant for establishing the reference case scenario and correctly quoted and interpreted in the PDD;
- 3. Assumptions and data used in the identification of the reference case scenario are justified appropriately, supported by evidence, and can be deemed reasonable;
- 4. Relevant national and/or sectoral policies and circumstances are considered and listed in the PDD;
- 5. The approved reference case methodology has been correctly applied to identify the most reasonable reference case scenario, and the identified reference case scenario reasonably represents what would occur in the absence of the proposed CDM project activity.

Details to the reference case scenario are given in chapter 3.4.4.1 below.

3.4.4 Algorithm and/or formulae used to determine emission reductions

TÜV SÜD has assessed the calculations of project emissions, reference case scenario emissions and emission reductions. Corresponding calculations were carried out based on calculation spreadsheets (IRL-No. 8). The parameters and equations presented in the PDD, as well as other applicable documents, have been compared with the information and requirements presented in the methodology and respective tools. The equation comparison has been made explicitly following all the formulae presented in the calculation files.

The assumptions and data used to determine the emission reductions are listed in the PDD and all the sources have been checked and confirmed.

Based on the information reviewed it can be confirmed that the sources used are correctly quoted and interpreted in the PDD.

The values presented in the PDD are considered reasonable based on the documentation and references reviewed and the results of the interviews.

The reference case methodology has been correctly applied.

The estimate of the reference case emissions can be confirmed as the same reference case emissions results have been replicated by the audit team using the information provided.

Detailed information on the verification of the parameters used in the equations can be found in annex 1. The algorithms for the determination of the reference case and project are discussed in the following sections.

3.4.4.1 Reference case scenario emissions

The calculation of the reference case scenario emissions was conducted according to the procedure described in the project specific methodology.

The project specific methodology (IRL-No. 3) applies a **benchmark value of 2.5 kgN₂O/tHNO₃** for the period until 31^{st} December 2011, followed by a value of 1.85 kgN₂O/tHNO₃ for the period until 31^{st} December 2012. The figure of 2.5 kgN₂O/tHNO₃ is indicated in the permit of operation of the plant (see *arrêté prefectoral* (plant operation permit, IRL-No. 9)), independent of any time period.

All sources mentioned above are available and have been checked by the audit team. Thus, the benchmark emission factor can be confirmed.

Page 16 of 21



3.4.5 **Project emissions**

According to 'Arrêté du 2 Février 1998'of the 'Ministère de l'écologie et du développement durable', a compulsory limit of 7 kgN₂O/tHNO₃ applicable to HNO₃ plants in French commissioned after February 1998. This is not applicable to this project activity since the plant was commissioned in 1990.

Anyway, YARA Ambès Nitric Acid Plant internal data measurements from 2002 to 2003 (IRL-No.16) showed that the average EF prior to installation of secondary catalyst is about 7 kgN₂O/tHNO₃. Taking into account an abatement efficiency of 80% of secondary catalyst, which is Yara Ambès Nitric Acid Plant experienced value, PP has calculated an ex-ante **project emission level of 1.4 kgN₂O/tHNO₃**.

The evidence for Yara Ambès Nitric Acid Plant internal data measurements has been checked by the audit team. The abatement efficiency value has been cross-checked by experiences from similar projects. Hence, the project emission factor is deemed to be credible.

The handling of implausible monitoring data during the shutdown of the nitric acid plant is explained in detail in the PDD. Since neither the LoA of France (IRL-No. 25) nor the methodology include requirements on this issue, the project specific approach can be accepted.

3.4.6 Leakage

As per the methodology, the project does not need to consider leakage emissions.

3.4.7 Emission Reductions

The annual ex-ante emission reductions have been calculated by an excel file (IRL-No. 8) as for the formula of the project specific methodology, taking into account the following parameters,

- Benchmark emission factor (see chapter 3.4.4)
- Project emission factor (see chapter 3.4.5)
- Nitric acid production for the Verification Period n (tHNO₃)
- Global Warming Potential : 310 tCO₂e/tN₂O
- Reduction factor of 90% required by the project specific methodology.

The budgeted annual nitric acid production of 447,000 tHNO₃ is less than the maximum annual production (see chapter 3.3). The reduction factor is in accordance with Article 15 of the French linking directive from 2 March 2007 (IRL-No. 10).

Hence, the calculation of ERUs is more conservative. In summary, the calculation of the reference case emissions; project emissions, and the emission reductions, respectively, can be considered correct.

Page 17 of 21



3.5 Additionality

The additionality of the project has been presented in the PDD using a step-by-step assessment as described in the project specific methodology "Catalytic reduction of N2O at nitric acid plants". According to Article 10 of the French linking directive from 2 March 2007 (IRL-No. 10) an investment analysis including IRR calculation has to be done for the project activity. In Annex 3 of the same directive the additionality approach of the project specific methodology is indicated.

The approach used in the PDD has been assessed initially through the document review, during which the following documents were reviewed:

- Project specific methodology (IRL-No. 3)
- Linking directive from 2 March 2007 (IRL-No. 10)

On site, the additionality was discussed principally with Mr. Bruno Dufour, the production manager of Yara Ambès Nitric Acid Plant. Further documents have been reviewed on-site (annex 2).

Based on this information we can confirm that the documentation assessed is appropriate for this project.

3.5.1 Starting Date of the Project Activity

The starting date of the project activity is determined by the purchase order of the secondary catalyst from Yara France SAS, dated 11 March 2009. In order to check this information, the assessment team has reviewed this document (see IRL-No. 13).

The starting date of the project has been determined to be 11 March 2009 which is before the GSP.

According to the e-mail from the vice president of Yara group from 11 July 2008, the "projet domestique" (national JI track 1) has been envisaged for this project activity among others together with the decision to involve N.serve as project developer.

3.5.2 Identifications of alternatives

The aim of the project is to abate N_2O , hence, there is no output by the project.

The list of alternatives to abate N_2O as presented in the PDD includes the project activity undertaken without being registered as a JI project and the continuation of the situation prior to the implementation of the proposed project activity. The remaining alternatives presented do include all plausible scenarios taking into account the local and sectoral situations for this abatement project. The list of alternatives is therefore considered complete.

3.5.3 Step-by-step assessment (Barrier analysis)

According to the project specific methodology, the PP has used the step-by-step assessment (barrier analysis) in order to demonstrate the additionality of the project. The presented barriers are:

- Investment Barrier,
- Technological Barrier and
- Common Practice Barrier.



The **investment barrier** presented in Annex 4 of the PP (project costs and revenues) has been assessed against the following two requirements:

- Project specific methodology (IRL-No. 3)
- Linking directive from 2 March 2007 (IRL-No. 10).

The following official documents have been checked for the assessment of the barrier analysis:

- catalyst purchase contract (IRL-No. 13)
- order of monitoring equipment (IRL-No. 14)
- AMS engineering and maintenance costs (IRL-No. 22).

The figures presented in Annex 4 are deemed to be conservative and a calculation with ERUs for estimated $9 \in$ shows a return of invest up from 2010.

The result of this assessment clearly shows that the calculation presented in Annex 4 of the PDD can be considered as complete compared to the two investment barrier requirements listed above. This is confirmed through the documentation review, interviews, and the local and sectoral expertise of the assessment team as well as the BREF-Paper (IRL-No. 18).

Hence, the correct application of the national investment barrier requirements can be confirmed by the audit team and the project activity is deemed to be additional in terms of this barrier.

As **technological barriers** the following technical risks have been stated in the PDD:

- bed depth of catalyst installed inside the burner and
- depending on the load of catalyst, the supporting containment structure has to be stronger and more technical modifications will need to be made.

These technological barriers are deemed to be credible since in the reference scenario only a trial catalyst with less load as kind of pilot facility has been used.

As for the **common practice barrier**, it can be confirmed that no similar project(s) is/are running parallel to this project activity. The available power point presentation from the meeting of UNIFA and MEEDDAT regarding Projects Domestiques from April 2009 (IRL- No. 21) indicates that the secondary catalyst is not common practice in the sector for HNO_3 production in France.

Taking into account the description of the determination of the barriers presented above, the assessment team can confirm, with reasonable certainty, that the barriers are credible and correctly presented to demonstrate the additionality of the project.

3.5.4 Common practice analysis

The region for the common practice analysis has been defined as the area of France. As a result, the region is defined by taking into account similar technologies as well as similar industry types. The assessment team has reviewed official sources such as:

- IRL-No. 21: meeting of MEEDDAT and French fertilizer association UNIFA with subject: *"Projets Domestiques"* Page 19 of 21



This information confirms that all similar projects in France applied for JI or are currently applying for JI, as indicated in the revised PDD.

Therefore, it can be confirmed that the proposed JI activity is not a common practice in the defined region.

3.6 Monitoring plan

The monitoring plan presented in the PDD complies with the requirements of the applicable project specific methodology. The assessment team has verified all parameters in the monitoring plan against the requirements of the methodology; no relevant deviations have been found in the final PDD (see Annex 2).

The monitoring plan has been reviewed by the assessment team through document review and interviews with the relevant personnel. The information provided, together with a physical inspection, allows the assessment team to confirm that the proposed monitoring plan is feasible, and within the project design. The major parameters to be monitored have been discussed with the PPs.

Example: N2O analyser in the tail gas stack

- Automatic continuous measurement with MCA 04 hot extractive analyser
- AMS is subject to regular checking and calibrations that will take place according to vendor specifications and EN14181;
- cross check measurement for back-up with QAL 1 certified Emerson Rosemount NGA 2000 MLT cold extractive Non-Dispersive Infra-red analyser (IRL-No. 22)

Therefore, we find that the PP's will be able to implement the monitoring plan and the achieved emission reductions can be reported ex-post and verified.

3.7 Local stakeholder consultation

According to the DFP of France local stakeholder consultation meeting is not required.

3.8 Environmental impacts

The project participants did not undertake an environmental impact assessment since it is not required by the DFP of the host country. But, an analysis of environmental impacts has been conducted. The assessment team reviewed the documentation of the presented information. Due to the available information and our experience for such project activities, negative environmental impact by the project activity is not expected. We conclude that the PPs followed the requirements of the host country in regard to environmental impacts. Page 20 of 21



4 COMMENTS BY PARTIES, STAKEHOLDERS AND NGOS

TÜV SÜD published the project documents on the UNFCCC website, and invited comments by affected Parties, stakeholders, and non-governmental organisations during a 30 day period.

The following table presents all gathered key information:

| website: | | | | | | |
|--------------------------------------|--|--|--|--|--|--|
| http://www.netinform.de/KE/Wegwo | http://www.netinform.de/KE/Wegweiser/Guide22.aspx?ID=6282&Ebene1_ID=50&Ebene2_ID=2048&mode=5 | | | | | |
| Starting date of the global sta | akeholder consultation process: | | | | | |
| 2009-06-22 | | | | | | |
| Comment submitted by: Issues raised: | | | | | | |
| None | None - | | | | | |
| Response by TÜV SÜD: | | | | | | |
| - | | | | | | |

Page 21 of 21



5 VALIDATION OPINION

TÜV SÜD has performed a determination of the following proposed JI track 1 project activity in France:

Yara Ambès N₂O Abatement Project

Standard auditing techniques have been used for the determination of the project. Methodologyspecific customized checklists and a protocol for the project have been prepared to carry out the audit in order to present the outcome in a transparent and comprehensive manner.

The review of the project design documentation, subsequent follow-up interviews and further verification of references have provided TÜV SÜD with sufficient evidence to determine the fulfilment of stated criteria in the protocol. In our opinion, the project meets all national guidelines and procedures of the host country France for JI track 1 (<u>http://ji.unfccc.int/JI Parties/PartiesList.html#France</u>) as well as the specific requirements of the LoE of the DFP of France if the underlying assumptions do not change. TÜV SÜD will recommend the project for registration by the DFP of France.

An analysis, as provided by the applied project specific methodology, demonstrates that the proposed project activity is not a likely reference case scenario. Emission reductions attributable to the project are additional to any that would occur in the absence of the project activity. Given that the project is implemented as designed, the project is likely to achieve the estimated amount of emission reductions as specified within the final PDD version.

The determination is based on the information made available to us, as well as the engagement conditions detailed in this report. The determination has been performed according to the VVM 2008 requirements. TÜV SÜD can therefore not be held liable by any party for decisions made, or not made, based on the validation opinion beyond that purpose.

Munich, 30-06-2010

Munich, 30-06-2010

Cuiyun Thang

Rachel Zhang Deputy head of Certification Body "climate and energy" TÜV SÜD Industrie Service GmbH

Jobus (

Nikolaus Kröger Assessment Team Leader

Annex 1: Determination Protocol

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| CHECKLI | ST TOPIC / QUESTION | Ref. | COMMENTS | PDD in GSP | Final PDD |
|----------|--|---------|--|---------------|--------------|
| A. Gene | eral description of project activity | | | | |
| A.1. Tit | le of the project activity | | | | |
| A.1.1.1. | Does the project title clearly enable the identification of a unique JI project activ- ity? | 1, 2 | Yes. The project title mentioned in the PDD as "YARA Ambès N ₂ O abatement project" clearly enables the identification of a unique JI project activity. No other project in the host country has been identified with an identical title. Structure of the PDD has been provided by the French DFP. | Ø | Ŋ |
| A.1.1.2. | Are there any indication concerning the revision number and the date of the revision? | 1, | There is no indication concerning the revision number. However, the revision date has been mentioned as June 18, 2009. This version has been published by TÜV SÜD. | | V |
| | | 2 | <u>Corrective Action Request No.1.</u> Project Participant has to indicate both the version of the PDD as well as the date of revision. | CAR 1 | |
| A.1.1.3. | Is this consistent with the time line of the project's history? | 1, 2, 7 | Yes, as information was available during the on-site Audit, the date of the recent revision of the PDD is consistent with the time line of the project's history. | See CAR 1 | V |
| A.2. De | scription of the project activity | | | 1 | |
| A.2.1.1. | Is the description delivering a transpar- ent overview of the project activities? | 1, 2, 7 | The sole purpose of the proposed project activity is to catalytically reduce N_2O from HNO_3 production nitric acid at YARA's nitric acid plant in Ambès, France, by employing secondary abatement catalyst. This will drastically reduce N_2O emissions from this plant and therefore help in mitigating the effects of climate change. This has been described in the PDD in a transparent manner. | | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | 9 | The plant capacity of 3180 tons per day HNO₃ production is fully in compliance with the Arrêté Préfectorale. <u>Corrective Action Request No.2.</u> a) PP has to include in the PDD all the equations describing the production of HNO₃ and how the byproduct N₂O is generated. b) All French text passages in the whole PDD have to be replaced translated in English. | CAR 2 | |
|----------|---|---------------|---|-------|--|
| A.2.1.2. | What proofs are available demonstrating that the project description is in compli- ance with the actual situation or plan- ning? | 7 12 11 | The following time line for project implementation including the history of the period prior to the project implementation has been presented during the audit: 2002 - 03/2009: Industrial trial (2860 kg mass) 07/2008: JI consideration by Yara group (as for Montoir site) 10/04/2009: LoE (Ambés, Montoir, Paradis) AP in January 2009 April 2009: Start of catalyst operation, (3,700 kg mass; 4320 kg according to the contract) The monitoring system is has been installed in July 2009 | | |
| | | 11 | <u>Clarification Request #1.</u> a) The LoE is available, but the corresponding e-mail referring to the LoE has to be provided to the AIE. b) The figure for the catalyst mass during the trials has to be provided to the DOE. | CR 1 | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | 9 | c) The page 2 of 5 of the AP is missing. | | |
|----------|---|--------------------|---|---------------------------------|---|
| A.2.1.3. | Is the information provided by these proofs consistent with the information provided by the PDD? | 1, 2, 7, 11, 12 | See CAR1, CAR2, CR1 | See CAR 1, CAR 2, CR 1 | V |
| A.2.1.4. | Is all information presented consistent with details provided in further chapters of the PDD? | 1, 2, 7, 11, 12 | Apart from CAR1, CAR2 and CR1, all information provided is consistent with details provided in further chapters of the PDD. However, see A.2.1.2 | See CAR 1, CAR 2, CR 1 | V |
| A.3. Pro | oject participants | | | | |
| A.3.1.1. | Is the form required for the indication of project participants correctly applied? | 1, 2, 20 | Yes the form for indicating project participants has been correct- ly applied in comparison to the PDD template from the French DFP, as can be seen in section A.3 in the PDD. | V | V |
| A.3.1.2. | Is the participation of the listed entities or Parties confirmed by each one of them? | 1, 2 | See chapter A.5 | V | V |
| A.3.1.3. | Is all information on participants / Parties provided in consistency with details pro- vided by further chapters of the PDD (in particular annex 1)? | 1, 2 | Yes. Information on project participants provided in A.3 is con- sistent with those provided in other section of the PDD, especial- ly with those provided in annex 1 of the PDD. | Ø | |
| А.4. Те | chnical description of the project acti | vity | | | |
| A.4.1. | Location of the project activity | | | | |
| A.4.1.1. | Does the information provided on the lo- cation of the project activity allow for a clear identification of the site(s)? | 1, 2, 8 | Yes, the information on the location of the project activity is suf- ficient to clearly indentify the project site. The project activity is located in Ambés, France with GPS coordinate: | V | V |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | Plant absorption tower and tail gas stack: 45°00'0 1.50" N, 0°32'51.64" W Ammonia burner: 45°00'00.33" N, 0°32'52.65" W <u>Corrective Action Request No.3.</u> The Google map provided in the PDD is not clear enough. PP has to zoom the map in the PDD in a manner so as to clearly portray the site of the project activity. | CAR 3 | |
|---|--------------------|---|-------------|---|
| A.4.1.2. How is it ensured and/or demonstrated, that the project proponents can imple- ment the project at this site (ownership, licenses, contracts, etc.)? | 9 | Yara France has been operating this HNO_3 production plant in Ambès since 1990. The arrêté prefectoral (AP) of 22 January 2009 covers the permit of operation. It indicates a limit value of 2.5 kg N ₂ O/t HNO ₃ , normal conditions at 3% O ₂ . See CR 1 for completeness of AP. | See CR 1 | |
| A.4.2. Technology(s) to be employed, or me | asures, op | erations or actions to be implemented by the project activity | | |
| A.4.2.1. Does the technical design of the project activity reflect current good practices? | 1, 2, 7, 13, 18 | The project intends to employ well known and tested N_2O ab- atement technology involving the deployment of high efficient secondary catalyst. The project would not result to an increase in any GHG emissions and has not got any negative environ- mental impacts. The technology therefore reflects current good practice in the industry. | Ø | Ø |
| | | | | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | be applied provide sufficient and trans- parent input / information to evaluate its impact on the GHG balance? | 13 17 | acterized as following according to the purchase order that has been submitted to the audit team. • Type: YARA58 Y 1 ® • Net weight of catalyst: 3,700 kg max • Size of catalyst tablets: 9 mm • Composition of catalyst: > 80% CeO ₂ , < 1% CoO • Bulk density: 1.13 kg/l • Unit prize: 100 €/kg catalyst • Basket: 4650 mm diameter, 150 mm depth • Ammonia oxidation reactor pressure: 4 – 5 bar | | |
|----------|--|----------------|--|------|---|
| A.4.2.3. | Does the implementation of the project activity require any technology transfer from annex-I-countries to the host country(s)? | 7, 13 | The project relevant secondary catalyst already has been deliv- ered by Yara group Norway which is not the manufacturer as information was shared during the on-site audit. | | Ŋ |
| | | | <u>Clarification Request #2.</u> Detailed information about the manufacturer of the project cata- lyst is needed (company name and country). | CR 2 | |
| A.4.2.4. | Is the technology implemented by the project activity environmentally safe? | 1, 2, 7, 18 | The project would not result to an increase in any GHG emis- sions or to an increase in NO _x emissions. As for page 124 of <i>Integrated Pollution Prevention and Control Reference Docu-</i> <i>ment on Best Available Techniques (IPPC BREF) for the manu-</i> <i>facture of Large Volume Inorganic Chemicals – Ammonia, Acids</i> <i>and Fertilizers</i> , there is no negative environmental impact caused by the application of the secondary catalyst, e.g. cobalt oxide particles. Furthermore, this document provides information stating that there are no losses in NO yield. | V | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| A.4.2.5. | Is the information provided in compliance with actual situation or planning? | 7 | Yes, the information provided in the PDD is in compliance with actual planning phase. | | Ø |
|----------|---|----------------|---|---|--|
| A.4.2.6. | Does the project use state of the art technology and / or does the technology result in a significantly better perform- ance than any commonly used technolo- gies in the host country? | 7 | Yes, the project technology has been well tested and used in many N_2O abatement projects in the world. | Ŋ | Image: Second se |
| A.4.2.7. | Is the project technology likely to be substituted by other or more efficient technologies within the project period? | 7 | As stated by the project owner, it is not foreseen to be replaced during the course of the crediting period by any other better technology (see also chapter C for the projected lifetime of the project). | Ø | Ø |
| A.4.2.8. | Does the project require extensive initial training and maintenance efforts in order to be carried out as scheduled during the project period? | 1, 2, 7, 19 | Yara Ambès is a relative large plant with well trained technicians and employees capable of monitoring emission reduction, cali- brating and maintaining measuring instruments. Interviews with Marie Tournaud (HESQ) and Stephane Meffray (maintenance) confirm that Yara Ambès is ready to implement the project as scheduled. | Ŋ | |
| A.4.2.9. | Is information available on the demand and requirements for training and main- tenance? | 1, 2, 7, 8 | Also maintenance contract between YARA and equipment supplier is envisaged. Training requirement will be defined during the start-up together with the supplier of the N2O analyser. | Ø | Ø |
| A.4.2.10 | . Is there a brief explanation of how the anthropogenic emissions of GHGs by | 1, 2, 3, | As for the approved methodology, the French DFP (Le Ministère de l'Écologie, de l'Énergie, du | | Ø |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| sources are to be reduced by the pro- posed JI project, including why the emis- sion reduction would not occur in the ab- sence of the proposed project, taking into account national and/or sectoral policies and circumstances? | 4, 7, 15 16 9 | Développement Durable et de l'Aménagement du Territoire - MEEDDAT) has provided a Benchmark Emissions Factor (EF _{BM} = $2.5 \text{ kgN}_2\text{O}/\text{tHNO}_3$) to be applied by all nitric acid plants eligible to undertake JI projects regardless of their size, their technical characteristics and their past and present emissions levels. This benchmark is valid till December 31, 2011. Thereafter, a value of <u>1.85 kgN_2O/tHNO_3</u> will be applicable until December 31, 2012. According to 'Arrêté du 2 Février 1998'of the 'Ministère de l'éco- logie et du développement durable', a compulsory limit of <u>7 kgN_2O/tHNO_3</u> applicable to HNO_3 plants in French commis- sioned after February 1998. This is not applicable to this project activity since the plant was commissioned in 1990. According to YARA internal data measurements from 2002 to 2003 checked by the audit team, the average EF prior to instal- lation of 2ndary catalyst is approximately 7 kgN_2O/tHNO_3, taking into account an abatement efficiency of 80% which is Yara expe- rienced value. According to the AP 2009, the limit value for N2O emissions in the stack of the installation for production of nitric acid is 400 ppm and 2.5 kg N ₂ O/t HNO ₃ (both to be measured on a dai- ly basis). This value is fully consistent with the benchmark EF of the methodology and PDD. | | |
|--|------------------------|--|------|--|
| A.4.2.11. Is the explanation transparent, feasible and – if based on calculations – mathe- matical correct calculated? | 1, 2, 7, 8 | <u>Clarification Request #3.</u> The figures for the emission reductions presented in the PDD can not be cross checked by the Audit team. Although, the cal- | CR 3 | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | | culation files are confidential, the PP needs to provide to AIE a complete PDF conversion of the excel calculation file. | | |
|----------------|---|-------------|---|-------------|---|
| A.4.2.1 | 12. Is a schedule available for the implemen- tation of the project and are there any risks for delays? | 7 | Considering that PP has undertaken extensive industrial testing of the technology and has already installed the project second- ary catalyst at the plants, there are no risk of delays involve in the implementation of the project. | Ø | Ŋ |
| A.4. | 3. Estimated amount of emission reduction | ns over the | e chosen crediting period | | |
| A.4.3.1 | Is the form required for the indication of projected emission reductions correctly applied? | 1, 2, 20 | PP has applied correctly the PDD format from the French DFP. | Ø | Ŋ |
| A.4.3.2 | Are the figures provided consistent with other data presented in the PDD? | 1, 2, 8 | See CR 3 | See CR 3 | Ŋ |
| A.5 | Project approval by the participar | nts | | | |
| h de ai | s the state of endorsement or approval by the ost party clearly defined and a Letter of En- orsement (LoE), Letter of Approval (LoA) or ny alternative statement of authorization vailable? | 11 | A hardcopy of LoE from 10 April 2009 has been provided by PP. AIE has demanded for the email that contained the LoE as at- tachment. LoA of each participating party will be provided latest before re- questing the issuance of credits. | See CR 1 | Ø |
| ai de Le | s the state of endorsement or approval by ny other parties e.g. investing parties clearly efined and a Letter of Endorsement (LoE), etter of Approval (LoA) or any alternative tatement of authorization available? | 11 | See above | | Ŋ |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.1 | B.1 Title of the reference case and monitoring methodology to be applied to the project activity | | | | | | | |
|-------|--|------------------|--|------|---|--|--|--|
| B.1.1 | Are reference number, version number, and title of the reference scenario and monitoring methodology clearly indicated? | 1, 2, 3, 4, 5 | The project applies a project specific methodology from the French DFP titled "Catalytic reduction of N ₂ O at nitric acid plants." | | Ø | | | |
| | | | | CR 4 | | | | |
| | | | Clarification Request #4. | | | | | |
| | | | Evidence for the official approval of the methodology by the French DFP still needs to be provided to the AIE. | | | | | |
| 3.1.2 | Is the applied version the most recent one and / or is this version still applicable? | 1, 2, 3, 4, 5 | A version number is not indicated in the methodology since it is the first version. | Ø | Ŋ | | | |
| B.2 | Justification of the choice of the method | dology a | nd reasons for which is it applicable for the project activit | у | | | | |
| 3.2.1 | Applicability Criterion 1: N ₂ O reduction activities undertaken with a tertiary catalyst, which is usually housed in a specific tail gas treatment reactor towards the end of the production process. | 1, 2, 3, 4, 5 | Not applicable here since a secondary catalyst has been in- stalled. | Ø | Ŋ | | | |
| 3.2.2 | Applicability Criterion 2: Instead of applying a historic emissions factor, established by measuring the quantity of N ₂ O emitted per tonne of 100% concentrated nitric acid produced – a unique benchmark emissions value will be applied for all nitric acid plants on French territory of 2.5 kgN ₂ O / tHNO ₃ in 2009, 2010 and 2011, | 1, 2, 3, 4, 5 | This criterion has been applied correctly in the PDD. | Ø | | | | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | then of 1.85 kgN₂O / t HNO₃ in 2012. | | | | |
|-------|---|------------------------|---|-------------|---|
| B.2.3 | Applicability Criterion 3: A N ₂ O abatement catalyst is installed in a nitric acid plant located in France. | 1, 2, 3, 4, 5 13 | PP has been undertaking some industrial testing of the second- ary catalyst to be employed in the project activity (see time schedule in A.2.1.2). This testing has bee accomplished before the start of the project activity and the installed catalyst was re- moved. However, PP has recently installed the secondary catalyst for the project activity. | Ø | Ŋ |
| B.2.4 | Applicability Criterion 4: The project activity will not lead to an in crease in NO _x emissions. | 1, 2, 3, 4, 5, 18 | The project activity will not increase NOx emissions. Industrial testing has shown that the secondary catalyst technology installed has no effect on NOx emission levels. Not applicable in secondary abatement technology (See IPPCC BREF paper for this sector). | | Ŋ |
| B.2.5 | Applicability Criterion 5: The project will not result in the shut-down of any existing N ₂ O destruction or abatement technology. In cases where non-N ₂ O emissions are known to occur (e.g. with a tertiary N ₂ O abatement technology) a project can be submitted under this methodology only if the other non-N ₂ O Greenhouse Gas emissions are accounted for in accordance with the relevant annex to this methodology. | 1, 2, 3, 4, 5, 7 | The trial catalyst that has been tested from 2002 to 2009 had a lower capacity and is not deemed to be an existing N₂O abatement technology. There are currently national and/or local regulatory requirements to limit N₂O emissions in France. However, there are no incentives to voluntarily reduce the level of N₂O emissions. According to the methodology, no leakage emissions are considered, because the applied technology is a secondary catalyst and not a tertiary catalytic reduction. No hydro-carbons are used as reducing agents. Therefore no other GHGs are considered but N₂O. | See CR 1 | Ø |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.3 | Description of how the definition of the | project b | poundary is applied to the project activity | | |
|--|---|---|--|-------|---|
| B.3.1 Is the table in the PDD consistent with that one in the methodology? | 1, 2, | Boundary checklistYes / NoSource and gas(s) discussed in the PDD?NoInclusion / exclusion justified?YesExplanation / Justification sufficient?YesConsistency with monitoring plan?YesAccording to the methodology, the only GHG to be included in the project boundary is N2O contained in the waste stream of the HNO3 emitted into the atmosphere via stack. | | Ø | |
| | | 20 | <u>Corrective Action Request No.4.</u> In order to comply with the form of the methodology, PP has to include in the table of chapter B.3 of the PDD the consideration of the reference scenario. | CAR 4 | |
| B.3.2 | Does the extent of the project boundary cover all technology and equipment necessary for the complete nitric acid production process, from the inlet of the ammonia burner to the stack, including all compressors, tail gas expander turbines and any NOX abatement equipment installed? | 1, 2, 7 | Yes, the scheme indicated in the PDD and discussed during the Audit clearly identifies all technology and equipment for the pro- ject. | V | |
| B.3.3 | Has is been taken into account that in case a tertiary catalyst technology is applied that entails the injection of a reducing agent, will project proponents also have to account for any CO ₂ and / or CH ₄ emissions? | 1, 2 | Not applicable here, since secondary catalyst is installed. | | Ŋ |
| B.3.4 | Is a plant-specific flow diagram provided in the PDD to demonstrate the project boundary of the particular nitric acid | 1, 2 | A scheme of the project is part of the PDD. | CAR 5 | Ŋ |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| plant(s) involved in the p | project activity? | <u>Corrective Action Request No.5.</u> The scheme in the PDD indicating the components of the plant is not readable. PP has to replace it with a better one. | | |
|--|--|---|----------|---|
| B.4 Identification and De | scription of the Reference | Case Scenario (Business As Usual Scenario) | <u> </u> | |
| B.4.1 Have all technically feas scenario alternatives to been identified and disc according to the project methodology? Why can considered as being cor | the project activity ussed in the PDD specific this list be | PP has discussed all technically feasible reference scenario al- ternatives to the project activity taking into account national and/or local compliance requirements. Anyway, the list cannot be considered complete since it does not explicitly state the al- ternative of the project activity undertaken without revenue from the sales of ERUs. | | |
| | | <u>Corrective Action Request No.6.</u> PP has to include the alternative of implementing the project activity without revenues from the sales of ERUs (project without JI) in the list of option in step 1. | CAR 6 | |
| B.4.2 Step 1: Have the reference case scenarios been discussed that are technically feasible within the framework of the project activity? | 3 | In order to comply with NOx regulations Yara Ambés has in- stalled in April 2009 an SCR abatement catalyst. Average NOx emissions from June 2008 to May 2009, based on daily aver- ages, were 51ppm (0.319kgNO _x /tHNO ₃). Yara Ambés has not installed any NSCR de-NOX catalyst unit. This would be consi- dered uneconomical because Ambès is already in compliance with the prevailing NOx regulations with its SCR unit. | | Ø |
| | | | CR 5 | |
| | | <u>Clarification Request #5.</u> It should be taken into account that as a consequence of new NOX regulations over the course of the crediting period of the proposed project activity the most conservative reference scena- | | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | rio can be changed and needs to be of re-assessed. In such a case the additionality of the project must be re-determined. | | |
|--|------|--|-------|---|
| B.4.3 Step 2: Have all the reference scenario alternatives been eliminated that do not comply with national or local regulations? | 1, 2 | Yes, the project identifies correctly and excludes those options not in line with national and/or local regulatory or legal requirements. In France, the most relevant documents of legislation are: 'Décret n° 2006-622 du 29 mai 2006' for the application of articles L. 229-20 to L. 229-24 of the 'code de l'environnement' 'Arrêté du 2 mars 2007'of the 'Ministère de l'écologie et du développement durable', a compulsory limit of 7kgN₂O/tHNO₃ applicable to HNO₃ plants in French commissioned after February 1998 EU ETS Directives | | |
| B.4.4 Step 3: Have all the reference scenario alternatives been eliminated that would face prohibitive barriers (bar- rier analysis)? | 1, 2 | Yes, a list of barriers comprising of investment barriers, technol- ogical barriers and barriers due to common practice has been included in the PDD. This can be considered to be complete. | | V |
| | 21 | Regarding common practice analysis, the PP referred to publica- tion of UNIFA – association of French fertilizer industries meet- ing with French DFP in April 2009. Corrective Action Reguest No.7. | | |
| | 3, 4 | a) The items 2b, 2c and 2d of step 3 of the methodology | CAR 7 | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | 21 | should be discussed in the PDD. b) Evidence has to be provided to the AIE that there is no N2O abatement project in the fertilizer industry in France without JI. | | |
|--|------|--|----------|---|
| B.5 Description of how the emissions reduction achieved in the absence of the Projet Domestique B.5.1 Has a step-by-step assessment been undertaken in accordance with Annex 3 of | | ed as a result of the project activity are greater than those that is and demonstration of additionality) Yes, generally, the assessment approach for additionality is consistent with the methodology. | would be | Ø |
| the 'Arrêté du 2 Mars 2007'? | | | | |
| B.5.2 Step 1: Did the PP summarize the different options that re- main available to him following the 'identification of the reference scenario' analysis in B.4? | 1, 2 | Yes, all options are listed in the PDD. | Ø | Ŋ |
| B.5.3 Step 1: Did the PP showed that the implementation of the project activity (1) would result in a greater reduction of GHG emissions than would be achieved in either of the following alternative scenarios: (2) undertaking of alternative investments that result in a comparable production of goods or a compara- | 1, 2 | In the PDD it has been shown that none of the alternatives (2) or (3) result in a higher reduction of N_2O emissions compared to the project activity. | Ø | Ŋ |
Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| ble provision of convisoo | | | | |
|--|-----------|---|-------------|--------|
| ble provision of services | | | | |
| and | | | | |
| (3) continuation of the situation prior to the imple- mentation of the proposed project activity. | | | | |
| mentation of the proposed project activity. | | | | |
| The proponent must choose now either step 2 or step | 3. The ch | oice of step 3 does not relieve the proponent of the obligation speci | fied in the | second |
| paragraph of article 10 of the 'Arrêté du 2 Mars 2007' | | | | |
| B.5.4 In case step 2 has been chosen: | 1, 2 | Not Applicable here | V | V |
| Did the PP establish that the project activity would | | | | |
| not be undertaken because the economic incentives | | | | |
| existing at the time of submission of the project dos- | | | | |
| sier are insufficient to guarantee a return on invest- | | | | |
| ment equal to that of the alternative investments or, | | | | |
| as the case may be, to the standards of the relevant | | | | |
| sector? | | | | |
| B.5.5 In case step 3 has been chosen: | 1, 2 | Step 3 has been chosen here. | | Ŋ |
| | -, | | | |
| Did the PP present a full and documented analysis of all of the following barriers: | | The list of barriers presented in the PDD is complete. | | |
| | | 1) The investment analysis presented in annex 4 has been done | | |
| 1) investment barriers and | | generally according to the requirements of article 10 of arrêté of | | |
| | 10 | March 02, 2007. The relation of costs and incomes by ERU is- | | |
| | 10 | suance has been demonstrated appropriately as required by the | | |
| | | arrêté. | | |
| 2) technological barriers and | | Anyway, the figures in Annex 4 are not completely consistent | | |
| | | with the figures indicated in the purchase orders for the catalyst and analyser or are not detailed enough. | CAR 8 | |
| 3) common practice barriers? | | | | |
| | 1 | 1 | | L |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | 22 | <u>Corrective Action Request No.8.</u> The figures in annex 4 have to be revised according to the information gathered during on site audit. Indicated catalyst costs have to be allocated to the catalyst mass that is necessary to reduce N₂O emissions beyond the limit value of the AP. The document "Cost estimate summary for AMS engineering & maintenance costs" has to be submitted to the AIE in order to verify the corresponding figures in Annex 4. 3) PP has discussed or analysed similar activity in France. No similar project (s) is/are running parallel to this project activity. PP has already concluded the industrial testing of the secondary abatement catalyst. The only secondary abatement installed is for regulatory compliance. | | |
|---------|---|---------|--|------|---|
| B.6 Er | mission Reductions | | | I | |
| B.6.1 | Explanation of Methodological Cl | hoices | | | |
| B.6.1.1 | Are the GHG calculations documented in a complete and transparent manner? | 1, 2, 7 | This equation in section B.6.1 (allocation of ERUs) is not consistent with that indicated in the methodology. This 0.9 factor is missing.The format of the table in section B.6.2 of the PDD is not consistent with that one of the methodology. Thus anyway the format used in the PDD has been chosen according to a PDD template that has been supplied by the French DFP to PP. | | D |
| | | | Clarification Request #6. There is a need to clarify why the factor 0.9 that is part of the equation of the methodology to calculate the ERUs has not been included in the equation. | CR 6 | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.6.1.2 | Are the estimated project emissions transparent, feasible and mathematical correct calculated? | 1, 2 | The following equation is used to calculate the quantity of N_2O emissions (in Kg) in the course of the monitoring period. PEn = VSGn *NCSGn * OHn * 10⁻⁶ | See CR 6 | V |
|---------|--|------------|--|-------------|---|
| | | | The average N ₂ O emissions per metric ton of 100% concentrated nitric acid (plant-specific emission factor) for the Monitoring Period (PE_n) shall then be calculated as follows: | | |
| | | | EFn = (PEn / NAPn) in kgN₂O/tHNO₃ | | |
| | | | The emission reductions obtained in a particular monitoring pe- riod will be calculated using the equation: | | |
| | | | ERU = (EF _{BM} – EF _n)/1000 x NAPn x GWP _{N20} x 0.9 in tCO ₂ e | | |
| B.6.1.3 | Are the estimated emissions for reference scenario transparent, feasible and mathematical correct calculated? | 1, 2 | The reference scenario has been defined by the following: According to the methodology "a unique benchmark emissions value will be applied for all nitric acid plants on French territory of 2.5 kgN ₂ O / tHNO ₃ in 2009, 2010 and 2011, then of 1.85 kgN ₂ O / t HNO ₃ in 2012." | | Ø |
| B.6.1.4 | Has any new national or local regulatory limit value identified that is lower than the benchmark emission factor of the applied methodology? If yes, is this lower limit value applied in the PDD? | 1, 2, 8 | See CR 3 | See CR 3 | Ø |
| B.6.2 | Data and parameter determined p | rior to va | alidation | | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.6.2.1 | Will the project result in fewer GHG emissions than the reference scenario? | 1, 2, 8 | See CR 3 | See CR 3 | Ø |
|---------|---|-----------|--|-------------|----------|
| B.6.2.2 | Is the form/table required for the indication of projected emission reductions correctly applied? | 1, 2, 20 | PP has applied format from French PDD. | | Ŋ |
| B.6.3 | Ex-ante calculation of emission re | duction | S | | |
| B.6.3.1 | Is the projection in line with the envisioned time schedule for the project's implementation and the indicated crediting period? | 1, 2, 8 | See CR 3 | See CR 3 | V |
| B.6.3.2 | Is the data provided in this section in consistency with data as presented in other chapters of the PDD? | 1, 2, 8 | See CR 3 | See CR 3 | Ŋ |
| B.6.4 | Summary of ex-ante estimations | of emissi | ion reductions | l | L |
| B.6.4.1 | Are the obtained values for estimated project emissions, estimated reference scenario emissions and estimated emissions reductions provided in the table reproducible when applying formulae submitted in the PDD? | 1, 2, 8 | See CR 3 | See CR 3 | |
| B.7 Ap | plication of the monitoring methodolo | gy and c | lescription of monitoring plan | | <u> </u> |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.7.1 Measured data and parameters | | | | |
|---|------------------|---|--------------|---|
| B.7.1.2 Is the list of parameters to be col- lected in order to monitor emissions from the project considered to be complete with regard to the re- quirements of the applied methodology? | 1, 2, 3, 4, 5 | Apart from one parameter (see CAR 9), the list of parameters is complete according to the applied methodology. | See CAR 9 | Ø |
| B.7.1.3 Are the following default factors applied appropriately and has the form of the PDD template been applied correctly? a) GWP of N2O according to Kyoto protocol b) Benchmark Emission Factor | 1, 2, 3, 4, 5 | Yes the two default parameters are applied. | | Ø |
| B.7.1.4 Are the following monitoring parame- ters applied appropriately and has the form of the PDD template been applied correctly? | 1, 2, 3, 4, 5 | See below for each parameter. | Ø | Ø |
| B.7.1.4.1 Parameter Title: NCSGn Average N ₂ O concentration in the tail gas during project Monitoring Period n. | 1, 2, 3, 4, 5 | Data ChecklistYes / NoTitle in line with methodology?YesData unit correctly expressed?YesAppropriate description of parameter?YesSource clearly referenced?YesChoice of data correctly justified?YesMeasurement method correctly described?YesFor the parameter of N2O concentration the Dr. Födisch MCA 04Continuous Emissions N2O Analyser (part of AMS) will be used according to the PDD. | 4 | Ø |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.7.1.4.2 | Parameter Title: VSG _n Average Volume flow rate of the tail gas during project Monitoring Period n. | 1, 2, 3, 4 | Data Checklist Title in line with methodology? Data unit correctly expressed? Appropriate description of parameter? Source clearly referenced? Choice of data correctly justified? Measurement method correctly described? For the parameter of volume flow the Dr. Födis volume flow meter (part of AMS) will be used a PDD. | | | |
|-----------|---|---------------|---|--|--|--|
| B.7.1.4.3 | Parameter Title: PE _n N ₂ O emissions during the Verification Period | 1, 2, 3, 4 | Data ChecklistTitle in line with methodology?Data unit correctly expressed?Appropriate description of parameter?Source clearly referenced?Choice of data correctly justified?Measurement method correctly described? | Yes / No Yes Yes Yes Yes Yes Yes | | |
| B.7.1.4.4 | Parameter Title: OH _n Total Operating hours of Verification Period | 1, 2, 3, 4 | Data ChecklistTitle in line with methodology?Data unit correctly expressed?Appropriate description of parameter?Source clearly referenced?Choice of data correctly justified?Measurement method correctly described? | Yes / No Yes Yes Yes Yes Yes Yes | | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.7.1.4.5 Parameter Title: | | Data Checklist | Yes / No | V | $\overline{\mathbf{A}}$ |
|---|---------------|---|----------|------|-------------------------|
| NAP | 1, 2, 3, 4 | Title in line with methodology? | Yes | | |
| metric tonnes of 100% concentrated Nitric acid pro- | | Data unit correctly expressed? | Yes | | |
| duced during the Verification Period. | | Appropriate description of parameter? | Yes | | |
| Ũ | | Source clearly referenced? | Yes | | |
| | | Choice of data correctly justified? | Yes | | |
| | | Measurement method correctly described? | Yes | | |
| B.7.1.4.6 Parameter Title: | 1, 2, 3, | Data Checklist | Yes / No | | |
| OT _h | 4 | Title in line with methodology? | Yes | | |
| Dxidation Temperature in the ammonia reactor | | Data unit correctly expressed? | Yes | | |
| | | Appropriate description of parameter? | Yes | | |
| | | Source clearly referenced? | Yes | | |
| | | Choice of data correctly justified? | Yes | | |
| | | Measurement method correctly described? | Yes | | |
| B.7.1.4.7 Parameter Title: | 1, 2, 3, | Data Checklist | Yes / No | | V |
| OPh | 4 | Title in line with methodology? | Yes | | |
| Pressure in the ammonia oxidation reactor | | Data unit correctly expressed? | Yes | | |
| | | Appropriate description of parameter? | Yes | | |
| | | Source clearly referenced? | Yes | | |
| | | Choice of data correctly justified? | Yes | | |
| | | Measurement method correctly described? | Yes | | |
| B.7.1.4.8 Parameter Title: | 1, 2, 3, | Data Checklist | Yes / No | | |
| AFR | 4 | Title in line with methodology? | Yes | | |
| Ammonia Flow Rate to the ammonia oxidation reac- | | Data unit correctly expressed? | Yes | | |
| tor. | | Appropriate description of parameter? | Yes | | |
| | | Source clearly referenced? | Yes | | |
| | | Choice of data correctly justified? | Yes | | |
| | 1 | Measurement method correctly described? | Yes | | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.7.1.4.9 Parameter Title: | 1, 2, 3, | Data Checklist | Yes / No | | |
|---|----------|---|----------|--------------|--------------|
| AIFR | 4 | Title in line with methodology? | Yes | | |
| Ammonia to Air Ratio going into the oxidation reac- | - | Data unit correctly expressed? | Yes | | |
| tor. | | Appropriate description of parameter? | Yes | | |
| | | Source clearly referenced? | Yes | | |
| | | Choice of data correctly justified? | Yes | | |
| | | Measurement method correctly described? | Yes | | |
| B.7.1.4.10 Parameter Title: | 1, 2, 3, | Data Checklist | Yes / No | | |
| TSG | 4 | Title in line with methodology? | Yes | | |
| emperature of tail gas | - | Data unit correctly expressed? | Yes | | |
| | | Appropriate description of parameter? | Yes | | |
| | | Source clearly referenced? | Yes | | |
| | | Choice of data correctly justified? | Yes | | |
| | | Measurement method correctly described? | Yes | | |
| | | | | | |
| B.7.1.4.11 Parameter Title: | 1, 2, 3, | Data Checklist | Yes / No | \checkmark | \checkmark |
| PSG | 4 | Title in line with methodology? | Yes | | |
| Pressure of tail gas | | Data unit correctly expressed? | Yes | | |
| | | Appropriate description of parameter? | Yes | | |
| | | Source clearly referenced? | Yes | | |
| | | Choice of data correctly justified? | Yes | | |
| | | Measurement method correctly described? | Yes | | |
| B.7.1.4.12 Parameter Title: | 1, 2, 3, | Data Checklist | Yes / No | \checkmark | \checkmark |
| EFn | 4 | Title in line with methodology? | Yes | | |
| Project emission Factor calculated during the Moni- | | Data unit correctly expressed? | Yes | | |
| toring Period | | Appropriate description of parameter? | Yes | | |
| | | Source clearly referenced? | Yes | | |
| | | Choice of data correctly justified? | Yes | | |
| | | Measurement method correctly described? | Yes | | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | Parameter Title: ap for N ₂ O from nitric acid production set rnment or local regulation | 1, 2, 3, 4 | Data Checklist Yes / No Title in line with methodology? No Data unit correctly expressed? No Appropriate description of parameter? No Source clearly referenced? No Choice of data correctly justified? No Measurement method correctly described? No Corrective Action Request No.9. The Monitoring Parameter EF _{REG} is missing in the PDD although it is required by the methodology. | CAR 9 | Ø |
|---------|--|---------------|---|-----------|----------|
| B.7.2 | Description of the monitoring pla | n | | 1 | <u> </u> |
| B.7.2.1 | Is it explained how the procedures provided in the methodology are applied by the proposed project activity? | 1, 2 | Yes, the PP is going to apply the European Norm EN14181 (2004) "Stationary source emissions - Quality assurance of automated measuring systems" as a guidance for installing and operating the Automated Monitoring System (AMS) at Yara Ambès for the monitoring of N₂O emissions. <u>Corrective Action Request No.10.</u> a) For the sampling point definition maximum stack gas temperature of 300°C as for the methodology has to be considered in the PDD. b) It is indicated in the PDD that NOx emissions will be monitored online whereas it is being reported by the PP. This has to be corrected accordingly. | CAR 10 | |
| B.7.2.2 | Is every selection of options offered by the methodology correctly justified and is this justification in line with the situation verified on-site? | 1, 2, 3, 4 | Yes, the PP has correctly justified every option offered by the methodology. | V | Ø |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.7.2.3 | Is the operational and management structure clearly described and in compliance with the envisioned situation? | 1, 2, 7 | The following staff at the nitric acid plant will be responsible for the ongoing operation of the project and for the quality assurance and maintenance of the N₂O monitoring system: 1. Patrice Bauvin: Plant Manager 2. Bruno Dufour: Operation and Production Manager 3. Marie Bégonia Tournaud: HESQ Manager (quality assurance) 4. Stephane Meffray: Maintenance Manager Roles have been allocated according to the methodology. | Ø | Ø |
|---|---|--|---|------|---|
| B.7.2.4 | Are responsibilities and institutional arrangements for data collection and archiving clearly provided? | 1, 2, 7 19 | Operation, maintenance and calibration intervals will be carried out by staff from the instrument department according to the vendor's specifications and under the guidance of internationally relevant environmental standards, in particular EN 14181 (2004). Service will be performed by the supplier of the AMS. Interviews with Marie Bégonia Tournaud and Stephane Meffray were conducted to discuss issues concerning quality procedures training, qualification and maintenance. | Ø | Ø |
| B.7.2.5 Does the monitoring plan (MP) provide current good monitoring practice? | 1, 2, 7 | Yes. All monitoring procedures at YARA are also conducted and recorded in accordance with the procedures under ISO 9001:2000 and ISO 14001:2004, which is regularly audited by certified independent auditing organization accredited for ISO 9001 certification. As for the PDD, AMS calibration and QA/QC procedures will be implemented in the ISO 9001 procedures. | | Ø | |
| | | | a) The QAL 1 and QAL 2 certification evidence for the N2O | CR 7 | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | | analyzer and the flow meter have to be provided to the AIE. b) There is a need to explain in more detail how the requirements of Annex D of EN 14181 (documentation) will be fully applied, taking into account the future tools to ensure compliance with EN 14181, e.g. procedures, instructions, manual, logbook. | | |
|---------|---|------|---|--------------|---|
| B.7.2.6 | Has the monitoring system installed using the European Norm 14181 (2004)? | | Yes, as outlined in the PDD the EN 14181 will be applied for monitoring. | Ø | V |
| B.7.2.7 | Will the three quality assurance levels been met by the planned Automated Measuring System (AMS) according to the EN14181? | 1, 2 | Yes, procedures specified in EN14181 for QAL1, QAL2 and QAL3 Quality Assurance Level will been adapted at the YARA Ambès nitric acid plant. See CR 8b | See CR 8b | Ŋ |
| B.7.2.8 | Are the specific performance characteristics of the monitoring system chosen by the project listed in the PDD? | 1, 2 | Yes. The specific performance characteristics of the monitoring system chosen by the project are listed in the PDD. This includes the trip point parameters. | Ø | V |
| B.7.2.9 | Is information on the margins of errors and the cumulative error for the complete measurement system provided in the PDD? | 1, 2 | Yes, the uncertainty has been taken into account in compliance with the methodology. For each emission source, the permitted overall uncertainty of the average hourly annual emissions must be less than 7.5%. The next level, and the maximum allowed, is 10%, which can only be applied if it can be proven to the satisfaction of the competent authority that the application of the 7.5% level is technically impossible to achieve or that it would entail excessive costs. | Ø | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| B.7.2.10 | Is the inclusion of external accredited services providers for calibration and function tests foreseen in the planning of the project? | 1, 2 | Yes, it is foreseen according to the PDD. | | Ŋ |
|----------|---|------------------|---|---------------|---|
| B.7.2.11 | Are the requirements on the treatment of downtime of the AMS clearly reflected in the envisioned calculation routines, e.g. malfunction of abatement system, trip point values? | 1, 2, 8 | Yes, during downtime of the AMS or other interruption of mea- surement during part of one hour, the hourly average will be cal- culated based on the remaining values for the rest of the hour in question. If these remaining values account for less than 50% of the hourly data for one or more parameters, then this hour and the NAP values must be eliminated from the calculation. Each time it is impossible to calculate an hour of valid data, substitute values will be defined in accordance with the procedures de- scribed in the PDD. Hence, the approach to take into account the downtime re- quirements of the methodology is deemed to be appropriate. | | Ø |
| | | 1, 2 referenc | Yes. Annex 3 provides a brief Background summary on EN14181. | ⊠ the per- | |
| son/enti | ty responsible | r | 1 | | |
| refe | ere any indication of a date when the rence scenario and monitoring hodology was determined? | 1, 2, 3, 4 | Yes, reference scenario and monitoring methodology have been established with the issuance of the methodology. | Ø | V |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | Is this consistent with the time line of the PDD history? | 1, 2, 7 | Yes, see time line in A.2.1.2. | Ø | Ø |
|--------|--|----------|---|-----------|---|
| | Is the information on the person(s) / entity (ies) responsible for the application of the reference scenario and monitoring methodology provided consistent with the actual situation? | 1, 2 | No, this information is still missing in the PDD. <u>Corrective Action Request No.11.</u> There is a need to include in the PDD the name of the per- son/entity responsible for the application of reference scenario and monitoring methodology. | CAR 11 | |
| C. Du | ration of the project activity / crediti | ng perio | d | | |
| C.1. | Duration of the Starting date of the proj | ect: | | | |
| C.1.1. | Is the project's starting date of the pro- ject activity clearly defined and reason- able? | 1, 2 | Yes. The starting date is clearly defined in the PDD. See also time line in section A.2.1.2 of the PDD | Ø | V |
| | Is the expected operational lifetime of the project activity clearly defined and reasonable? | 1, 2, 7 | No. The operational lifetime of the project is not clearly defined in the PDD. According to YARA Ambès the lifetime of the <u>plant</u> is at least 20 years. | | V |
| | | | <u>Corrective Action Request No.12.</u> PP has to indicate clearly in the PDD the lifetime of the <u>project</u> activity itself. | CAR 12 | |
| C.2. | Crediting period: | 1 | | 1 | I |
| C.2.1. | Is the date of the start of the assumed crediting period clearly defined and reasonable? | 1, 2, 7 | The start of the crediting period depends on the approval of the project by the French DFP. This is not known at the commencement of the validation process. | | V |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010

Number of Pages: 43



| C.2.2. | Is the duration of the crediting period clearly defined and reasonable? | 1, 2 | The duration of the crediting period is clearly stated in the PDD. | Ø | V |
|----------|--|---------------|---|-------|---|
| D. Envi | ironmental impacts | | | | |
| D.1. D | ocumentation concerning environmen | tal impa | ct assessment | | |
| D.1.1. | Has the analysis of the environmental impacts of the project activity been suffi- ciently described? | 1, 2, 6, 7 | The project activity has got no known negative environmental impacts but rather a positive environmental effect. It leads to the reduction of N_2O emissions – a GHG with a high GWP. | ß | Ŋ |
| D.1.2. | Are there any Host Party requirements for an Environmental Impact Assess- ment (EIA), and if yes, has an EIA been approved? | 1, 2, 9 | The arrête Prefectoral already covers the whole plant and as a result EIA is not required. Corrective Action Request No.13. | CAR13 | Ŋ |
| | | | However, there is a need to specify the method of treatment of used catalyst since on-site it was not clear if a recycling of the used catalyst is planned. | CAR13 | |
| D.1.3. | Will the project create any adverse envi- ronmental effects? | 1, 2 | The project activity has got no known negative environmental impacts. | Ø | Ŋ |
| D.1.4. | Were transboundary environmental im- pacts identified in the analysis? | 1, 2 | The project activity is located solely in French territory. There- fore no trans-boundary effects are expected. | Ø | V |
| please p | | documer | significant by the project participants or by the French addition from the Environmental Impact Assessment in acc | | |
| D.2.1 | Have the identified environmental impacts been addressed in the project design sufficiently? | 1, 2 | NA | Ø | Ø |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010

Number of Pages: 43

| SUD |
|-------------------|
| Industrie Service |

| D.2.2 | Does the project comply with environmental legislation in the host country? | 1, 2 | NA | Ŋ | V |
|---------|--|----------|---|-------------|---|
| E. Loca | al Stakeholder Consultation | | | | |
| E.1.1. | Have relevant stakeholders been con- sulted? | 1, 2, 7 | Clarification Request #8. As information has been gathered during the Audit obviously the DFP did not require conducting local stakeholder consultation. PP has to provide proofs to substantiate the statement "As the JI project does not have any relevance for local air, water or soil emissions, a local stakeholder consultation is not considered necessary." | CR 8 | Ø |
| E.1.2. | Have appropriate media been used to invite comments by local stakeholders? | 1, 2 | See CR 8 | See CR 8 | Ø |
| E.1.3. | If a stakeholder consultation process is required by regulations/laws in the host country, has the stakeholder consulta- tion process been carried out in accor- dance with such regulations/laws? | 1, 2 | See CR 8 | See CR 8 | Ŋ |
| E.1.4. | Is the undertaken stakeholder process that was carried out described in a com- plete and transparent manner? | 1, 2 | See CR 8 | See CR 8 | V |
| F. Ann | exes 1 – 3 | | | 1 | |
| F.1. An | nnex 1: Contact details of the project p | articipa | nts | | |
| F.1.1. | Is the information provided consistent with the one given under section A.3? | 1, 2 | Yes. The information provided in Annex 1 is consistent with the one given under section A.3. | Ø | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010

Number of Pages: 43



| F.1.2. | Is the information on all private partici- pants and directly involved Parties pre- sented? | 1, 2 | Yes, involved in the project are Yara France SAS, Yara Interna- tional ASA, Norway and NServe GmbH Germany. This informa- tion is correctly and consistently provided in the PDD. | V | Ø |
|----------------|--|-----------|---|---|---|
| F.2.A n | nex 2: Information concerning the app | olication | n of the reference scenario methodology | | |
| F.2.1. | If additional background information on reference scenario data is provided: Is this information consistent with data presented by other sections of the PDD? | 1, 2 | NA | Ø | Ø |
| F.2.2. | Is the data provided verifiable? Has suf- ficient evidence been provided to the validation team? | 1, 2 | NA | V | Ø |
| F.2.3. | Does the additional information substan- tiate / support statements given in other sections of the PDD? | 1, 2 | NA | V | Ø |
| F.3.A n | nex 3: Information concerning the mo | nitoring | g plan | | |
| F.3.1. | If additional background information on monitoring is provided: Is this informa- tion consistent with data presented in other sections of the PDD? | 1, 2 | Annex 3 provides a brief Background summary on EN14181. This information is consistent with those presented in other sec- tion of the PDD. | Ŋ | Ø |
| F.3.2. | Is the information provided verifiable? Has sufficient evidence been provided to the assessment team on-site? | 1, 2 | Yes | V | V |
| F.3.3. | Do the additional information and / or documented procedures substantiate / support statements given in other sec- tions of the PDD? | 1, 2 | Yes | Ø | V |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



Table 2. Resolution of Corrective Action and Clarification Requests

| Clarifications and corrective action re- quests by the AIE's determination team | Ref. to table 1 | Summary of project owner response(s) | AIE's conclusion |
|--|-----------------|---|--|
| Corrective Action Request No. 1: Project Participant has to indicate both the version of the PDD as well as the date of re- vision. | A.1.1.2 | Version number now inserted. | Closed Date and version num- ber are now included in the PDD. |
| Corrective Action Request No. 2: a) PP has to include in the PDD all the equations describing the production of HNO₃ and how the byproduct N₂O is generated. b) All French text passages in the whole PDD have to be replaced translated in English. | A.2.1.1 | a) Equations inserted b) All French words now removed and replaced with English (unless they form part of an official title of a French document or organisation) | The equations have been added in the PDD and unofficial French text has been trans- lated in English. Additional CAR No.1: The amended figure of CO_2 emissions without N ₂ O abatement in chapter A.2 of the PDD is not correct. The un- derlying capacity of HNO3 production is not consistent with the fig- ure in footnote 3 of the PDD. |
| Clarification Request No. 1: a) The LoE is available, but the corresponding e-mail referring to the LoE has to be provided to the AIE. b) The figure for the catalyst mass during | A.2.1.2 | a) This email has now been forwarded to the AIE. b) The amount of catalyst installed during the last trial was 2,860kg. However, the quantity of additional catalyst associated with the project activity is the difference between a) | a) Closed, the e-mail is available. b) Closed, the given figures are consistent with the information that is avail- |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| the trials has to be provided to the DOE. c) The page 2 of 5 of the AP is missing. | | the quantity installed for the project (3,700kg) and b) the quantity that would have to be installed in a business as usual scenario for compliance with the 2.5kg regulatory limit. The Yara technical specialists in the central office have informed us that the quantity required for regulatory compliance would be 1,880kg. Therefore, the quantity of catalyst installed that is specifically associated with the implementation of the project is therefore 1,820kg. c) Please find attached pages 2 and 5 (scanned) | able. c) Closed, missing pages are availa- ble. |
|---|--------------|---|--|
| <u>Corrective Action Request No. 3:</u> The Google map provided in the PDD is not clear enough. PP has to zoom the map in the PDD in a manner so as to clearly portray the site of the project activity. | A.4.1.1 | Additional aerial view added, showing the project site more closely. | Closed The additional map in the revised PDD indi- cates clearly the project site. |
| Clarification Request No. 2: Detailed information about the manufacturer of the project catalyst is needed (company name and country). | A.4.2.3 | The catalyst is manufactured by a Polish company called "Instytut Szkla, Ceramiki, Materialow, Ogniotrwalych i Budovlanych" (In- stitue of Glass, Ceramics, Refractory and Construction Materials). However, this is confidential information that Yara is prepared to provide to TUEV SUED, but would appreciate not being put into the public domain. Therefore, this information has not been in- cluded in the PDD. | Closed Information about the manufacturer of the catalyst is now available. |
| Clarification Request No. 3: The figures for the emission reductions pre- sented in the PDD can not be cross checked by the Audit team. Although, the calculation files are confidential, the PP needs to provide | A.4.2.1 1 | Please see attached excel spreadsheet with ERU calculations for both Ambes and Montoir. | The ERU calculation sheet has been pro- vided to the AIE. Additional CAR No. 2: |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| to AIE a complete PDF conversion of the ex- cel calculation file. | | | The figure for the an- nual production of HNO_3 is not consistent with the figure in the PDD. The figures in the folder "parameters" are not linked with the for- mulas in the calculation itself. The excel calcu- lation as well as corre- sponding calculations in chapters A.4.3 and B.6 have to be revised, if applicable. |
|--|-------|---|---|
| Clarification Request No. 4: Evidence for the official approval of the me- thodology by the French DFP still needs to be provided to the AIE. | B.1.1 | First reply:As of the 15 th July, the MEEDDAT has confirmed that there are no further issues, questions or problems regarding the official ap- proval of the methodology. However, it is just waiting for the final signature by the minister for the environment, Mr Borloo, and this will definitely be provided before their summer break at the end of July.(excerpt from email received on 15.07 from French DFP:) « Il n'y a plus de point en discussion concernant la méthode: elle est toujours dans les circuits de signature. Il est vrai que cela prend beaucoup de temps, mais elle doit être signée par le mi- nistre ce qui explique la longueur des délais. Nous vous informe- rons par courriel dès référencement ».Second reply : The MEEDDAT has now confirmed that the methodology has | Closed According to the e-mail of MEEDDAT to n- serve (IRL-No. 5) the methodology <i>Réduction</i> <i>Catalytique du N2O dans</i> <i>des usines d'acide</i> nitri- que (IRL-No. 3) is ap- proved from the French DFP (MEEDDAT) to- gether with the GSP PDD (IRL-No. 1) and it is published among others here: <u>http://www.ecologie.gouv.</u> <u>fr/Methodologies-de-</u> |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | been fully approved and signed by the relevant minister. The con- firmation email will be forwarded to you, along with the updated English translation. | projets.html |
|---|-------|--|---|
| Corrective Action Request No. 4: In order to comply with the form of the meth- odology, PP has to include in the table of chapter B.3 of the PDD the consideration of the reference scenario. | B.3.1 | 'Reference scenario' added to table 3 in section B.3. | Additional CAR No. 3: The N ₂ O emissions in the table for the refer- ence scenario are filled with N/A which is not consistent with the me- thodology. |
| Corrective Action Request No. 5: The scheme in the PDD indicating the com- ponents of the plant is not readable. PP has to replace it with a better one. | B.3.4 | A more simplified flow sheet is unfortunately not available, but a number code has now been added underneath the flow sheet to indicate and explain the most important pieces of process equip- ment. | Closed The project facilities are now clearly indi- cated in the scheme. |
| Corrective Action Request No. 6: PP has to include the alternative of imple- menting the project activity without revenues from the sales of ERUs (project without JI) in the list of option in step 1. | B.4.1 | 'Implementation of technology in the absence of a projet domes- tique' is now also included in the list of options in step 1. | Closed Option d) now covers more clearly the project without JI credits. |
| Clarification Request No. 5: It should be taken into account that as a con- sequence of new NO_X regulations over the course of the crediting period of the proposed project activity the most conservative refer- ence scenario can be changed and needs to be of re-assessed. In such a case the addi- tionality of the project must be re-determined. | B.4.2 | Please see the last paragraph in the 'conclusion' box at the end of Section B.4. We feel that this requirement is already taken into account here. | Closed In chapter B.4 it is clearly stated that in case of a change in environmental legisla- tion (i.e. the introduc- tion of more stringent NO_{X} - or N_2O - regulations) that could lead to a change in the |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| Corrective Action Request No. 7: | B.4.4 | | results of this assess- ment, the reference scenario has to be re- assessed. This is cov- ered by the monitoring parameter EFreg. Closed |
|---|--------------------------------|--|--|
| a) The items 2b, 2c and 2d of step 3 of the methodology should be discussed in the PDD. b) Evidence has to be provided to the AIE that there is no N₂O abatement project in the fertilizer industry in France without JI. | D. 1 . 1 | a) All these options have now been addressed (see tracked changes in 'technological barriers' and 'common practice barriers' of Step 3 in section B.4). b) Please see the second point of the attached slide of the UNIFA (Union of French Fertilizer Industries) presentation to the French DFP (only the relevant slide of the presentation has been attached). The following HNO3 plants have begun to undertake JI projects in France: YARA Ambes YARA Montoir YARA Pardies GPN Grand Quevilly N7 GPN Grand Quevilly N8 None of the remaining plants in France is equipped with any N₂O abatement technology. It is difficult to provide further 'evidence' of this. We believe the UNIFA statement (as mentioned above) should already provide sufficient evidence. | a) Technological and common practice barrier are now justified completely in compliance with the methodology. b) The available power point presentation from the meeting of UNIFA and MEEDDAT regarding Projects Domestiques from April 2009 indicates that the secondary catalyst is not common practice in the sector for HNO₃ production in France. |
| Corrective Action Request No. 8: | B.5.5 | | Closed |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| The figures in annex 4 have to be revised according to the information gathered during on site audit. Indicated catalyst costs have to be allocated to the catalyst mass that is necessary to reduce N ₂ O emissions beyond the limit value of the AP. The document "Cost estimate summary for AMS engineering & maintenance costs" has to be submitted to the AP. | | a) Please see our answer to CR1 for information re catalyst quantities. b) "Cost estimate summary for AMS engineering & maintenance costs" – please find attached | The revised investment calculation in annex 4 has been done accord- ing to the requirements of article 10 of arrêté of March 02, 2007. The quantity of 1,820 kg of catalyst that is neces- |
|---|---------|--|---|
| the AIE in order to verify the corresponding figures in Annex 4. | | | sary for the project is now allocated to the costs, taking into ac- count that the bench- mark emission factor is virtually accomplished by an amount of 1,880 kg (in sum 3,700 kg, see PP answer to CR 1). |
| Clarification Request No. 6: There is a need to clarify why the factor 0.9 that is part of the equation of the methodolo- gy to calculate the ERUs has not been in- cluded in the equation. | B.6.1.1 | The French DFP has introduced a rule stating that only 90% of the actual emissions reductions achieved are to be awarded to the project, which is understandable for the sake of conservative- ness in the case where ERUs are being awarded from a factual measured baseline. However, since the ERUs are being awarded from a significantly lower Benchmark value, the PPs believe this 10% deduction rule should not apply to N ₂ O reduction projects. The subject is under discussion with the DFP and will be clarified as soon as possible. | Additional CAR No. 4: The factor of 0.9 still is not integrated in the formula to calculate ERUs, as required by the methodology in chapter 4.4. If the out- come of the discus- sions with the French DFP is to cancel this factor, the revised me- thodology has to be provided to the AIE. |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| Corrective Action Request No. 9: The Monitoring Parameter EF _{REG} is missing in the PDD although it is required by the metho- dology. | B.7.1.4. 13 | This parameter has now been added. | Additional CAR No. 5: Now all monitoring pa- rameters are in com- pliance with the metho- dology. Anyway, the applied procedure (see CR 6) and the mea- surement frequency (required continuously) are not consistent with the methodology. |
|---|----------------|--|---|
| Corrective Action Request No. 10: a) For the sampling point definition maximum stack gas temperature of 300°C as for the methodology has to be considered in the PDD. b) It is indicated in the PDD that NOx emissions will be monitored online whereas it is being reported by the PP. This has to be corrected accordingly. | B.7.2.1 | a) Stack gas temperature of 300°C has now been taken into consideration in section 2 of B.7.2 b) Has now been corrected in step 3 of B.4 | Closed The corresponding amendments have been done by the PP in the PDD. |
| Clarification Request No. 7: a) The QAL 1 and QAL 2 certification evidence for the N2O analyzer and the flow meter have to be provided to the AIE. b) There is a need to explain in more detail how the requirements of Annex D of EN 14181 (documentation) will be fully applied, taking into account the | B.7.2.5 | a) Please find attached the QAL 1 certificate for the flow meter and a QAL1 report for the analyser. The QAL2 certificate is not available, since the QAL2 has not yet been undertaken (this will be performed later in the year, as specified in the PDD) b) The plant has confirmed that it is not a problem to comply with the requirements of Annex D of EN14181. More detailed information will be made available by the time of the | The QAL 1 certificate for the flow meter is available. Additional CAR No. 6: The available QAL 1 certificate for the infra- red analyzer MCA04 |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| future tools to ensure compliance with EN 14181, e.g. procedures, instruc- tions, manual, logbook. | | first verification. | does not cover the component N₂O, furthermore the standard EN14181 is not stated. Forward Action Request No. 1: a) Information according to Annex D of EN14181 has to be available latest for the first verification. b) QAL 2 tests of AMS according to EN14181 has to be conducted prior to the start of the crediting period. |
|--|-------|---|--|
| Corrective Action Request No. 11: There is a need to include in the PDD the name of the person/entity responsible for the application of reference scenario and moni- toring methodology. | B.8.3 | This is now included in section B8. | Closed The names of the per- sons responsible for the application of the reference scenario and monitoring methodolo- gy are indicated in the revised PDD. |
| Corrective Action Request No. 12: PP has to indicate clearly in the PDD the life- time of the project activity itself. | C.1.2 | This has now been changed accordingly in section C.1.2. | Closed The project's lifetime lasts at least for the |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | | duration of the crediting period. |
|---|-------|---|--|
| Corrective Action Request No. 12: | D.1.2 | | Closed |
| However, there is a need to specify the me- thod of treatment of used catalyst since on- site it was not clear if a recycling of the used catalyst is planned. | | This has now been clarified in section D.1. | The method of treat- ment of used catalysts is specified in the PDD. |
| Clarification Request No. 8: | E.1.1 | | Closed |
| As information has been gathered during the Audit obviously the DFP did not require con- ducting local stakeholder consultation. PP | | Extract from email received from Helene Martineaud of the MEEDDAT on 22 nd July 2009: | According to the MEEDDAT a stake- holder consultation |
| has to provide proofs to substantiate the statement "As the JI project does not have any relevance for local air, water or soil emis- sions, a local stakeholder consultation is not considered necessary." | | « Les investissements ayant lieu sur des sites d'installations clas- sées devant être transmis pour information/autorisation aux auto- rités publiques, il n'est pas nécessaire de mener une consultation des parties prenantes ». | meeting is not required for this JI track 1 project. |
| | | As per the confirmation from the French DFP above, there is no requirement to undertake a LSC. However, in accordance with article number R 512-33 of the 'code de l'environnement', there is a necessity for the project participants to inform the local authorities of the changes made at the plant as a result of the project. In this case, Ambes has been in close contact with both the local prefet and the DRIRE regarding the installation of a catalyst to reduce N2O emissions at their plant and has agreed to send a copy of the final PDD to the DRIRE for their information. | |
| | | This explanation has now been included in section E of the PDD. | |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| Additional CAR No.1: | See | | Closed |
|---|-------|---|---|
| The amended figure of CO_2 emissions with- out N ₂ O abatement in chapter A.2 of the PDD is not correct. The underlying capacity of HNO3 production is not consistent with the figure in footnote 3 of the PDD. | CAR 2 | The figure has been amended in section A.2 from 1,048,164 to 1,018,164. | The calculated figure for the emissions re- ferred to the operation of the plant without any N ₂ O abatement tech- nology installed is cor- rect now. |
| Additional CAR No. 2: | CR 3 | | Closed |
| The figure for the annual production of HNO ₃ is not consistent with the figure in the PDD. The figures in the folder "parameters" are not linked with the formulas in the calculation itself. The excel calculation as well as corresponding calculations in chapters A.4.3 and B.6 have to be revised, if applicable. | | The production figure specified in section A.2 is the maximum annual production capacity for the nitric acid plant. The figure specified in the calculation sheet and in the section B.6.1 is the expected 'budgeted' annual production, which in reality is almost never the same as the plant capacity listed in the production manual As many figures as possible from the calculation sheet have now been linked in with the 'parameters' sheet. Please see the attached updated spreadsheet | The revised Excel sheet does now more transparently demon- strate the ERU calcula- tion. The calculation of ERUs based on the budgeted annual pro- duction is more con- servative compared to the calculation with the maximum annual pro- duction. |
| Additional CAR No. 3: | CAR 4 | | Closed |
| The N_2O emissions in the table for the reference scenario are filled with N/A which is not consistent with the methodology. | | The table 3 in section B.3 has now been changed in a manner that is consistent with the methodology. | The revised PDD is now consistent with the methodology. |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| Additional CAR No. 4: The factor of 0.9 still is not integrated in the formula to calculate ERUs, as required by the methodology in chapter 4.4. If the outcome of the discussions with the French DFP is to cancel this factor, the revised methodology has to be provided to the AIE. | CR 6 | The 90% issuance factor has now been taken into account in the formula for ERU calculation in section B.6.1. Table 1 in section A.4.3, table 9 in section B.6.4 and table 2 in Annex 4 have also been adjusted accordingly. | Closed The factor of 0.9 has been applied correctly for the calculation of ERUs in the PDD. |
|---|-------|---|--|
| Additional CAR No. 5: Now all monitoring parameters are in com- pliance with the methodology. Anyway, the applied procedure (see CR 6) and the mea- surement frequency (required continuously) are not consistent with the methodology. | CAR 9 | Parameter P.12 in section B.7.1 has now been changed in a manner that is consistent with the methodology and measurement frequency of this parameter shall be continuous. | Closed The revised PDD is now consistent with the methodology. |
| Additional CAR No. 6: The available QAL 1 certificate for the infra- red analyzer MCA04 does not cover the component N ₂ O, furthermore the standard EN14181 is not stated. | CR 7 | As stated in the PDD the QAL 1 test for N2O will be completed in the near future. The suitability of the analyser for N2O measure- ments will be proven during the QAL2 audit. In any case, com- plete adherence to EN14181 is not actually required by the meth- odology and other, less stringent, standards may be used (ex. AFNOR) | Closed The QAL 1 of MCA04 is triggered for N2O and the certificate is expected in autumn 2009. QAL 2 is planned as well for autumn 2009 after the begin- ning of the monitoring. Both certificates have to be checked during the first verification (see FAR 1). |
| Additional CAR No. 7: The name of the PP in table A.3 of the PDD version 03 is not consistent with the name in Annex 1. | - | The PDD has been amended accordingly. | Closed Consistency has been provided now. |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| Additional CAR No. 8: In the clause "common practice analysis" of the PDD it is stated that the common practice in France to operate such facilities without N2O abatement equipment will soon change. There is a need to explain in more detail why it will change in regard to implementation of secondary catalyst to respect the national regulation or in regard to the implementation of similar JI projects. Is this JI project activity deemed to be first-of-its-kind in France? | B.5 | A little more detail has now been added to the "common practice barriers" in section B.5 of the PDD. N.serve hopes that this suffi- ciently explains the fact that this project is the first of its kind in France. Regarding the upcoming 'change' of situation: Since the introduc- tion of the possibility to participate in the JI in France by the French government, of course other nitric acid producers are now beginning to implement full batches of secondary N2O abatement catalysts in their plants, but ONLY as project activities under the 'projet domestique' for the purposes of generating ERUs. | Closed The revised statement in the common practice analysis of the PDD is deemed to be credible. |
|---|-------|---|--|
| Additional CAR No. 9:B.6.1N.serve is in agreement that this is not the most conservative proach to calculating the Project Emissions Factor.In the chapter "measurement during standard plant operation" of the PDD it is stated that the nitric acid production figure is not adpusted when the plant is out of operation. This procedure is only appropriate in case of baseline as baseline emissions factor will beB.6.1N.serve is in agreement that this is not the most conservative proach to calculating the Project Emissions Factor.The section "measurement during standard plant operation"B.6.1 of the PDD has now been adjusted to reflect the fact the NAP will also be removed from the calculation of project N20 emissions during times when the plant was out of operation.The approach to data treatment during plant shutdown is the plant shutdown is the plant was out of operation. | | The section "measurement during standard plant operation" in B.6.1 of the PDD has now been adjusted to reflect the fact that NAP will also be removed from the calculation of project N2O emissions during times when the plant was out of operation. The approach to data treatment during plant shutdown is there- fore now fully in accordance with chapter 4.3.3.2 of the French | Closed |
| Additional CAR No. 10: The sentence about avoidance of double counting in the before last clause on page 27 of the PDD is not clear enough. Please justify the statement in the PDD in more detail and in a comprehensive manner. | B.6.1 | This sentence does not actually relate to the 'avoidance of double counting' as indicated in additional CAR No 10. This paragraph has now been slightly adjusted under the section "Allocation of ERUs" in chapter B.6.1 of the PDD and is hopefully | Closed Now by the revised PDD the statement about the avoidance of double counting is clear enough for the AIE. |

Project Title: YARA Ambès N₂O abatement project Date of Completion: 30-06-2010 Number of Pages: 43



| | | now a little clearer. This sentence does not introduce any new concepts, but merely serves to once again emphasise that ERUs will only be awarded for emissions reductions achieved between the project emissions factor and the <i>benchmark</i> emissions factor. If the N2O emissions levels are <i>higher</i> than the benchmark emissions factor at any points during the production period, no ERUs will be awarded to the project during those times. | |
|--|-------|---|--|
| Additional CAR No. 11: The monitoring parameter P7 of the metho- dology (pressure in the AOR) is not listed in the PDD. There is a need to explain in the PDD why it is not applicable in this project. | B.7.1 | An explanation has now been added immediately below table 10 in section B.7.1 of the PDD regarding the exclusion of OPh from the monitored parameters. In accordance with the methodology, the operating pressure need only be monitored during the project if it constitutes one of the plant's trip point parameters. In the case of Ambes, it is not one of the trip point parameters and therefore does not have to be re- corded. | Closed |
| Forward Action Request No. 1: a) Information according to Annex D of EN14181 has to be available latest for the first verification. b) QAL 2 tests of AMS according to EN14181 has to be conducted prior to the start of the crediting period. | CR 7 | These issues will be assessed by the time of the first verification. | Closed During the first verifica- tion the resolution of the FAR has to be con- firmed/verified. |

Table 3. Unresolved Corrective Action and Clarification Requests (in case of denials)

| Clarifications and corrective action re- quests by the AIE's determination team | ld. of CAR/CR | Explanation of Conclusion for Denial |
|--|------------------|--------------------------------------|
| - | - | - |

Annex 2: Information Reference List

| Final Report | 2010-06-30 | Determination of the "Yara Ambès N ₂ O abatement project" | Page 1 of 3 | TUN |
|-----------------|------------|---|----------------|-------------------|
| | | Information Reference List | | Industrie Service |

| Ref. No. | Issuance and/or submission date(dd/mm/yyyy) | Title/Type of Document | Author/Editor/ Issuer | Additional Information (Relevance in JI Context) |
|-------------|---|---|--|--|
| 1 | 18/06/2009 | PDD "Yara Ambès N ₂ O abatement project", without version | n-serve | PDD for GSP |
| 2 | 6/08/ 2009 | PDD "Yara Ambès N ₂ O abatement project", Version 03 | n-serve | PDD final |
| 3 | 24/07/2009 | Projet Domestique Methodology: "Catalytic reduction of N_2O at nitric acid plants | DFP France | French version |
| 4 | No date | Projet Domestique Methodology: "Catalytic reduction of N ₂ O at nitric acid plants | DFP France | English version |
| 5 | 24/07/2009 | Approval of the methodology " <i>Réduction Catalytique du N2O dans des usines d'acide nitrique</i> " by e-mail of MEEDDAT to n-serve | MEEDDAT = French DFP | Official webpage: http://www.ecologie.gouv.fr/Methodologies -de-projets.html |
| 6 | 30/06/2009 | Participant list of on-site interviews | TÜV SÜD | |
| 7 | 30/06/2009 | On-site interviews conducted by TÜV SÜD.Validation Team:Robert MitterwallnerTÜV SÜD Industrie Service GmbH (GHGAuditor)TÜV SÜD Industrie Service GmbH (Trainee)Cyprian FusiTÜV SÜD Industrie Service GmbH (Trainee)Interviewed Persions:n-serve (Project Manager)Christopher Brandtn-serve (Consultant)Bruno DufourYara France Ambès (ProductionManager)Yara France Ambès (HESQManager)Stephane MeffrayYara France Ambès (MaintenanceManager) | TÜV SÜD | |
| 8 | 24/07/2009 | Excel Sheet Calculation for ERUs | Yara | Confidential information |
| 9 | 22/01/2009 | Arrêté Préfectorale, fertilizer production in Ambès, Chemin de Pietru, BP 44 | Préfecture de la Gironde, Direction | |

| Final Report | 2010-06-30 | Determination of the "Yara Ambès N ₂ O abatement project" Information Reference List | Page 2 of 3 | SUD |
|-----------------|------------|---|----------------|-------------------|
| | | | | Industrie Service |

| Ref. No. | Issuance and/or submission date(dd/mm/yyyy) | Title/Type of Document | Author/Editor/ Issuer | Additional Information (Relevance in JI Context) |
|-------------|---|---|--|---|
| | | | de l'administration générale, Bureaux de la protection de la nature et de l'environnement. | |
| 10 | 02/03/2007 | J.O No. 56, texte No. 61 "Décrets, arrêtés, circulaires, textes généraux (French linking directive related to JI and CDM projects) | Ministère de l'écologie et du développement durable | Incl. Reduction factor for climate projects in Artivle 15 and Additionality requirements in Annex 3 |
| 11 | 17/03/2009 | Letter of Endorsement | DFP France | Sent by e-mail to Yara |
| 12 | 11/07/2008 | Evidence of JI consideration (e-mail from head of Yara) | Yara France | |
| 13 | 11/03/2009 | Order for deliverance of cat from Yara group to Yara Ambès | Yara France | |
| 14 | 20/03/09 | Order of monitoring equipment delivery from Födisch to Yara group | Yara group | |
| 15 | 2/02/1998 | Arrêté Ministériel relative aux prélèvement et la consommation d'eau ainsi qu'aux émissions de toute nature des installations classés pour la protection de l'environnement (avec 7 kg N2O/tHNO3) | Ministère de l'écologie et du développement durable | footnote 6 of PDD |
| 16 | January 2009 | « N2O emission figures 2002-2003 », Yara internal data sets | Yara France | |
| 17 | No date | Safety data sheet for catalyst material | manufacturer | |
| 18 | August 2007 | Integrated Pollution Prevention and Control Reference Document on Best Available Techniques (IPPC BREF) for the manufacture of Large Volume Inorganic Chemicals – Ammonia, Acids and Fertilizers | European Commission | |
| 19 | 09/06/2009 | Demande de maintencance of equipment according to the procedure AGRI-20087 | Yara Ambès | |

| Final Report2010-06-30Determination of the "Yara Ambès N2O abatement project"Information Reference List | Page 3 of 3 | Industrie Service |
|---|----------------|-------------------|
|---|----------------|-------------------|

| Ref. No. | Issuance and/or submission date(dd/mm/yyyy) | Title/Type of Document | Author/Editor/ Issuer | Additional Information (Relevance in JI Context) |
|-------------|---|---|---|---|
| 20 | 24/04/2009 | PDD template of French DFP | MEEDDAT = French DFP | |
| 21 | 10/04/2009 | MEEDDAT UNIFA; meeting with subject: "Projets Domestiques" | Union des Industries de la Fertilisation (UNIFA) | Power point presentation |
| 22 | July 2009 | AMS engineering and install costs, excel calculation | n-serve | |
| 23 | 13/05/2008 | QAL 1 Certificate of for flow meter MMD99 | TÜV Rheinland | Footnote 36 |
| 24 | 06/07/2007 | TUV QAL 1 certificate for Emerson Rosemount NGA 2000 NGA 2000 MLT | TÜV SÜD Industrie Service GmbH | |
| 25 | 16/04/2010 | LoA of France | MEEDDAT = French DFP | |