

VERIFICATION REPORT GLOBAL CARBON BV

VERIFICATION OF THE

IMPROVEMENT OF THE ENERGY EFFICIENCY AT ENERGOMASHSPETSSTAL (EMSS), KRAMATORSK, UKRAINE

THIRD PERIODIC FOR THE SECOND QUARTER OF 2010

REPORT NO. UKRAINE/0146/2010

REVISION NO. 01

BUREAU VERITAS CERTIFICATION

Report No: UKRAINE/0146/2010	T/31
	BURE

	Report No: UKRAINE/0146/2010	7828
VERIFICATION REPORT		B U R E A U V E R I T A S
•		

Date of first issue: 27/09/2010	Organizational unit: Bureau Veritas Certification Holding SAS
Global Carbon BV	Client ref.: Lennard de Klerk

Bureau Veritas Certification has made the 3rd periodic verification of the "Improvement of the Energy efficiency at Energomashspetsstal (EMSS), Kramatorsk, Ukraine", JI Registration Reference Number 0104, project of Global Carbon BV located in Kramatorsk, Ukraine, and applying the JI specific approach, on the basis of UNFCCC criteria for the JI, as well as criteria given to provide for consistent project operations, monitoring and reporting. UNFCCC criteria refer to Article 6 of the Kyoto Protocol, the JI rules and modalities and the subsequent decisions by the JI Supervisory Committee, as well as the host country criteria.

The verification scope is defined as a periodic independent review and ex post determination by the Accredited Entity of the monitored reductions in GHG emissions during defined verification period, and consisted of the following three phases: i) desk review of the project design and the baseline and monitoring plan; ii) follow-up interviews with project stakeholders; iii) resolution of outstanding issues and the issuance of the final verification report and opinion. The overall verification, from Contract Review to Verification Report & Opinion, was conducted using Bureau Veritas Certification internal procedures.

The first output of the verification process is a list of Clarification, Corrective Actions Requests, Forward Actions Requests (CR, CAR and FAR), presented in Appendix A.

In summary, Bureau Veritas Certification confirms that the project is implemented as per determined changes. Installed equipment being essential for generating emission reduction runs reliably and is calibrated appropriately. The monitoring system is in place and the project is ready to generate GHG emission reductions. The GHG emission reduction is calculated without material misstatements, and the ERUs issued totalize 81354 tons of CO2eq for the monitoring period.

Our opinion relates to the project's GHG emissions and resulting GHG emission reductions reported and related to the approved project baseline and monitoring, and its associated documents.

Report No.:	Subject Group:		
UKRAINE/0146/2010	JI		
Project title: "Improvement of the I	Enorgy officional at		
	-		
Energomashspetsstal (EMSS), Kramatorsk,		
Ukraine" Work carried out by:		_	
Team Leader : Ivan Sokol	OV		
Team Member : Kateryna Z	•		
Team Member : Oleg Skob	lyk		
Work reviewed by: Leonid Yaskin			No distribution without normicaion from the
			No distribution without permission from the Client or responsible organizational unit
Work approved by:] _	
Flavio Gomes			Limited distribution
Date of this revision: Rev. No.: 27/09/2010	Number of pages: 36		Uprophriphed distribution
27/09/2010 01	30		Unrestricted distribution



VERIFICATION REPORT

lable	e of Contents P	age
1	INTRODUCTION	3
1.1	Objective	3
1.2	Scope	3
1.3	Verification Team	3
2	METHODOLOGY	4
2.1	Review of Documents	4
2.2	Follow-up Interviews	4
2.3	Resolution of Clarification, Corrective and Forward Action Requests	5
3	VERIFICATION CONCLUSIONS	6
3.1	Project approval by Parties involved (90-91)	6
3.2	Project implementation (92-93)	6
3.3	Compliance of the monitoring plan with the monitoring methodology (94-98)	7
3.4	Revision of monitoring plan (99-100)	8
3.5	Data management (101)	9
3.6	Verification regarding programmes of activities (102-110)	12
4	VERIFICATION OPINION	12
5	REFERENCES	14

APPENDIX A: COMPANY PROJECT VERIFICATION PROTOCOLOШИБКА! ЗАКЛАДКА НЕ ОІ

B U R E A U

VERIFICATION REPORT

1 INTRODUCTION

Global Carbon BV has commissioned Bureau Veritas Certification to verify the emissions reductions of its JI project "Improvement of the Energy efficiency at Energomashspetsstal (EMSS), Kramatorsk, Ukraine" (hereafter called "the project") at Kramatorsk, Ukraine, UNFCCC JI Reference Number 0104.

This report summarizes the findings of the verification of the project, performed on the basis of UNFCCC criteria, as well as criteria given to provide for consistent project operations, monitoring and reporting.

1.1 Objective

Verification is the periodic independent review and ex post determination by the Accredited Independent Entity of the monitored reductions in GHG emissions during defined verification period.

The objective of verification can be divided in Initial Verification and Periodic Verification.

UNFCCC criteria refer to Article 6 of the Kyoto Protocol, the JI rules and modalities and the subsequent decisions by the JI Supervisory Committee, as well as the host country criteria.

1.2 Scope

The verification scope is defined as an independent and objective review of the project design document, the project's baseline study and monitoring plan and other relevant documents. The information in these documents is reviewed against Kyoto Protocol requirements, UNFCCC rules and associated interpretations.

The verification is not meant to provide any consulting towards the Client. However, stated requests for clarifications and/or corrective actions may provide input for improvement of the project monitoring towards reductions in the GHG emissions.

1.3 Verification Team

The verification team consists of the following personnel:

Ivan Sokolov

Bureau Veritas Certification Team Leader, Climate Change Verifier

Kateryna Zinevych

Bureau Veritas Certification Climate Change Verifier

Oleg Skoblyk

Bureau Veritas Certification Climate Change Verifier

Report No:	UKRAINE/0146/2010
------------	-------------------

B U R E A U VERITAS

VERIFICATION REPORT

This verification report was reviewed by:

Leonid Yaskin Bureau Veritas Certification, Internal Technical Reviewer

2 METHODOLOGY

The overall verification, from Contract Review to Verification Report & Opinion, was conducted using Bureau Veritas Certification internal procedures.

In order to ensure transparency, a verification protocol was customized for the project, according to the version 01.1 of the Joint Implementation Determination and Verification Manual, issued by the Joint Implementation Supervisory Committee at its 19 meeting on 04/12/2009. The protocol shows, in a transparent manner, criteria (requirements), means of verification and the results from verifying the identified criteria. The verification protocol serves the following purposes:

- It organizes, details and clarifies the requirements a JI project is expected to meet;
- It ensures a transparent verification process where the verifier will document how a particular requirement has been verified and the result of the verification.

The completed determination protocol is enclosed in Appendix A to this report.

2.1 Review of Documents

The Monitoring Report (MR) submitted by Global Carbon BV and additional background documents related to the project design and baseline, i.e. country Law, Project Design Document (PDD), Guidance on criteria for baseline setting and monitoring, Host party criteria, Kyoto Protocol, Clarifications on Verification Requirements to be Checked by an Accredited Independent Entity were reviewed.

The verification findings presented in this report relate to the Monitoring Report version(s) 1.0 dated 22nd of July 2010 and project as described in the determined PDD.

2.2 Follow-up Interviews

On 18/08/2010 Bureau Veritas Certification performed (on-site) interviews with project stakeholders to confirm selected information and to resolve issues identified in the document review. Representatives of EMSS and Global Carbon BV were interviewed (see References). The main topics of the interviews are summarized in Table 1.



VERIFICATION REPORT

Table 1 Interview topics

Interviewed organization	Interview topics
Energomashspetsst al (EMSS)	Organizational structure. Responsibilities and authorities. Training of personnel. Quality management procedures and technology. Implementation of equipment (records). Metering equipment control. Metering record keeping system, database.
Consultant: Global Carbon BV	Baseline methodology. Monitoring plan. Monitoring report. Deviations from PDD.

2.3 Resolution of Clarification, Corrective and Forward Action Requests

The objective of this phase of the verification is to raise the requests for corrective actions and clarification and any other outstanding issues that needed to be clarified for Bureau Veritas Certification positive conclusion on the GHG emission reduction calculation.

If the Verification Team, in assessing the monitoring report and supporting documents, identifies issues that need to be corrected, clarified or improved with regard to the monitoring requirements, it should raise these issues and inform the project participants of these issues in the form of:

- (a) Corrective action request (CAR), requesting the project participants to correct a mistake that is not in accordance with the monitoring plan;
- (b) Clarification request (CL), requesting the project participants to provide additional information for the AIE to assess compliance with the monitoring plan;
- (c) Forward action request (FAR), informing the project participants of an issue, relating to the monitoring that needs to be reviewed during the next verification period.

To guarantee the transparency of the verification process, the concerns raised are documented in more detail in the verification protocol in Appendix A.

BUREAU VERITAS

VERIFICATION REPORT

3 VERIFICATION CONCLUSIONS

In the following sections, the conclusions of the verification are stated.

The findings from the desk review of the original monitoring documents and the findings from interviews during the follow up visit are described in the Verification Protocol in Appendix A.

The Clarification, Corrective and Forward Action Requests are stated, where applicable, in the following sections and are further documented in the Verification Protocol in Appendix A. The verification of the Project resulted in 5 Corrective Action Requests.

The number between brackets at the end of each section corresponds to the VVM paragraph.

3.1 Project approval by Parties involved (90-91)

Written project approval by the Netherlands has been issued by the NFP of that Party when submitting the first verification report to the secretariat for publication in accordance with paragraph 38 of the JI guidelines, at the latest.

The abovementioned written approval is unconditional.

3.2 Project implementation (92-93)

The project activity consists of the energy efficiency measures at the premises of EMSS by the implementation of four subprojects:

Subproject 1. Reconstruction of thermal and heating furnaces — there are 35 thermal and heating furnaces in operation in different shops at the premises of EMSS. The main goal of this subproject is the reduction of the natural gas (NG) consumption on 26 of these furnaces by commissioning of new automated NG burners (this enables to maintain the required temperature inside of the furnace) and by implementation of new thermal insulation for the walls, front doors and roofs of the furnaces. One more furnace was put into operation that is in accordance with the PDD:

• Thermal #38, Forge Press workshop

In order to introduce automatic energy resources data acquisition system the following furnace have been equipped by certified logger-evaluators "Ergomera-126":

• Heating #35, Forge Press workshop.

Subproject 2. Installation of a new vacuum system – Installation of a new vacuum system for the vacuumed steel production. The old vacuum



VERIFICATION REPORT

system used heat and electricity. The reconstructed vacuum system uses only electricity.

Subproject 3. Installation of an arc ladle furnace – New arc ladle furnace is installed for the steel production. This means that the part of the process of the steel preparation doing in the ladle from which the steel will be cast into the forms. As a result there is reduction of the electricity consumption.

Subproject 4. Modernization of press equipment – Replacing the old pump system, serving the 15,000 ton press, with a new one, more effective pump system. The number of old pumps is 24 (with 500 kW installed capacity each), and the number of new pumps will be 11 (with 800 kW installed capacity each).

Project implementation schedule has faced some delays caused by the global financial crisis. The proposed JI project consists of four interventions to the production cycle. Equipment for the proposed interventions was installed and commissioned in the following order:

- SP1: From 01 January 2008 to 01 November 2009 19 furnaces were commissioned (besides 7 furnaces commissioned in 2007);
- SP2: May 2007;
- SP3: April 2007;
- SP4: December 2007;

Therefore the starting date of the project is April 2007.

Project was operational for the whole monitoring period, which is 01.04.2010-30.06.2010.

The project improved efficiency of use of natural gas, electricity and heat at the enterprise and thus leaded to decrease of harmful emissions. This project by reducing GHG emissions contributes towards a better environment and hence works towards social well-being for all. Project implementation will lead to improvement of ecological climate of the region, increase of payments to the budgets of all levels for social needs, prevention of reduction of working places and better working conditions at EMSS.

3.3 Compliance of the monitoring plan with the monitoring methodology (94-98)

The monitoring occurred in accordance with the monitoring plan included in the PDD regarding which the determination has been deemed final and is so listed on the UNFCCC JI website.



VERIFICATION REPORT

For calculating the emission reductions or enhancements of net removals, key factors, influencing the baseline emissions or net removals and the activity level of the project and the emissions or removals as well as risks associated with the project were taken into account, as appropriate.

Data sources used for calculating emission reductions or enhancements of net removals, are clearly identified, reliable and transparent.

Emission factors, including default emission factors, are selected by carefully balancing accuracy and reasonableness, and appropriately justified of the choice.

The calculation of emission reductions or enhancements of net removals is based on conservative assumptions and the most plausible scenarios in a transparent manner.

3.4 Revision of monitoring plan (99-100)

The monitoring approach in the Monitoring Plan of the PDD version 3.9 requires monitoring and measurement of variables and parameters necessary to quantify the baseline emissions and project emissions in a conservative and transparent way. The same approach is applied in the revised Monitoring Plan revision 1.1 developed for the monitoring period that is not one year.

The parameters that are determined to quantify the baseline and project emissions are presented in the monitoring report.

It should be mentioned that in order to get normalized volume of natural gas combusted at workshop, temperature and pressure data has been used. The temperature and pressure measuring devices were installed after MP was developed as a part of natural gas measuring equipment. The formula for calculation used in MR is specific for vortex flow meter and it is not applicable for other type of gas meter (i.e. orifice flow meter). Decision on the type of flow meter was optional and therefore it was not included into the PDD. For year 2008 calculation was performed manually using formula given in the monitoring report for 2008. Fore year 2009 the calculation was performed for one furnace automatically using similar devices yielding figures of NG quantity directly in Nm3 and since second or third quarter of 2010 it is planned to equip all furnaces with such devices and figures will be obtained in Nm3.

The list of monitoring equipment, which is used in all the sub-projects is present in the Monitoring Report version 2.0 Tables 2-7. All the monitoring equipment is to be checked and calibrated according calibration plans.



VERIFICATION REPORT

According to the determined monitoring plan project and baseline emissions and emission reductions are calculating on the annual basis for every subproject. In order to make monitoring process for the nine months possible formulas for the calculations has been updated. Updates with compare to determined monitoring plan are presented in the MR version 2.0.

Changes that have been implemented do not affect conservativeness of the approach to the emission reductions calculations and procedures of the data collection and archiving.

3.5 Data management (101)

Subproject 1. Reconstruction of thermal and heating furnaces. Each reconstructed furnace has a natural gas flow meter with pressure and temperature sensors in order to calculate normal cubic meters of natural gas burned in the furnace. Information from flow meters, pressure and temperature sensors are transmitting to the control and monitoring computer system where recalculation to the normal cubic meters taking place according to the approved standard.

All information about technological process is saved continuously. The archiving period for the log files is at least one year. Information that corresponds to the natural gas consumption in second quarter 2010 has been burned on CDs. These CDs are stored till the end of the crediting period plus two years.

Every half-finished product that processes through the furnaces has own unique certificate. This certificate reflects all operations performed on the product and the weight on the exit of every workshop. So, the weight of half-finished products that proceed through each furnace could be easily monitored. Information from the certificates is saved in the log books in order to simplify the monitoring process.

A report including natural gas consumption and weight of half finished products is generating on a monthly basis. The report is signing by Head of Energy Saving Department, Head of corresponding workshop and approved by Chief Engineer.

The natural gas meters (flow, pressure, temperature) are used in furnaces' control process. That is why any deviation/failure of the meters would be recognized immediately by disturbance of the heating process and reported to the workshop's head. As a result of disturbance furnace should be shut down fore the checking procedure.

Subproject 2. Installation of a new vacuum system. Electricity that is consumed during the vacuum process is metered using dedicated meters for this system. Information from meters is passed to the control and monitoring computer system of the vacuumizator. A computer system records information about every vacuumization session, including melt



VERIFICATION REPORT

passport, time and electricity consumption. The archiving period for the log files is at least one year. Information that corresponds to the electricity consumption in the second quarter 2010 has been burned on CDs. These CDs are stored till the end of the crediting period plus two years.

The steel to the vacuum degasser (VD) coming either from ladle furnace (LF) or from the electric arc furnace (EAF) in special ladle. Each ladle with liquid steel has unique certificate of melt.

Subproject 3. Installation of an arc ladle furnace. LF is a comprehensive solution for high quality steel melting has been installed in the Steel Making Workshop (SMW). The main electricity consumers of the SMW are powered by the following scheme.

Close Distribution Unit (CDU) #1, 2 are electricity powering points for the EAFs (EAF50 #1, EAF100 #3, EAF100 #5 and EAF12) and LF. CDUs are powered by Transformers (T1, and T2) and Autotransformers (AT1 and AT2). EAFs and LF could be powered from any of the Transformers or Autotransformers. Commercial electricity meters are installed on each of the Transformers and Autotransformer.

The data from electricity meters concerning electricity consumption is transmitted to the control and monitoring computer system continuously. The computer system records information about each melt process, including melt certificate. This certificate includes information about the number of EAF where steel was melted, steel content, amount of electricity consumed during melting and weight of steel. The archiving period for the log files is at least one year. All melt certificates for the second quarter of the year 2010 have been burned to CDs. These CDs are stored until the end of the crediting period plus two years.

Subproject 4. Modernization of press equipment.

Serving motors of the press pump station are powered from the 6kV line. Substation 110/6 kV has two transformers. Each transformer has a commercial electricity meter. There are some addition consumers on the 6kV line. All data concerning electricity consumption is transmitted to the control and monitoring computer system. The press has a special registry log book, where working time of press is logged, among other data.

In the revised monitoring plan the formulae for calculation of variables are adjusted for the period 1 month instead of period of 1 year that was in the initial monitoring plan determined in the PDD. This allowed to calculated figures for the second 3 months of 2010.

The reporting procedures reflect the revised monitoring plan completely. It is confirmed that the monitoring report does comply with the monitoring methodology described in the PDD and Monitoring Plan revision 1.1.



VERIFICATION REPORT

All parameters were determined as prescribed. The complete data is stored electronically and documented. The necessary procedures have been defined in internal procedures.

In the PDD version 3.9 the amount of emission reduction units in the second three months of 2010 is stated as 54 977 t CO_2e while in the Monitoring Report version 1.0 the amount of ERU's for the second quarter of 2010 is 81354 t CO_2e .

The audit team confirms that emission reduction calculations have been performed according to the Monitoring Plan.

According to the Article 10 paragraph 1 of the Ukrainian Law "On Metrology and Metrological Activity" measurement results can be used in case if appropriate characteristics of errors and uncertainty are known. Characteristics of errors are presented in the passports of the equipment. The level of uncertainty is considered as low which is why it can be neglected in the calculations.

Project consists of the 105 monitoring parameters. Some of the parameters that are used in the calculation of the baseline and project emissions are measured directly with the use of special equipment while others are estimated with the use of appropriate coefficients.

Concerning verification the calculation of emission reductions is based on internal data. The origin of those data was explicitly checked. Further on, entering and processing of those data in the monitoring workbook Excel sheet was checked where predefined algorithms compute the annual value of the emission reductions. All equations and algorithms used in the different workbook sheets were checked. Inspection of calibration and maintenance records for key equipment was performed for all relevant meters.

Necessary procedures have been defined in internal procedures and additional internal documents relevant for the determination of the various parameters on daily basis.

The general management of the monitoring team is implemented by the Deputy Chief Engineer of the EMSS through supervising and coordinating activities of his subordinates, such as the head of Energy Saving Department, the head of Steel Making Shop, Press-Forging Shop and Thermal Shop. On-site day-to-day (operational) management is implemented by the heads of corresponding shops. The technological process data is logged into the PCs continuously. The PCs at reconstructed furnaces, LF, VD, etc., have not only monitoring but control



VERIFICATION REPORT

functions as well. Keeping the PCs in a working condition is a responsibility of the Department of the automated control systems.

All data necessary for the CO_2 emission reductions calculation is collected in the Energy Saving Department. The head of the Energy Saving Department is making calculations on a monthly basis. The general supervision of the monitoring system is executed by the Deputy Chief Engineer.

For this monitoring period the names of the personnel involved is as follows:

- Deputy Chief Engineer: A. Masyuk
- Head of Energy Saving Department: V. Timoshenko
- · Head of the Steel Making Shop: A. Gorkusha
- Head of the Press-Forging Shop: N. Bondar
- Head of the Thermal Shop: V. Stankov

All contracts for the equipment supplying include chapter describing personnel training. Training is providing by equipment producers.

 ${\rm CO_2}$ emission reductions calculations are performing on the monthly basis by the head of the Energy Saving Department. All energy sources flows (such as electricity and natural gas) are logged on the server in the Energy Saving Department. Hence the head of Department checks the correctness of measurements by the indirect calculations.

3.6 Verification regarding programmes of activities (102-110)

Not applicable.

4 VERIFICATION OPINION

Bureau Veritas Certification has performed 3rd periodic verification of the "Improvement of the Energy efficiency at Energomashspetsstal (EMSS), Kramatorsk, Ukraine" Project in Ukraine, which applies JI specific approach. The verification was performed on the basis of UNFCCC criteria and host country criteria and also on the criteria given to provide for consistent project operations, monitoring and reporting.

The verification consisted of the following three phases: i) desk review of the project design and the baseline and monitoring plan; ii) follow-up interviews with project stakeholders; iii) resolution of outstanding issues and the issuance of the final verification report and opinion.

The management of Global Carbon BV is responsible for the preparation of the GHG emissions data and the reported GHG emissions reductions of the project on the basis set out within the project Monitoring and Verification Plan indicated in the final PDD version 3.9. The development

Report No:	UKRAINE/0146/2010
------------	-------------------



VERIFICATION REPORT

and maintenance of records and reporting procedures in accordance with that plan, including the calculation and determination of GHG emission reductions from the project, is the responsibility of the management of the project.

Bureau Veritas Certification verified the Project Monitoring Report version 2.0 for the reporting period as indicated below. Bureau Veritas Certification confirms that the project is implemented as per determined changes. Installed equipment being essential for generating emission reduction runs reliably and is calibrated appropriately. The monitoring system is in place and the project is generating GHG emission reductions.

Bureau Veritas Certification can confirm that the GHG emission reduction is calculated without material misstatements. Our opinion relates to the project's GHG emissions and resulting GHG emissions reductions reported and related to the approved project baseline and monitoring, and its associated documents. Based on the information we have seen and evaluated, we confirm the following statement:

Reporting period: From 01/04/2010 to 30/06/2010

Baseline emissions :113953 t CO2 equivalents.
Project emissions :32599 t CO2 equivalents.
Emission Reductions :81354 t CO2 equivalents.

BUREAU VERITAS

VERIFICATION REPORT

5 REFERENCES

Category 1 Documents:

Documents provided by Type the name of the company that relate directly to the GHG components of the project.

- /1/ Monitoring Report version 1.0, dated 22nd of July 2010
- /2/ Monitoring Report version 2.0 dated 17th of September 2010
- /3/ Verification Report by Bureau Veritas Certification Holding SAS dated 16th of November 2009
- Verification Report by Bureau Veritas Certification Holding SAS dated 31st of December 2009
- Verification Report by Bureau Veritas Certification Holding SAS dated 30th of March 2010
- /6/ Verification Report by Bureau Veritas Certification Holding SAS dated 29th of June 2010
- /7/ Project Design Document, version 3.9 dated 31 of August 2008
- /8/ Letter of Approval of National Ecological Investment Agency of Ukraine, № 48/23/7 from 23.01.2009
- /9/ Approval of Voluntary participation in a Joint Implementation project of Ministry of Economical Affairs in Netherlands №2009JI01, dated 3 of March 2009
- /10/ Emission reductions Calculation Excel Spreadsheet version 1.0 dated 22nd of July 2010

Category 2 Documents:

Background documents related to the design and/or methodologies employed in the design or other reference documents.

- 1. Report of shop working of OJSC "EMSS" in June 2010 of GHG reduction.
- 2. Report of HAC-15000 T.C. Work in June 2010.
- 3. Report of the work of heat furnaces for June 2010.
- 4. Report of the work of thermal furnaces for June 2010.
- 5. Report of the work of furnace #1 of thermal shop for June 2010.
- 6. Report of the work of furnace #2 of thermal shop for June 2010.
- 7. Report of the work of furnace #4 of thermal shop for June 2010.
- 8. Report of the work of furnace #9 of thermal shop for June 2010.
- 9. Report of the work of furnace #10 of thermal shop for June 2010.
- 10. Report on the vacuum vessel for June 2010 of ДСП-50 #1, ДСП-100 #5.
- 11. Annex #6. Report of ДСП-УПК for June 2010.
- 12. Report of shop working of OJSC "EMSS" in May 2010 of GHG reduction.
- 13. Report of shop working of OJSC "EMSS" in April 2010 of GHG reduction.
- 14. Statement of the thermal furnace #38 of КПЦ-1 dated 01.05.2010.



- 15. Photo Furnace #1.
- 16. Photo Sensor Метран-100-ДИ #274538.
- 17. Photo TCMУ Метран-274-02 #750977.
- 18. Photo Type Q-75-L DN200 #10512270-2008.
- 19. Photo Метран-100-ДА, ser. #54137/4.
- 20. Photo Gas meter, inv. #20820.
- 21. Photo Furnace #9, #10.
- 22. Logbook of registration of metal weight and gas consumption in furnaces ## 1, 2, 9, 10 of the thermal shop.
- 23. Logbook of registration of gas consumption in furnaces 1, 2, 9, 10 of the thermal shop.
- 24. Photo TCMУ Метран-274-05 #655354.
- 25. Photo TCMУ Метран-274-05 #655362.
- 26. Photo TCMУ Метран-274-08 #655360.
- 27. Photo TCMУ Метран-274-02 #750917.
- 28. Logbook of registration of gas consumption of modernized furnaces.
- 29. Logbook of registration of gas consumption of modernized thermal furnaces.
- 30. Photo Meter Энергия-9, inv. #78471/3.
- 31. Photo Meter Энергия-9, #44706.
- 32. Photo Meter Энергия-9, #44701.
- 33. Photo Meter Энергия-9, #44704.
- 34. Photo Meter Энергия-9, #43898, inv. #103195/2.
- 35. Photo Meter Энергия-9, #43887, inv. #103195/1.
- 36. Logbook of registration of electricity energy consumption at УКП ЭСИЦ OJSC "Energomashspetsstal". Started on 01.01.2008.
- 37. Logbook of registration of the work of vacuum unit.
- 38. Photo Meter Энергия-9, #40688, inv. #78471/11.
- 39. Technical passport of forging furnace with car bottom #9387.
- 40. Permit on the start of facility operation #3619.09.30-27.52.0 dated 27.11.2009. It is valid from 27.11.2009 to 27.11.2012.
- 41. Letter to chief ingeneer A.V. Zubkov of OJSC "Energomashspetsstal" dated 06.06.2010 #04-28/797.
- 42. Information note of amount of comsumed solid fuel for 2nd quarter of 2010 #27/1600 dated 09.07.2010.
- 43. Certificate of verification of working measurement device #2002 dated 03.06.2010. It is valid to 03.06.2011.
- 44. Certificate of verification of working measurement device #2003 dated 03.06.2010. It is valid to 03.06.2011.
- 45. Passport of temperature transducer with unifying output signal Метран-274-05, ser. #655362 dated 13.07.2010.
- 46. Passport of temperature transducer, ser. #655359 dated 12.07.2010.
- 47. Passport of temperature transducer with unifying output signal Метран-274-05, ser. #655363 dated 13.07.2010.
- 48. Passport of Метран-274-05, ser. #655360 dated 12.07.2010.
- 49. Passport of Метран-274-05, ser. #655356 dated 12.07.2010.
- 50. Passport of transducer resistance, ser. #6011 dated 11.05.2009.



- 51. Passport of temperature transducer with unifying output signal Метран-274-02, ser. #450917 dated 13.07.2010.
- 52. Passport of all scales and weights ser. #0115047. Date of verification 01.07.2010.
- 53. Certificate of device calibration #05-02, ser. #241764 dated 17.05.2010. It is valid to 17.05.2011.
- 54. Certificate of device calibration type Метран-55-ДА #486786, inv. #73848/22. Date of calibration 14.05.2010.
- 55. Certificate of device calibration type Метран-55-ДА #486510, inv. #73848/9. date of calibration 14.05.2010.
- 56. Certificate of device calibration type Метран-55-ДА #461217, inv. #73848/13. Date of calibration 14.07.2010.
- 57. Certificate of device calibration type Метран-55-ДА #486509, inv. #73848/10. Date of calibration 13.05.2010.
- 58. Passport. Accounter "Эргомера-126" ЭУС 126 ФО, ser. #834. The state verification dated 13.08.2009.
- 59. Passport СПГК.1528.000 ПС. Version 2.1 Preassure sensor Метран, ser. #458977.
- 60. Certificate of device calibration #458977, inv. #73848/14 dated 26.10.2009.
- 61. Passport dated 04.09.2008. Device #69199960.
- 62. Passport #876 of resistance thermometer TCMT 103 (with measuring transmitter) #195.440-195.448 TV 4211-004-10854341-2007, number according to the state registration 36766-08.
- 63. Passport СПГК.5070.000.00 ПС. Version 5.1. Preassure sensor Метран-100, ser. #340571.
- 64. Certificate of device calibration Метран-100-ДН #340571, inv. #54137/4 dated 22.01.2010
- 65. Passport of meter ELSTER Instromet #10512270.
- 66. Pssport 274.01.00.000 ΠC. Temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, #750977.
- 67. Passport of temperature transducer with unifying output signal, ser. #750977 dated 16.07.2010.
- 68. Passport ЭУС 126 ФО Accounter "Эргомера-126", ser. #838. The state verification dated 13.08.2009.
- 69. Passport of resistance thermometer TCMУ Метран-274-05, ser. #655354 dated 08.07.2010. Date of calibration dated 08.07.2010.
- 70. Passport of electrical and strain-measuring suspended crane scale "EpMaκ-BK1pκ-10" (limit load 10 t), ser. #vk 0115047.
- 71. Certificate of verification of working measurement device #2005 dated 09.06.2009. It is valid to 09.06.2010.
- 72. Passport of electrical and strain-measuring suspended crane scale "EpMak-BK1pk-80" (limit load 80 t), ser.#KP 806148, inv. #10371.
- 73. Certificate of verification of working measurement device #2003 dsated 09.06.2009. It is valid 09.06.2010.

B U R E A U VERITAS

- 74. Passport of crane scale, ser. #KP806147. Results of the state verification dated 11.12.2008.
- 75. Passport of crane scale, ser. #VK0115047. results of the state verification dated 11.12.2008.
- 76. Passport 2164-00-000 ΠC. Weigh measuring group 01 BKT-200M, ser. #222. Results of the state verification dated 16.11.2009.
- 77. Passport of electrical and strain-measuring suspended crane scale "EpMaκ-BK1pκ-20" (limit load 20 t), ser. #KP 205122, inv. #10372. Verification results dated 19.03.2010. Results of the state verification dated 20.01.2010.
- 78. Passport of electrical and strain-measuring suspended crane scale "EpMak-BK1pк-50" (limit load 50 t), ser. #KP 506149, inv. #91878.
- 79. Certificate of verification of working measurement device #2002 dated 09.06.2009. It is valid to 09.06.2010.
- 80. Passport СПГК.5070.000.00 ПС. Version 5.1. Preassure sensor Метран-100, ser. #422353.
- 81. Certificate of device calibration #08-23 dated 31.08.2009, ser. #422353. It is valid to 31.08.2010.
- 82. Passport ИРВС 9102.0000.00 ПС. Vortex flow converters ИРВИС-К300, ser. #5740. Results of the state verification dated 03.02.2010.
- 83. Passport 274.01.00.000 ПС. Temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, #655354. Results of calibration dated 14.07.2009.
- 84. Passport ser. #376707, inv. #52720/2.
- 85. Certificate of device calibration #03-07 dated 04.03.2010, ser. #376707. It is valid to 04.03.2011.
- 86. Passport ИРВС 9102.0000.00 ПС. Vortex flow converters ИРВИС-К300, ser. #5480. Results of the state verification dated 20.02.2009.
- 87. Passport 274.01.00.000 ПС. Temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, #655362. Results of calibration dated 14.07.2009.
- 88. Certificate of acceptance and verification. Sensor Метран-100-ДИ, ser. #000088.
- 89. Certificate of device calibration #03-10 dated 23.03.2010, ser. #000088. It is valid to 23.03.2011.
- 90. Passport ИРВС 9102.0000.00 ПС. Vortex flow converters ИРВИС-К300, ser. #5482. Results of the state verification dated 16.02.2010.
- 91. Passport of temperature transducer with unifying output signal #8360. Results of the state verification dated 21.09.2009.
- 92. Certificate of acceptance and verification. Sensor Метран-100-ДИ, ser. #000087.
- 93. Certificate of device calibration #02-05 dated 04.02.2010, ser. #000087. it is valid to 04.02.2011.



- 94. Passport ИРВС 9102.0000.00 ПС. Vortex flow converters ИРВИС-К300, ser. #5483. Results of the state verification dated 16.02.2010.
- 95. Passport of temperature transducer with unifying output signal #8362. Results of the state verification dated 23.09.2009.
- 96. Passport СПГК 1528.000 ПС. Version 2.1. Preassure sensor Метран, ser. #461211.
- 97. Certificate of device calibration, ser. #461211 dated 13.05.2010.
- 98. Passport of flowmeter "Kromschroder", ser. #981.07. Results of the state verification dated 23.03.2010.
- 99. Passport 274.01.00.000 ПС. temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, #655360. results of calibration dated 14.07.2009.
- 100. Passport СПГК 1528.000 ПС. Version 2.1. Pressure sensor Метран, ser. #486509.
- 101. Certificate of device verification, ser. #486509 dated 13.05.2010.
- 102. Certificate of verification, flowmeter "Kromschroder", ser. #980.07 dated 08.05.2009.
- 103. Passport of resistance transducer, ser. #6000. Results of the state verification dated 06.05.2010.
- 104. Passport СПГК 1528.000 ПС. Version 2.1. Pressure sensor Метран, ser. #486786.
- 105. Certificate of device calibration, ser. #486786 dated 14.05.2010.
- 106. Certificate of verification, flowmeter "Kromschroder", ser.#981.07 dated 08.05.2009.
- 107. Passport of resistance transducer, ser. #6011. Results of the state verification dated 06.05.2010.
- 108. Passport СПГК 1528.000 ПС. Version 2.1. Preassure sensor Метран, ser. #458976.
- 109. Certificate of device calibration, ser. #458976 dated 14.05.2010.
- 110. Certificate of device calibration, ser. #69193830 dated 15.07.2009.
- 111. Passport 274.01.00.000 ПС. Temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, #655361. Results of calibration dated 17.09.2009.
- 112. Passport CΠΓΚ.5070.000.00 ΠC. Version 5.0. Preassure sensor Metpah-100, ser. #387352.
- 113. Certificate of device calibration #02-18, ser. #387352 dated 16.02.2010.
- 114. Passport ИРВС 9102.0000.00 ПС. Vortex flow converters ИРВИС-К300, ser. #5711. Results of the state verification dated 16.10.2009.
- 115. Passport of temperature transducer with unifying output signal #8365. Results of the state verification dated 23.09.2009.
- 116. Passport СПГК 1528.000 ПС. Version 2.1. Preassure sensor Метран, ser. #486510.
- 117. Certificate of device calibration, ser. #486510 dated 14.05.2010.



- 118. Certificate of device calibration, ser. #69191749 dated 15.07.2009.
- 119. Passport 274.01.00.000 ПС. Temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, #655356. Results of calibration dated 09.07.2009.
- 120. Passport of flowmeter ABBFMT-500 IG "Sensuflow", ser. #28751947. Results of the state verification dated 12.08.2009.
- 121. Passport of flowmeter ABBFMT-500 IG "Sensuflow", ser. #28751945. Results of the state verification dated 21.08.2009.
- 122. Passport of flowmeter ABBFMT-500 IG "Sensuflow", ser. #28751946. Results of the state verification dated 21.08.2009.
- 123. Passport. Accounter "Эргомера-126" ЭУС 126 ФО, ser. #836. The state verification dated 13.08.2009.
- 124. Passport СПГК.5070.000.00 ПС. Version 5.1. Preassure sensor Метран-100, ser. #462213.
- 125. Passport СПГК.5070.000.00 ПС. Version 5.1. Preassure sensor Метран-100, ser. #442214.
- 126. Certificate of device calibration, ser. #442214 dated 13.10.2009.
- 127. Certificate of device calibration, ser. #462213 dated 12.10.2009.
- 128. Passport of diaphragm #42008, registration #51. The state verification dated 10.09.2009.
- 129. Protocol of joint calibration, order 195 dated 16.02.2010.
- 130. Protocol #70 of verification of thermal resistance transducer. Date of verification 12.02.2010. Order #195.
- 131. Passport of resistence termometer type TCMT 103-Y10-100M-B2-10-80.
- 132. Passport СПГК.1528.000 ПС. Version 2.1 Preassure sensor Метран, ser. #461217.
- 133. Certificate of device calibration, ser. #461217 dated 24.07.2009.
- 134. Passport of flowmeter "Elester", ser. #69196330. Results of the state verification dated 29.04.2010.
- 135. Passport 274.01.00.000 ПС. Temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, #750917. Verification dated 21.07.2009.
- 136. Passport СПГК.5070.000.00 ПС. Version 5.1. Preassure sensor Метран-100, ser. #274538.
- 137. Certificate of device calibration #11-08 dated 30.11.2009. It is valid to 30.11.2010, ser. #274538.
- 138. Passport ИРВС 0103.0000.00. Vortex gas flow converters ИРВИС-К-300, ser. #5274. Results of the state verification dated 02.03.2010.
- 139. Passport 274.01.00.000 ПС. Temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, ser. #655358. Results of the state verification dated 16.09.2009.
- 140. Passport СПГК.5070.000.00 ПС. Version 5.1. Preassure sensor Метран-100, ser. #275890.



- 141. Certificate of device calibration #12-01, ser. #275890 dated 03.12.2009. It is valid to 03.12.2010.
- 142. Passport ИРВС 0103.0000.00. Vortex gas flow converters ИРВИС-К-300, ser. #5275. Results of the state verification dated 03.03.2010.
- 143. Passport 274.01.00.000 ΠC. Temperature transducer with unifying output signal TCMY Methan-274, Methan-274-Ex, ser. #655355. Results of the state verification dated 16.09.2009.
- 144. Certificate of device calibration, #340571 dated 21.01.2010.
- 145. Passport СПГК.5070.000.00 ПС. Version 5.1. Preassure sensor Метран-100, ser. #340571.
- 146. Passport. ELSTER Instromet #10512270.
- 147. Passport 274.01.00.000 ΠC. Temperature transducer with unifying output signal TCMY Methan-274, Methan-274-Ex, ser. #750977. Results of verification dated 21.07.2009.
- 148. Passport. Accounter "Эргомера-126" ЭУС 126 ФО, ser. #838. The state verification dated 13.08.2009.
- 149. Passport СПГК.5070.000.00 ПС. Version 5.0. Preassure sensor Метран-100, ser. #241764.
- 150. Certificate of device calibration #05-02, ser. #241764 dated 17.05.2010. It is valid to 17.05.2011.
- 151. Passport ИРВС 0103.0000.00. Vortex gas flow converters ИРВИС-К-300, ser. #5182. Results of the state verification dated 04.03.2010.
- 152. Passport 274.01.00.000 ПС. Temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, ser. #655359. Results of verification dated 14.07.2009.
- 153. Passport СПГК.5070.000.00 ПС. Verification 5.0. Preassure sensor Метран-100, ser. #241763.
- 154. Certificate of device calibration #09-01, ser. #241763 dated 01.09.2009. It is valid to 01.09.2010.
- 155. Passport ИРВС 0103.0000.00. Vortex gas flow converters ИРВИС-К-300, ser. #5183. Results of the state verification dated 02.03.2010.
- 156. Passport 274.01.00.000 ПС. Temperature transducer with unifying output signal TCMУ Метран-274, Метран-274-Ex, ser. #655363. Results of verification dated 14.07.2009.
- 157. Passport AAH3 466559.200 ПС. Multifunctional electricity energy meter type "Энергия-9" performance CTK3, ser. #40680.
- 158. Certificate of the state metrological attestation #02/02-194 dated 13.05.2009, ser. #03102.
- 159. Passport #194 dated 13.05.2009 of the state metrological attestation of current transformer, ser. # 03102.
- 160. Certificate of the state metrological attestation #02/02-195 dated 13.05.2009, ser. #03051.

BUREAU VERITAS

- 161. Protocol #195 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #03051.
- 162. Passport AAH3 466559.200 ПС.Multifunctional electricity energy meter type "Энергия-9" performance СТКЗ, ser. #44705.
- 163. Passport AAH3 466559.200 ПС.Multifunctional electricity energy meter type "Энергия-9" performance CTK3, ser. #44702.
- 164. Passport AAH3 466559.200 ПС. Multifunctional electricity energy meter type "Энергия-9" performance CTK3, ser. #44701.
- 165. Certificate of acceptance of meter "Энергия-9", ser. #44706.
- 166. Passport Ба 4.728.036 ПС. Current transformers T-0,66-1; ТШ-0,66-1, ser. #21526, ser. #83614, ser. #19132, ser. #21387, ser. #21837, ser. #19687, ser. #19100, ser. #21888. Annex B. Pattern approval certificate of measuring instruments UA.C.34.999.A #19838 dated 20.02.2005. It is valid to 01.03.2010.
- 167. Passport AAH3 466559.200 ПС. Multifunctional electricity energy meter type "Энергия-9" performance CTK3, ser. #40688. Results of the state verification dated 02.07.2009.
- 168. Passport AAH3 466559.200 ПС. Multifunctional electricity energy meter type "Энергия-9" performance CTK3, ser. #9046.
- 169. Certificate of the state metrological attestation #02/02-099-2009 dated 13.05.2009, ser. #1138121.
- 170. Protocol #099 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #1138121.
- 171. Certificate of the state metrological attestation #02/02-101-2009 dated 13.05.2009, ser. #1138211.
- 172. Protocol #101 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #1138211.
- 173. Certificate of the state metrological attestation #02/02-100-2009 dated 13.05.2009, ser. #1120877.
- 174. Protocol #100 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #1120877.
- 175. Certificate of the state metrological attestation #02/02-186 dated 13.05.2009, ser. #37.
- 176. Protocol #186 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #37.
- 177. Certificate of the state metrological attestation #02/02-185 dated 13.05.2009, ser. #11.
- 178. Protocol #185 dated 13.05.2009of the state metrological attestation of current transformer, ser. #11.
- 179. Passport of optical electricity energy meter, ser. #798599. Results of the state verification dated 14.01.2008.
- 180. Certificate of the state metrological attestation #02/02-187 dated 13.05.2009, ser. #113.



- 181. Protocol #187 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #113.
- 182. Certificate of the state metrological attestation #02/02-188 dated 13.05.2009, ser. #13.
- 183. Protocol #188 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #13.
- 184. Certificate of the state metrological attestation #02/02-104-2009 dated 13.05.2009, ser. #854859.
- 185. Protocol #104 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #854859.
- 186. Certificate of the state metrological attestation #02/02-103-2009 dated 13.05.2009, ser. #854965.
- 187. Protocol #103 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #854965.
- 188. Certificate of the state metrological attestation #02/02-102-2009 dated 13.05.2009, ser. #849517.
- 189. Protocol #102 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #849517.
- 190. Passport AAH3 466559.200-05 ПС. Multifunctional electricity energy meter type "Энергия-9" performance CTK3, ser. #43898.
- 191. Certificate of the state metrological attestation #02/02-189 dated 13.05.2009, ser. #351.
- 192. Protocol #189 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #351.
- 193. Certificate of the state metrological attestation #02/02-190 dated 13.05.2009, ser. #458.
- 194. Protocol #190 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #458.
- 195. Certificate of the state metrological attestation #02/02-105-2009 dated 13.05.2009, ser. #1284276.
- 196. Protocol #105 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #1284276.
- 197. Certificate of the state metrological attestation #02/02-106-2009 dated 13.05.2009, ser. #1355405.
- 198. Protocol #106 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #1355405.
- 199. Certificate of the state metrological attestation #02/02-107-2009 dated 13.05.2009,ser. #1213200.
- 200. Protocol #107 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #1213200.
- 201. Passport of electrical energy meter ЕвроАльфа, ser. #1132201.
- 202. Certificate of the state metrological attestation #02/02-192 dated 13.05.2009, ser. #5105040894.
- 203. Protocol #192 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #5105040894.

B U R E A U VE R I T A S

VERIFICATION REPORT

- 204. Certificate of the state metrological attestation #02/02-191 dated 13.05.2009, ser. #5105040896.
- 205. Protocol #191 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #5105040896.
- 206. Certificate of the state metrological attestation #02/02-193 dated 13.05.2009. ser. #5105040895.
- 207. Protocol #193 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #5105040895.
- 208. Certificate of the state metrological attestation #02/02-108-2009 dated 13.05.2009, ser. #1168572.
- 209. Protocol #108 dated 13.05.2009 of the state metrological attestation of current transformer, ser. #1168572.
- 210. Certificate of the state metrological attestation #02/02-110 dated 13.05.2009, ser. #1427592.
- 211. Protocol #110 at 13.05.2009 of the state metrological attestation of current transformer, ser. #1427592.
- 212. Certificate of the state metrological attestation #02/02-109 dated 13.05.2009, ser. #1279988.
- 213. Protocol #109 at 13.05.2009 of the state metrological attestation of current transformer, ser. #1279988.

Persons interviewed:

List persons interviewed during the verification or persons that contributed with other information that are not included in the documents listed above.

- /1/ Bondar Nikolay, the Head of the Forge Press workshop
- /2/ Oleg Bulany, JI Senior Consultant, Global Carbon BV
- /3/ Chubar Oleg, the Head of the environmental safety department
- (4) Garkusha Aleksandr, the Head of the Steel Making workshop
- /5/ Masyuk Aleksandr, Deputy Chief Engineer
- /6/ Polyachenko Vladimir, Head of the personnel training centre
- Romanenko Sergey, the Head of the automation department
- /8/ Smirnof Sergey, the Chief metrologist
- /9/ Timoshenko Vadim, Head of the energy saving department
- /10/ Zubkov Aleksandr, the Chief Engineer



VERIFICATION REPORT

BUREAU VERITAS CERTIFICATION HOLDING SAS

VERIFICATION PROTOCOL

Check list for verification, according to the JOINT IMPLEMENTATION DETERMINATION AND VERIFICATION MANUAL (Version 01)

DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
Project appr	ovals by Parties involved				
90	Has the NFPs of at least one Party involved, other than the host Party, issued a written project approval when submitting the first verification report to the secretariat for publication in accordance with paragraph 38 of the JI guidelines, at the latest?	been approved by both NFPs. The Letters of Approval	N/a	N/a	OK
91	Are all the written project approvals by Parties involved unconditional?	Yes, all the written project approvals by Parties involved are unconditional.	N/a	N/a	OK
Project imple	ementation				
92	Has the project been implemented in	CAR 1. One new	Furnace #38 is in the list of	The issue is	OK



DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
	accordance with the PDD regarding which the determination has been deemed final and is so listed on the UNFCCC JI website?	furnace (Heating furnace #38) has been installed. This furnace is not in the list of the supposed to be implemented ones in the determined PDD. Please provide explanation and correct.	reconstructed as a part of JI project activity which was provided in the determined PDD. Please see: <u>ER calculation and Cash Flow Analysis English</u> (http://ji.unfccc.int/JI_Projec	closed.	
		CAR 2. Please clarify if the newly installed furnace is heating or thermal?	The furnace #38 is thermal.	The issue is closed.	
93	What is the status of operation of the project during the monitoring period? with monitoring plan	Project has been operational for the whole monitoring period, which is 01.04.2010 – 30.06.2010.	N/a	N/a	ОК



DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
94	Did the monitoring occur in accordance with the monitoring plan included in the PDD regarding which the determination has been deemed final and is so listed on the UNFCCC JI website?	There are few deviations to the monitoring plan included in the determined PDD. Detailed descriptions of the deviations are given in the Monitoring Report 002 that has been finally verified (see http://ji.unfccc.int/J I_Projects/DeterAn dVerif/Verif/FinVerif.html). A revised monitoring plan has been submitted to the AIE during verification, which received a positive determination.	N/a	N/a	OK
95 (a)	For calculating the emission reductions or enhancements of net removals, were key factors, e.g. those listed in 23 (b) (i)-(vii) above, influencing the baseline emissions or net removals and the	the emission reductions or enhancements of			OK



DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
	activity level of the project and the emissions or removals as well as risks associated with the project taken into account, as appropriate?	influencing the baseline emissions or net removals and the activity level of the project and the emissions or removals as well as risks associated with the project were taken into account, as appropriate. CAR 3. Please correct the number of furnaces on the page 15 of the MR. It should be	Number of furnaces was corrected. Please see p.15 of Fifth Periodic JI Monitoring Report ".	The issue is closed.	
		21 instead of 16. CAR 4. Please correct date of the last calibration of the natural gas meter at thermal furnace #18.	of the natural gas meter at		



DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
		CAR 5. Please correct date of the last calibration of the natural gas meter at thermal furnace #37.	of the natural gas meter at thermal furnace #37 was corrected. Please see p.16		
95 (b)	Are data sources used for calculating emission reductions or enhancements of net removals clearly identified, reliable and transparent?	Yes, data sources used for calculating emission reductions or enhancements of net removals are clearly identified, reliable and transparent		N/a	OK
95 (c)	Are emission factors, including default emission factors, if used for calculating the emission reductions or enhancements of net removals, selected by carefully balancing accuracy and reasonableness, and appropriately justified of the choice?	•	N/a	N/a	OK



DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
		accuracy and reasonableness, and appropriately justified of the choice			
	o JI SSC projects only				
96	Is the relevant threshold to be classified as JI SSC project not exceeded during the monitoring period on an annual average basis? If the threshold is exceeded, is the maximum emission reduction level estimated in the PDD for the JI SSC project or the bundle for the monitoring period determined?	N/a	N/a	N/a	N/a
Applicable to	bundled JI SSC projects only				
97 (a)	Has the composition of the bundle not changed from that is stated in F-JI-SSCBUNDLE?	N/a	N/a	N/a	N/a
97 (b)	If the determination was conducted on the basis of an overall monitoring plan, have the project participants submitted a common monitoring report?	N/a	N/a	N/a	N/a
98	If the monitoring is based on a monitoring plan that provides for overlapping monitoring periods, are the monitoring periods per component of the project clearly specified in the monitoring report?	N/a	N/a	N/a	N/a



DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
	Do the monitoring periods not overlap with those for which verifications were				
Revision of r	already deemed final in the past? monitoring plan				
	only if monitoring plan is revised by project	ct participant			
99 (a)	Did the project participants provide an appropriate justification for the proposed revision?	Yes, project participants provided an appropriate justification for the proposed revision, which was fully described in the Determination of Monitoring Plan Report (see http://ji.unfccc.int/J I_Projects/DeterAndVerif/Verif/FinVerif.html).		N/a	N/a
99 (b) Data manage	Does the proposed revision improve the accuracy and/or applicability of information collected compared to the original monitoring plan without changing conformity with the relevant rules and regulations for the establishment of monitoring plans?	N/a	N/a	N/a	N/a



DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
101 (a)	Is the implementation of data collection procedures in accordance with the monitoring plan, including the quality control and quality assurance procedures?	N/a	N/a	N/a	N/a
101 (b)	Is the function of the monitoring equipment, including its calibration status, is in order?	N/a	N/a	N/a	N/a
101 (c)	Are the evidence and records used for the monitoring maintained in a traceable manner?	N/a	N/a	N/a	N/a
101 (d)	Is the data collection and management system for the project in accordance with the monitoring plan?		N/a	N/a	N/a
Verification	regarding programs of activities (addition	nal elements for ass	essment)		
102	Is any JPA that has not been added to the JI PoA not verified?	N/a	N/a	N/a	N/a
103	Is the verification based on the monitoring reports of all JPAs to be verified?	N/a	N/a	N/a	N/a
103	Does the verification ensure the accuracy and conservativeness of the emission reductions or enhancements of removals generated by each JPA?	N/a	N/a	N/a	N/a
104	Does the monitoring period not overlap with previous monitoring periods?		N/a	N/a	N/a
105	If the AIE learns of an erroneously	N/a	N/a	N/a	N/a



DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
	included JPA, has the AIE informed the JISC of its findings in writing?				
Applicable to	o sample-based approach only				
106	Does the sampling plan prepared by the AIE: (a) Describe its sample selection, taking into account that: (i) For each verification that uses a sample-based approach, the sample selection shall be sufficiently representative of the JPAs in the JI PoA such extrapolation to all JPAs identified for that verification is reasonable, taking into account differences among the characteristics of JPAs, such as: - The types of JPAs; - The complexity of the applicable technologies and/or measures used; - The geographical location of each JPA; - The amounts of expected emission reductions of the JPAs being verified; - The number of JPAs for which emission reductions are being verified; - The length of monitoring periods of the JPAs being verified; and - The samples selected for prior	N/a	N/a	N/a	N/a



DVM Paragraph	Check Item	Initial finding	Action requested to project participants	Review of project Participants' action	Conclusion
	verifications, if any?				
107	Is the sampling plan ready for publication through the secretariat along with the verification report and supporting documentation?	N/a	N/a	N/a	N/a
108	Has the AIE made site inspections of at least the square root of the number of total JPAs, rounded to the upper whole number? If the AIE makes no site inspections or fewer site inspections than the square root of the number of total JPAs, rounded to the upper whole number, then does the AIE provide a reasonable explanation and justification?	N/a	N/a	N/a	N/a
109	Is the sampling plan available for submission to the secretariat for the JISC.s ex ante assessment? (Optional)	N/a	N/a	N/a	N/a
110	If the AIE learns of a fraudulently included JPA, a fraudulently monitored JPA or an inflated number of emission reductions claimed in a JI PoA, has the AIE informed the JISC of the fraud in writing?	N/a	N/a	N/a	N/a



VERIFICATION REPORT

APPENDIX B: VERIFICATION TEAM

The verification team consists of the following personnel:

Ivan G. Sokolov, Dr. Sci. (biology, microbiology)

Internal Technical Reviewer, Climate Change Lead Verifier, Bureau Veritas Certification Holding SAS Local Climate Change Product Manager for Ukraine

Acting CEO Bureau Veritas Black Sea District

He has over 25 years of experience in Research Institute in the field of biochemistry, biotechnology, and microbiology. He is a Lead auditor of Bureau Veritas Certification for Environment Management System (IRCA registered), Occupational Health and Safety Management System, and Food Safety Management System. He performed over 140 audits since 1999. Also he is Lead Tutor of the IRCA registered ISO 14000 EMS Lead Auditor Training Course, and Lead Tutor of the IRCA registered ISO 9000 QMS Lead Auditor Training Course. He is Lead Tutor of the Clean Development Mechanism /Joint Implementation Lead Verifier Training Course and he was involved in the determination/verification over 60 JI/CDM projects.

Kateryna Zinevych, M.Sci. (environmental science)

Climate Change Verifier

Kateryna Zinevych has graduated from National University of Kyiv-Mohyla Academy with the Master Degree in Environmental Science. She has experience at working in a professional position (analytics) involving the exercise of judgment, problem solving and communication with other professional and managerial personnel as well as customers and other interested parties at analytical centre "Dergzovnishinform" and "Burea Veritas Ukraine" LLC. She has successfully completed IRCA registered Lead Auditor Training Course for Environment



VERIFICATION REPORT

Management Systems and Quality Management Systems. She has successfully completed Climate Change Verifier Training Course and she participated as verifier in the determination/verification of 26 JI projects.

Oleg Skoblyk, Specialist (Power Management)

Climate Change Verifier

Bureau Veritas Ukraine HSE Department project manager.

He has graduated from National Technical University of Ukraine 'Kyiv Polytechnic University" with specialty Energy Management. He is a Lead auditor of Bureau Veritas Certification for Environment Management System (IRCA registered). He performed over 10 audits since 2008. He has undergone intensive training on Clean Development Mechanism /Joint Implementation and he is involved in the validation of 20 JI projects.

The report was reviewed by:

Leonid Yaskin, PhD (thermal engineering)

Internal Technical Reviewer

Bureau Veritas Certification Rus General Director- Lead Auditor, Lead Tutor, Climate Change Lead Verifier He has over 30 years of experience in heat and power R&D, engineering, and management, environmental science and investment analysis of projects. He worked in Krrzhizhanovsky Power Engineering Institute, All-Russian Teploelectroproject Institute, JSC Energoperspectiva. He worked for 8 years on behalf of European Commission as a monitor of Technical Assistance Projects. He is a Lead auditor of Bureau Veritas Certification for Quality Management Systems (IRCA registered), Environmental Management System (IRCA registered), Occupational Health and Safety Management System (IRCA registered). He performed over 250 audits since 2002. Also he is a Lead Tutor of the IRCA registered ISO 14000 EMS Lead Auditor Training Course, and a Lead Tutor of the IRCA registered OHSAS 18001 Lead Auditor Training Course. He is an Assuror of Social Reports. He is Lead Tutor of the Climate Change Lead Verifier Training Course and was/is involved in the determination of over 60 JI projects.